

SD99-07F

Documentation of South Dakota's ITS/CVO Data Architecture

SD99-07

FINAL REPORT

Prepared by



505 King Avenue
Columbus, OH 43201

Submitted to

South Dakota Department of Transportation
Office of Research, Room 122
700 East Broadway Avenue
Pierre, SD 57501-2586

September 15, 1999

DISCLAIMER

The contents of this report reflect the views of the authors who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the South Dakota Department of Transportation, the State Transportation Commission, or the Federal Highway Administration. This report does not constitute a standard, specification, or regulation.

ACKNOWLEDGEMENTS

This work was performed under the supervision of the SD99-07 Technical Panel:

Ron Knecht..... Bureau of Information and Telecommunication	Katie JohnsonPublic Utilities Commission
Anselem H. Rumpca..... Department of Transportation	Cindy Gerber Department of Commerce and Regulation
Debra HillmerDepartment of Revenue	Janet McKenzie Highway Patrol
Michael YoungDepartment of Transportation	Martin BettmannPublic Utilities Commission
Mark GilmoreOffice of Motor Carriers FHWA	Alana GourneauDepartment of Revenue
Pam Templeton.....Unified Judicial System	Daris Ormesher.....Department of Transportation
Linda PetersonBureau of Information and Telecommunication	

1. Report No. SD99-07F	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Documentation of South Dakota's ITS/ CVO Data Architecture		5. Report Date September 15, 1999	6. Performing Organization Code
		8. Performing Organization Report No.	
7. Author(s) Edward S. Fekpe, Amiy Varma		9. Performing Organization Name and Address Battelle 505 King Ave. Columbus, OH 43201-2693	
12. Sponsoring Agency Name and Address South Dakota Department of Transportation Office of Research		10. Work Unit No.	11. Contract or Grant No.
		13. Type of Report and Period Covered Final, March 1999 to Sept 1999	
14. Sponsoring Agency Code		15. Supplementary Notes An Executive Summary of this report is published as SD99-07X	
16. Abstract <p>This report documents the ITS/CVO data architecture for the State of South Dakota. It details the current state of affairs in terms of CVO business areas, processes, data flow linkages and the systems used by each agency and for each process. This study also identifies the system deficiencies in terms of CVISN deployment.</p> <p>Process and data models are developed using information engineering methodology/framework and software that are consistent with South Dakota's Bureau of Information Telecommunication's newly approved information engineering standards. The process model includes data flow diagrams (DFD) showing details of the information flow for each process and sub-process. The data model includes entity relationship diagrams (ERD) that show data attributes and major components associated with each key data entity. Interaction matrices are developed to show the linkages between data and processes and identify the level of data usage and sharing as well as any missing links in data exchange among agencies. The process-to-organization matrix maps the processes to the state agencies that perform the processes. A process-entity interaction or CRUD matrix maps the business area processes to the subject areas. The CRUD matrix shows data dependencies between the processes and subject areas.</p> <p>This report also identifies current system characteristics and deficiencies with regards to CVISN systems deployment. CVISN architecture top-level design templates and equipment packages are used as templates to summarize the data gathered in the study. The purpose is to gauge current systems' compatibility and to help identify areas of focus in developing and deploying CVISN in South Dakota. The templates reflect the major functions that support CVO in South Dakota and illustrate which functions currently exchange information. They also serve as starting points in developing operational scenarios and system interfaces.</p>			
17. Keyword Architecture, Data Model, Process Model, Intelligent Vehicle Transportation System, Commercial Vehicle Operations		18. Distribution Statement No Restriction. This report is available to the public from the sponsoring agency.	
19. Security Classification (of this report) Unclassified	20. Security Classification (of this page) Unclassified	21. No. of Pages 200	22. Price

TABLE OF CONTENTS

LIST OF TABLES	V
LIST OF FIGURES	V
EXECUTIVE SUMMARY	1
RESEARCH APPROACH.....	1
DATA ARCHITECTURE	2
SYSTEMS ASSESSMENT	5
CVISN COMPATIBILITY.....	6
RECOMMENDATIONS	7
1.0 INTRODUCTION.....	1
1.1 PROBLEM STATEMENT	1
1.2 STUDY OBJECTIVES.....	2
2.0 RESEARCH PLAN.....	3
3.0 LITERATURE REVIEW	9
3.1 CVISN AND NATIONAL ARCHITECTURE	9
3.2 ITS/CVO AND RELATED STUDIES IN OTHER STATES AND REGIONS	11
3.3 SOUTH DAKOTA MOTOR CARRIER AND RELATED STUDIES	13
3.4 ITS/CVO STUDIES IN SOUTH DAKOTA.....	13
3.5 CVO PROCESSES AND ORGANIZATIONS IN SOUTH DAKOTA	14
3.6 ITS/CVO OPPORTUNITIES IN SOUTH DAKOTA.....	16
3.7 INFORMATION ENGINEERING STUDIES IN SOUTH DAKOTA.....	16
3.8 DESCRIPTION OF CVISN ELEMENTS.....	17
3.8.1 Administrative Processes	17
3.8.2 Electronic Roadside Screening.....	20
3.8.3 Safety Information Exchange.....	21
4.0 INFORMATION ENGINEERING FRAMEWORK	23
4.1 INFORMATION SYSTEMS ARCHITECTURE.....	23
4.2 DATA AND PROCESS MODELS	24
4.3 LINKING DATA AND PROCESS MODELS	26
4.4 REPRESENTATION OF PROCESS AND DATA MODELS.....	26
5.0 DATA ARCHITECTURE	28
5.1 INTRODUCTION	28
5.2 PROCESS MODEL	29
5.2.1 Graphical Representations	29
5.2.2 Process Definitions	29
5.3 DATA MODEL	35
5.4 INTERACTION MATRICES	37
5.4.1 Process-To-Organization Matrix	37

5.4.2	Process-Entity Interaction Matrix.....	39
6.0	SYSTEMS ASSESSMENT	45
6.1.	DESCRIPTION OF CURRENT SYSTEMS	45
6.2	SYSTEMS CHARACTERISTICS AND OPPORTUNITIES	48
6.3	CVISN-RELATED PROBLEM IDENTIFICATION	52
6.3.1	Summary of Problems.....	52
6.3.2	Problem Definition	54
7.0	DOCUMENTATION IN CVISN TEMPLATES	56
7.1	INTRODUCTION	56
7.2	CVISN TOP-LEVEL DESIGN TEMPLATES.....	57
7.2.1	System Design Template	57
7.2.2	Network Template	58
7.3	CVISN ARCHITECTURE EQUIPMENT PACKAGE TEMPLATES	59
7.3.1	Commercial Vehicle Administration Center Subsystem	62
7.3.2	Commercial Vehicle Check Roadside Subsystem.....	63
8.0	CONCLUSIONS AND RECOMMENDATIONS.....	73
8.1	CONCLUSIONS	73
8.2	DATA COLLECTION PROBLEMS	75
8.3	RECOMMENDATIONS	76
9.0	LIST OF REFERENCES AND INFORMATION SOURCES.....	78
Appendix A	– Process Model Diagrams.....	A-1
	International Registration Plan (IRP)	A-2
	International Fuel Tax Agreement (IFTA)	A-9
	Vehicle Title and Registration	A-18
	Commercial Driver License (CDL).....	A-21
	Single State Registration System (SSRS).....	A-27
	Interstate Exempt	A-34
	Single Trip Permit	A-37
	Oversize / Overweight Permit (OS/OW).....	A-40
	Office of Accident Records	A-45
	Roadside Enforcement.....	A-49
	Unified Judicial System.....	A-55
	Compliance Review	A-60
	Hazardous Waste Transportation & Hazardous Materials Spills.....	A-67
	Milk Bulk Truck Inspection.....	A-70
Appendix B	– Entity Relation Diagrams (ERDs).....	B-1
Appendix C	– Current Data Elements	C-1
Appendix D	– Acronyms.....	D-1

Appendix E – Technical Panel.....E-1

Appendix F – Interviewees and Interview Guide F-1

List of Tables

Table 1. Levels of Modeling and Techniques	25
Table 2. Process – Organization Interaction Matrix	38
Table 3. Agency – Agency Interaction Matrix	39
Table 4. Process – Entity Interaction (CRUD) Matrix.....	43
Table 5. Processes Supported by Current Systems.....	46
Table 6. Summary of System Characteristics, Deficiencies and Opportunities.....	49
Table 7. CVISN Related Problems with Processes	53

List of Figures

Figure 1. Framework For Information Systems Architecture	24
Figure 2. Generic Basic Process Model	26
Figure 3. Current South Dakota State System Design	60
Figure 4. Current South Dakota State Network	61
Figure 5. Credentials and Taxes Administration Equipment Package	66
Figure 6. Commercial Vehicle Safety Administration Equipment Package.....	67
Figure 7. Commercial Vehicle Information Exchange Equipment Package	68
Figure 8. Roadside Electronic Screening (RES) Equipment Package.....	69
Figure 9. Roadside Safety Inspection (RSI) Equipment Package	70
Figure 10. Roadside Weigh In Motion (WIM) Equipment Package	71
Figure 11. Citation and Accident Electronic Recording Equipment Package	72

EXECUTIVE SUMMARY

The scope of the Commercial Vehicle Operations (CVO) component of the national Intelligent Transportation System (ITS) policy initiative includes operations associated with passenger and freight movement by commercial vehicles and the activities necessary to regulate these operations. The national ITS/CVO goals are accomplished within a framework defined by four functional areas: safety assurance, administrative or deskside processes, roadside electronic clearance, and carrier operating systems. These four functional areas are re-grouped into three major CVISN elements: administrative processes (includes carrier systems), electronic roadside screening, and safety information exchange. Data architecture that facilitates linkage of motor carrier-related databases forms the basis for commercial vehicle information systems and networks (CVISN) deployment. Currently, most state agencies involved with commercial vehicle operations in South Dakota are unable to share commercial vehicle (CV) related information, and some agencies collect the same data from motor carriers.

The primary objective of this project is to develop data and process models to describe and document the current business areas and processes for agencies involved with the regulation of motor carriers operating in South Dakota. This project also assesses the deficiencies of existing relevant carrier credentialing and safety performance databases, data sharing, and transfer mechanisms and limitations, and identifies opportunities for improving effectiveness and efficiency in these linkages for the purposes of CVISN deployment.

The outputs of the research effort will be presented in a format that fits within the CVISN templates for state system design. This project is intended to provide a high level functional design that depicts the data flows and data entity relationships. The data architecture documentation will form the basis for a detailed design. The project is not intended to develop a detailed design of the architecture that prescribes how systems will be linked in the state. The detailed design will be developed as new systems are installed.

RESEARCH APPROACH

The technical approach in documenting the data architecture for ITS/CVO in South Dakota is divided into eight interdependent tasks. The tasks are discussed below.

Review and finalize project scope and work plan – This task offered the opportunity to confirm the identity and contact information for individuals from different state agencies. This task ensured a common understanding among the study team and the South Dakota Department of Transportation (SDDOT) Technical Panel of the objective, tasks, issues, schedules, and deliverables related to this project. The work plan was reviewed and finalized.

Review literature and establish an information engineering methodology – The study team reviewed literature pertinent to ITS/CVO and state and national database architectures. The review included national, regional and South Dakota-specific ITS/CVO initiatives, in particular,

the data and process architecture specifications. The review resulted in an annotated bibliography of relevant literature.

The information engineering framework was developed for documenting the ITS/CVO data architecture. In order to maintain consistency with South Dakota's Bureau of Information and Telecommunications (BIT) newly approved information engineering standards, *ERwin* and *BPwin* software were used in documenting South Dakota's motor carrier regulatory agencies' information.

Collect data - Detailed information on CVO data and processes were collected through on-site in-person interviews. A survey guide approved by the Technical Panel was used. The technical Panel reviewed the information gathered from the interviews to confirm accuracy and completeness of the data.

Develop process and data models - A process model was developed that defines the CVO processes and linkages among all functional areas and databases. The process model describes key processes of each business area in terms of what is done. A data model was developed that consists of an entity relationship diagram (ERD) of the entities' information classes, definitions, and relationships. The ERD will be the basis for the more detailed logical database design.

Develop a process-to-organization and process-entity matrices - A process-to-organization matrix was developed that maps CVO processes and sub-processes to the organizations that perform CVO process. A process-entity interaction matrix was developed that can be used for scoping and sequencing application designs and implementation of projects. The matrix maps key processes of each business area to the subject areas.

Conduct current systems assessment - This task assessed the current systems, including hardware, software, and databases, and identified opportunities for improvements. The task also assessed the compatibility of software and hardware of different agencies involved in sharing and transferring CVO-related data.

Document the information using CVISN templates - CVISN templates were used to document the information gathered in the previous tasks to ensure compatibility with national CVISN architecture.

Prepare a final report and executive summary - The research findings are presented in a comprehensive document with a stand-alone executive summary.

DATA ARCHITECTURE

A major problem with current CVO information systems is the difficulty of data exchange. One step in resolving the data exchange problem is to identify the entities within CVO and to develop an entity-relationship diagram to depict the relationships among these entities. The data architecture consists of a definition of data entities, attributes, and relationships and provides a framework for resolving the data exchange problem.

Another step is to determine the processes and develop data flow diagrams to show:

- Where data is used and stored
- The interfaces between processes
- The equipment package's interfaces with external equipment package(s).

A logical data architecture provides a description of what the CVO enterprise does and the information it uses. The logical architecture contains two primary elements: the process architecture and the data architecture, which are simply analytical tools for understanding requirements and operations in detail. A model-based approach was used that involved developing process and data models and interaction matrices that map business area processes to data entities and organizations. The information engineering framework used is a high-level architecture that focuses on the “ballpark” view and owner’s view in describing both data and processes. This includes development of entity relationship diagrams and functional flows diagrams. The process model is developed to contain high- and mid-level modeling elements.

Process Model

The process model describes key processes of each business area in terms of what is done. The process model does not represent who performs the process or how it is performed or how often the process is performed. The process is developed as a logical model that provides a technology-independent description, and serves as a tool to analyze CVO activities to determine the scope of the problem and to identify the types of information flows that would be required to support identified interfaces.

The process model is organized around primary process areas in CVO where a hierarchy of processes and sub-processes within each area are defined. The process model consists of process definitions and two graphical representations of business processes. The two graphical representations are: (a) node diagrams or hierarchical decomposition diagrams of processes from high-level to detailed, and (b) data flow diagrams (DFD) showing details of the information flow for each process and sub-process.

Data Model

The data model consists of entity relationship diagrams (ERDs) of the entities’ information classes, definitions, and relationships. These ERDs form the basis for the more detailed logical database design. The ERDs show the major data elements of each agency’s database and the attributes associated with each data element. The ERDs developed for key data entities fundamental to CVO and common to multiple agencies in South Dakota include the following:

1. Account entity
2. Audit entity
3. Carrier entity
4. Driver entity
5. Insurance entity

6. International Registration Plan (IRP) filing
7. Roadside inspection entity
8. Tax return entity
9. Trip entity
10. Vehicle entity.

Interaction Matrices

Interaction matrices are developed to help identify linkages among agencies in terms of CVO. These matrices show the linkage between data and processes and identify the level of data usage and sharing as well as missing links in data exchange among agencies.

Process-To-Organization and Organization-to-Organization Matrices

A process-to-organization matrix is developed to show linkages among agencies in terms of CVO functions. The process-to-organization matrix maps the processes to the state agencies that perform the processes. The following abbreviations are used to describe each organization's role in each process and sub-process:

- PE – Performs this process or sub-process
- PO – Sets the policy on how this process or sub-process is performed
- SU – Supports the process or sub-process or supports those who perform them
- BO – Both sets policy and performs process or sub-process.

For example, the policies for International Fuel Tax Agreement (IFTA) registration are set or regulated by the Department of Revenue (DOR) and the registration process is performed by the DOR. This process is supported by the Highway Patrol (HP) through motor carrier enforcement, supported by BIT through information and data processing, and supported by State Treasury through financial transactions and remittals.

In addition, an agency interaction matrix is constructed that shows agencies that interact directly (D) or indirectly (I) with other state agencies in performing their CVO functions. These two matrices clearly show which agencies interact in performing CVO functions, and which agencies need to interact in order to have an integrated system. For example, the matrices show that the Public Utility Commission (PUC) does not interact with other regulating agencies. For purposes of CVISN deployment, all state regulatory processes (administrative and roadside) should be integrated and interfaced effectively in the sharing and exchange of data related to carriers, vehicles, and drivers.

Process-Entity Interaction Matrix

A process-entity interaction (CRUD) matrix is developed that provides the information necessary to define the size and scope of a business area and to determine the sequence of implementing projects designed to address limitations of data sharing and exchange among organizations. Typically, a business area will create much of the data it requires and provide/receive data to/from other business areas. The amount of data sharing is a major consideration that determines the size and scope of the business area. A CRUD matrix is developed that maps the business area processes to the subject areas. The subject area represents a grouping of information used in

the performance of business area processes. The CRUD matrix shows data dependencies between the processes and subject areas (data). The CRUD matrix clearly shows which areas operate independently of other agencies or organizations and which agencies do interact with other agencies in performing their CVO functions. The matrix provides a means to easily identify the missing links in developing an integrated system. The matrix shows the level of data sharing and usage among CVO business areas in South Dakota. The following abbreviations are used in the CRUD matrix:

- C – Created i.e., data points can be created by the process
- R – Retrieved i.e., data is accessed or retrieved in performing the process
- U – Updated i.e., data can be updated during the process
- D – Deleted i.e., data can be deleted during the process.

SYSTEMS ASSESSMENT

The assessment of the current systems included identifying the hardware, software, mainframe and PC-based applications, external systems as well as linkages, and communication mechanisms that support CVO processes. The study team determined the adequacy of current systems to support CVO processes and identified any potential problems relating to CVISN systems deployment identified. These problems are expected to guide the improvement of the systems and also help identify and prioritize suitable CVISN elements to be deployed in South Dakota.

It was noted that the current systems are generally adequate for performing CVO processes under the present conditions. Although there may be no problems with the current systems in supporting the various processes, the current systems may not have the functionality to support CVISN technology. Data exchange and transfer facilities among agencies are lacking. For some business areas and processes, a number of potential problems are identified in terms of CVISN deployment. For example, problems of interfacing, integrating, and data-sharing facilities among agencies involved with credentialing processes are identified. Roadside operations currently rely on the State Radio to access credential's information on carriers, vehicles, and drivers, although poor radio reception in certain areas of the State makes it ineffective.

Currently, PUC is the only business area that relies solely on PC-based applications for processing and issuing Single State Registration System (SSRS), interstate exempt and single-trip permits. In addition, PUC is not part of South Dakota's Wide Area Network (WAN). It is therefore recommended that a first step in interfacing or integrating credentialing legacy systems is to include PUC as part of the WAN. Secondly, a number of agencies are currently upgrading their computer systems and software to be Y2K compliant. It is therefore important to conduct this upgrade consistently in all agencies to ensure compatibility.

The study team identified the following problems in CVISN deployment:

- Many of the current operations are manual and oriented towards paper, which creates processing problems such as data error, handling and storage.

- Lack of connectivity among state agencies restricts integration which indicates potential replication of data and duplication of data collection efforts.
- Lack of connectivity to provide real-time access to data on vehicle registration and drivers for roadside enforcement operations.
- Limited electronic fund transfer (EFT) between carriers and state agencies and other jurisdictions.
- Non-uniformity in the databases and software used for different CVO functions by state agencies, raising issues of compatibility and interoperability.
- Applications do not include downloading/uploading functionality between mainframe and PC systems.
- Lack of network facilities for mobile sites in commercial driver licensing process.
- Some PC-based systems are stand alone, designed for very specific business functionality.
- Lack of systematic and consistent approach in maintaining readily accessible historical data for future use in electronic format.
- No automated links to state accounting systems.

CVISN COMPATIBILITY

CVISN architecture top-level design templates and equipment packages are used as templates to summarize the data gathered in the study. The purpose is to gauge current systems' compatibility and to help identify areas of focus in developing and deploying CVISN systems. The following conclusions can be drawn:

Top-level design templates – These templates reflect the major functions that support CVO in South Dakota and illustrate which functions currently exchange information. They also serve as starting points in developing operational scenarios and system interfaces.

Credentials and Taxes Administration supporting the processing, update, and issuance of CVO credentials, supporting the collection, processing, and review of CVO fees and taxes. All processes under this functional area are currently performed in South Dakota except those that are electronic. This applies to each credential processed and issued for CVO in South Dakota (e.g., IRP, IFTA, SSRS, CDL, oversize/overweight [OS/OW] permits). There is no connectivity or interface for online access between roadside support functional area and the agencies.

Commercial Vehicle Safety Administration, supporting the collection and review of CV safety data. Apart from compliance reviews, none of the activities under safety administration are

currently carried out in South Dakota. Analysis of safety data is performed using national safety databases and programs such as Motor Carrier Management Information System (MCMIS) and Safety Status (SAFESTAT). There is no on-line connectivity between the credentials and taxes administration functional area and the management of safety data functional area.

Commercial Vehicle Information Exchange, facilitating the exchange of snapshots and profiles containing safety and credentials information for drivers, carriers, and vehicles. This functionality is not currently available in South Dakota.

Roadside Electronic Screening, supporting the screening and electronic clearance of vehicles. South Dakota does not have the facilities for roadside electronic screening.

Roadside Safety Inspection, supporting automated safety inspections. The Inspection Selection Subsystem (ISS) algorithm is used for screening vehicles for inspection. Electronic processes that are currently performed include the use of ASPEN and ISS. Other processes are currently not performed in South Dakota.

Roadside Weigh-In-Motion (WIM), weighs commercial vehicles at mainline speeds. WIM installations are currently not used in roadside operations in South Dakota.

Citation and Accident Electronic Recording, supporting the recording of information related to citations or accidents. In South Dakota, accident record and citation processing are not currently electronic.

RECOMMENDATIONS

The following recommendations focus on CVISN deployment in South Dakota:

- Link CVO agencies and databases to facilitate data exchange among credentialing processes. Integrate or interface all business areas that process and issue motor carrier credentials to allow access to credentialing databases. Within the DOR, this will include interfacing IRP with IFTA. The databases of Department of Revenue (DOR), DCR, PUC, and DOT need to interface with each other. This effort will be part of the overall CVISN deployment in South Dakota.
- Currently, PUC is the only business area that relies solely on PC-based applications for processing and issuing SSRS, interstate exempt, and single trip permits. In addition, PUC is not part of South Dakota's WAN. It is therefore recommended that a first step in interfacing or integrating credentialing legacy systems is to have PUC as part of the WAN. Secondly, a number of agencies are currently upgrading their computer systems and software for Y2K compliance. It is therefore important to carry this upgrade consistently in all agencies to ensure compatibility.
- Ensure compatibility and interoperability of credentialing systems. Hardware, operating platforms and software used by various state agencies should be compatible and

interoperable in order to facilitate interfacing and integration. This is required to facilitate data exchange among state agencies and with other jurisdictions. As various state agencies upgrade their individual systems, compatibility and interoperability should be the guiding principles in the choice of systems.

- Interface roadside operations and credentialing processes in order to facilitate safety information exchange and enhance efficiency and effectiveness in roadside operations. This interface would allow enforcement officers easy access to carrier, vehicle, and driver credentials information. Currently, enforcement officers obtain such information through the State Radio. Poor radio reception in certain areas of the State also makes data access inefficient. Improvements in data exchange for roadside operations should be given immediate attention. Current research on automated routing and permitting should be coordinated with other roadside inspection needs.
- Undertake a detailed assessment of the identified CVISN-related problems and compatibility issues. The problems identified in this study need further evaluation in terms of improvement, re-engineering, costs, and resources, as well as short- and long-term effects. This assessment will determine the magnitude of each problem and how it impacts the deployment of CVISN systems. The results of this assessment are expected to influence the selection and prioritization of potential CVISN elements. For example, it will be necessary to explore the communication linkage problem between roadside and administrative processes to identify potential alternative solutions.
- Evaluate the alternative CVISN element options based on experiences of the pilot states. This study reviewed the various CVISN elements being deployed in the 10 pilot states for all functional areas (administrative processes, safety information exchange, and roadside screening). The suitability of any given element should be evaluated in terms of local regulatory environment, current levels of ITS/CVO-related technology deployment and projects, weather, truck traffic conditions, enforcement practices, data access and exchange practices. This evaluation also must consider compatibility with national and regional ITS/CVO initiatives.
- Initiate a detailed data architecture that is CVISN compatible. This study is a high-level architecture that documents the current state of affairs in terms of CVO business areas, processes, databases, linkages, data-process interactions, organization-process interactions, and the systems used by each agency and for each process. This study also identifies the system's deficiencies in terms of CVISN deployment. The detailed architecture will prescribe how the systems will be linked. The detailed architecture will evolve as new systems are deployed and installed.
- Use the deficiencies identified in the CVISN equipment package templates to guide the selection and development of CVISN elements. These templates clearly show linkages and processes that are currently not performed or supported by current systems in South Dakota.

1.0 INTRODUCTION

1.1 PROBLEM STATEMENT

Data architecture that facilitates linkage of motor carrier-related databases forms the basis for commercial vehicle information systems and networks (CVISN) deployment. CVISN is not a new information system, but rather a way for existing systems to exchange information through the use of standards and the U.S. commercially available communications infrastructure. Currently, most state agencies involved with commercial vehicle operations (CVO) in South Dakota are unable to share commercial vehicle (CV) related information in a seamless and efficient manner and some agencies collect the same data from motor carriers. This project documents the CVO processes and data flows in South Dakota and develops a plan for linking the various CVO regulatory databases. In developing the plan, this project assesses the deficiencies of existing relevant carrier-credentialing and safety-performance databases, data sharing, and transfer mechanisms and limitations, and identifies opportunities for improving effectiveness and efficiency of these linkages for the purposes of CVISN deployment. This project develops a functional design that depicts the flow of relevant data for CVISN deployment in the State of South Dakota, which is compatible with the national CVISN architecture. This project is directed at achieving some long-term intelligent transportation system (ITS)/CVO goals of South Dakota including improving safety and efficiency of CVO in South Dakota, increasing efficiency and effectiveness of state CVO regulatory processes, and providing better service to industry.

The scope of the CVO component of the national ITS policy initiative includes operations associated with passenger and freight movement by commercial vehicles and the activities necessary to regulate these operations. The national ITS/CVO goals are accomplished within a framework defined by four functional areas: safety assurance, administrative or desk-side processes, roadside electronic clearance, and carrier operating systems. These four functional areas are re-grouped into three major CVISN elements: administrative processes (includes carrier systems), electronic roadside screening, and safety information exchange.

South Dakota participated in four major ITS projects in the last few years. First, the Dakotas' ITS/CVO Institutional Issues Study was completed in 1996. The study documented barriers to implementing ITS/CVO technology. Second, the Advanced Traveler Information System, also a joint North Dakota and South Dakota project, is a test to provide road and weather information to travelers; weather is communicated to travelers by cellular phone on selected routes in the two states, electronic mail, and Internet. Third, South Dakota was one of the seven states that participated in the Midwest Electronic One-Stop Shopping Operational Test. The test was developed to give motor carriers the capability of obtaining credentials from multiple states through electronic application to their base state. This capability was not tested in South Dakota. Fourth, South Dakota is participating in the ITS/CVO Mainstreaming effort. South Dakota is a member of the Midwest Mainstreaming Consortium. Along with Missouri, Nebraska, and Kansas, South Dakota contributes to the development of a Midwest regional coordination plan for multistate ITS/CVO projects.

As part of the mainstreaming efforts, South Dakota developed an ITS/CVO business plan for CVISN systems implementation. A major requirement of South Dakota's ITS/CVO Business Plan is that it targets and coordinates the state's investments in ITS technology in order to conserve resources and provide benefits to state agencies and the motor carrier industry. The plan identified the need for a CVO database architecture for linking the various regulatory databases. Such linkage will reduce the need for carriers to provide the same information to multiple agencies. Connectivity among administrative processes and with roadside operations will facilitate data exchange and improve efficiency and cost-effectiveness in state regulatory processes. Currently, most state agencies involved with CVO in South Dakota are unable to share CV-related information, and some agencies collect the same data from motor carriers. CVISN is designed to address this basic problem of facilitating the ability of state agencies to share CVO-related data among agencies in the same state and with other states. This is a critical requirement to deploy systems that can achieve the goals of the functional areas of the CVISN initiative. CVISN is expected to enable state agencies, motor carriers, and other parties engaged in CVO safety and regulation to exchange information and conduct business transactions electronically.

1.2 STUDY OBJECTIVES

The primary objective of this project is to develop data and process models to describe and document the current business areas and processes for agencies involved with the regulation of motor carriers operating in South Dakota. This project is intended to assess the nature and structure of existing state agency databases and the nature and mode of data sharing and transfer, and to develop data and process models that will facilitate CVISN deployment.

This project is intended to provide a high-level functional design that depicts the data flows and data entity relationships. The data architecture documentation will form the basis for a detailed database and information system architecture design. The output will be a database architecture for linking the various CVO regulatory databases in the State of South Dakota that is consistent with the CVISN architecture. The project is not intended to develop a detailed design of the architecture that prescribes how systems will be linked in the state. The detailed design will be developed as new systems are installed.

2.0 RESEARCH PLAN

This section describes the technical approach in used documenting the data architecture for ITS/CVO in South Dakota. The tasks are discussed below.

Task 1. Review and finalize project scope and work plan

The purposes of this task were to meet with the technical panel to review and finalize the work plan for conducting the research and also to identify potential key persons and confirm business areas in state and other agencies that are involved with CVO within South Dakota.

Immediately following the contract award, the project team held a kick-off meeting with the South Dakota Department of Transportation (SDDOT) project technical panel for the project. This forum also offered the opportunity to confirm the identity and contact information for individuals from different state agencies. This task ensured a common understanding among the study team and the SDDOT technical panel of the objective, tasks, issues, schedules, and deliverables related to this project. The work plan was reviewed and finalized.

Task 2. Review literature and establish an information engineering methodology

The purpose of this task was to review and summarize literature pertinent to state and national database architectures and establish an information engineering methodology for documenting South Dakota's motor carrier regulatory agencies' CVO-related processes, data entities, and their interactions.

This task was fundamental to conducting each of the subsequent tasks of the research plan and in meeting the objective of developing the data and process models. First, national ITS/CVO initiatives, in particular the data and process architecture specifications were reviewed. Second, past South Dakota ITS/CVO studies were reviewed, in particular the recently developed ITS/CVO business plan. Third, several South Dakota Web sites were reviewed, including those of DOT and the Bureau of Telecommunications (BIT). Fourth, business plans and ITS/CVO studies of other states in the Midwest Mainstreaming (South Dakota, Kansas, Nebraska, and Missouri) as well as the Midwest CVO Mainstreaming coordination plan were reviewed to have a regional understanding of ITS/CVO initiatives. Other state ITS/CVO business plans and studies were reviewed, including North Dakota, Iowa, Minnesota, and Montana. Finally, several database books and articles were reviewed to understand information engineering principles and database structure, efficiency, and other related issues. The literature review is provided in Section 3, and a complete list of literature reviewed is provided in Section 9.

The information engineering methodology established and used in this study is discussed in Section 4. The South Dakota's BIT has approved *ERwin* and *BPwin* to be the standard data and business process modeling tools. Therefore in order to maintain consistency, these software

packages were used in documenting CVO-related process and data models of South Dakota's motor carrier regulatory agencies.

Task 3. Collect data

The purpose of this task was to collect detailed information in order to document CVO processes in South Dakota and develop data and process models.

Having identified the key business areas and the contact persons in Task 1, this task focused on collecting data through on-site in-person interviews. A survey guide was first developed and reviewed by the technical team. The study team designed the survey instrument to obtain sufficient information on the functional and technical data requirements of each state agency involved in the regulation of motor carrier operations. In addition, the survey captured information required to assess current systems. The interview guide addressed a number of important elements, including the following:

- Business functions, information inputs/outputs, and personnel responsibilities
- Definition of the roles and responsibilities of each agency in CVO
- Description of processes in each business area
- Types of data collected, methods of data collection, handling, and storage
- Data requirements and standards
- Database approaches used
- Current level of integration among various databases and systems
- Ease of use of current databases and systems
- Current system degree of functionality and improvement needs
- Technical environment, constraints, and available equipment and needs
- Current automated and manual system and associated deficiencies
- Opportunities for deployment of higher technologies.

Next, using the survey guide, individual interviews were conducted with the selected key contact persons. The data collection effort was combined with the kick-off meeting (Task 1). In this regard, a draft survey guide was submitted to the technical panel for review following the award of the contract and ahead of the meeting. The final interview guide was revised based on the comments and suggestions from the technical panel.

On March 24-25, 1999, the project team met with the staff from different state agencies and business areas for interviews and gathered data. The information gathered from the interviews was then summarized and presented to the key contacts for review and confirmation of accuracy and completeness of the data gathered and the study team's understanding of the functionality of the databases in each motor carrier regulatory agency. A subsequent group meeting was held on June 11, 1999 to discuss the data summaries that included draft data and process models and interaction matrices. Data for Task 8 on deficiencies, incompatibilities, and potential courses of action for improvement were also discussed at both meetings.

Task 4. Develop process model

The purpose of this task was to develop a process model that consists of process definitions as well as two different graphical representations of business processes.

In developing the process model a series of analyses was conducted with the information gathered in the data collection task of the project (Task 3). These included:

- Defining the roles and relationships among all affected state agencies in CVO regulatory and enforcement processes
- Identifying processes and sub-processes of each CVO functional areas (e.g., credentialing and tax administration, roadside operations, safety assurance)
- Determining input and output data elements for each process
- Determining existing data sharing linkages and flow of information among state agencies and mechanisms for sharing and transferring data.

Based on the above analyses, a prototype process model was developed that defines the CVO processes and linkages among all functional areas and databases. The process model describes key processes of each business area in terms of what is done. The process model is organized around primary process areas in CVO where a hierarchy of processes and sub-processes within each area is defined. The process model is presented by two graphical representations of each business area process: (a) node diagram or hierarchical decomposition diagrams of processes from a high-level to more detailed ones, and (b) data flow diagrams (DFD) showing details of the information flow for each process and sub-process. These diagrams are developed using BPwin software to be consistent with South Dakota's information engineering standards. The graphical representations are presented in Appendix A, and the process model is discussed in Section 5.2.

Task 5. Develop data model

The purpose of this task was to develop a data model that consists of an entity relationship diagram (ERD) of the entities' information classes, definitions, and relationships. The ERD will be the basis for the more detailed logical database design.

In this task, a data model was developed that will form the basis for a detailed logical database design. Based on information gathered in Task 3, the different types of relevant data for credentialing and enforcement processes were reviewed in terms of structure of the databases maintained by the various state agencies. The data model establishes entity relationships between different entities of information classes and definitions. Entity relationship diagrams (ERD) are developed for the key data entities. These ERDs show the data elements and the attributes for each element and relationships. The ERD were developed using ERwin software to be consistent with South Dakota's information engineering standards. Entity relationship

diagrams (ERD) are used to link major entities to major CVO information users. The key data entities that are fundamental to CVO and for which ERD were developed are account, audit, carrier, driver, insurance, IRP filing, roadside inspection, tax return, user and vehicle entities. The data model establishes data entities, needs, and requirements for use by all major CVO information users.

The ERD are presented in Appendix B and the data model is discussed in Section 5.3.

Task 6. Develop a process-to-organization matrix

The purpose of this task was to develop a process-to-organization matrix that maps CVO processes and sub-processes to the organizations that perform CVO process.

A process-to-organization matrix was developed based on information gathered and process and data models. Commercial vehicle operations involve several processes such as credential and tax administration, roadside operations, safety assurances, vehicle operation, and traffic management and control. Each of these processes involves several sub-processes. The process-to-organization matrix maps the processes to the organizational units that perform the process. This matrix reflects South Dakota's circumstances and indicates the uniqueness of the responsibilities for common CVO processes.

In addition, an agency interaction matrix is constructed that shows agencies that interact directly or indirectly with other state agencies in performing their CVO functions. These matrices are discussed in Section 5.4.

Task 7. Develop a process-entity interaction matrix

The purpose of this task was to develop a process-entity interaction matrix that can be used for scoping and sequencing application designs and implementation of projects.

A first step in developing the process-entity matrix was to define the subject areas or data associated with each business area. A process-entity matrix was then developed that maps key processes of each business area to the subject areas. The subject area represents a grouping of information that tends to be used in the performance of business processes. This matrix shows data dependencies between the processes and subject areas (data). This is presented in the form of data usage by a business processes matrix that identifies the data that are used by each process. The matrix shows the level of data sharing and usage among CVO business areas in South Dakota. The product of this task is shown in Section 5.4.

Task 8. Conduct current systems assessment

The purpose of this task was to assess the current systems – including hardware, software, and databases – and identify opportunities for improvements through interviews and working group sessions with business experts and technical staff.

One of the key issues that this project addresses relates to compatibility of software and hardware of different agencies involved in sharing and transferring CVO-related data. In this task, existing hardware and software used by each state agency involved with CVO data was assessed. The assessment effort focused on the type of software currently used, limitations, hardware capabilities and limitations, plans for future upgrades and improvements, structure of databases, and any existing linkages with other databases. Information for this assessment was gathered through interviews and working group discussions as part of Task 3.

Current system characteristics are presented in the form of a matrix that maps the systems to the processes in each CVO business area. The matrix shows the different types of hardware, software, databases, and linkage mechanisms associated with each process. A table summarizing the system characteristics, deficiencies and opportunities with ITS technologies is also presented. In addition, the CVISN-related problems are identified in the table mapping processes to the problems. This matrix and tables are shown and discussed in Section 6.

Task 9. Document the information using CVISN templates

The purpose of this task was to use CVISN templates to document the information gathered in the previous tasks to ensure compatibility with national CVISN architecture.

CVISN templates for data flow for the three main functional areas – credentials administration, roadside screening, and safety enforcement exchange – were used to document South Dakota's CVO processes and data flows. These templates are equipment packages of the national CVISN architecture. The templates show connectivity between processes, data sources, and data entities. The product of this task is presented in Section 7.

Task 10. Prepare a final report and executive summary

The purpose of this task was to present the research findings in a comprehensive document and prepare a stand alone executive summary.

The final report documents the literature review, research methodology, current systems assessment process model, findings, conclusions, and recommendations. In addition, problems identified during the data collection phase of the project are also documented. The outputs of this task include:

Draft Final Report – The draft final report was submitted to the technical panel for review and comments. The following are considered major components of the draft final report:

- Executive summary
- Literature review
- Research methodology
- Research findings (including database architecture, data, and process models)
- Documentation of current processes, hardware, and software used by South Dakota
- Conclusions and recommendations.

Final Report and Executive Summary – The final report was prepared incorporating the comments and revisions suggested by the technical review panel. The final report was submitted to Office of Research of the DOT on September 15, 1999.

Task 11. Presentation to research review board

The purpose of this task was to communicate to the South Dakota DOT Research Review Board, in presentation form, a summary of the Data Architecture of ITS/CVO in South Dakota.

The project study team prepared and delivered an executive presentation to the SDDOT's Research Review Board at the conclusion of the project. The presentation covered all aspects of the research effort and addressed specific questions identified by the Board. The presentation was made on August 19, 1999.

3.0 LITERATURE REVIEW

3.1 CVISN AND NATIONAL ARCHITECTURE

The Federal Highway Administration's Office of Motor Carriers (FHWA/OMC) has undertaken an ITS/CVO program to promote the deployment of ITS/CVO technology that would ensure electronic information sharing and exchange among states and state agencies, federal agencies, carriers, shippers, and third-party service providers. The national effort for development of Commercial Vehicle Information System (CVISN) began with the development of a national architecture (JHUAPL, 1996a, 1998a, and 1999a). Data model and data architecture (JHUAPL, 1996b) were established, followed by process architecture, equipment package diagrams, and CVISN templates (JHUAPL, 1998a). An operational concept document was established that defined the problems with current CVO processes and various support systems and laid a roadmap of how and what should be improved in processes and the systems that support it. Identifiers were established to allow data sharing and communication among various databases and systems and recommendations in that regard were made (FHWA, 1995; JHUAPL, 1996b).

CVISN envisions that by the year 2005, the vast majority of CVO business transactions among carriers, shippers, government agencies, and insurance companies would be conducted electronically. Carriers would apply and pay for credentials electronically, including operating authority, registration, and permits. They would also file and pay taxes electronically and deal with a base state for all routine business transactions, including registration, permits, taxes, and clearance. Credentials would be distributed electronically and no decals or paper permits would be required for participating carriers. Information from one process (e.g., registrations) would be available to other processes (e.g., fuel tax) in a timely manner. This would avoid redundant data entry, improve data accuracy, and provide data to support better decision making. It would also permit cross checks such as denying registration to a carrier with a poor safety history.

The scope of the CVO component of the national ITS policy initiative includes operations associated with passenger and freight movement by commercial vehicles and the activities necessary to regulate these operations. The national ITS/CVO goals are accomplished within a framework defined by four functional areas: safety assurance, administrative or desk-side processes, roadside electronic clearance, and carrier operating systems. These four functional areas are re-grouped into three major CVISN elements: administrative processes (includes carrier systems), electronic roadside screening, and safety information exchange.

Administrative processes include a combination of Carrier and State government systems. These systems will automate the complete credential life-cycle process. All aspects of the commercial vehicle credentialing process will be integrated to include electronic submittal of applications, automated processing and cross-checking of applications, automated fee calculation and invoice transmittal, electronic fee payment, and automated issuance and printing of credentials. Credentials Administration will also encompass and integrate with initiatives that electronically share data between States (also known as "Base State" agreements), including the International Registration Plan (IRP) Clearinghouse and the International Fuel Tax Agreement

(IFTA) Clearinghouse. Credentials Administration will also encompass the electronic filing and paying of commercial vehicle fuel taxes.

Roadside Screening includes the electronic screening of vehicles at fixed (e.g., weigh stations) and mobile sites to confirm if the vehicles are safe, at proper weight, have appropriate credentials, or have been placed out-of-service. The systems that make up the CVISN Roadside Screening element are intended to perform screening so that safe, compliant trucks can proceed on the highway without stopping while potentially unsafe or non-compliant trucks can be pulled in for closer inspection and confirmation of proper operating credentials.

Safety Information Exchange includes the automated recording of vehicle inspection data, the automatic issuance of citations if appropriate, and the exchange of safety data between agencies within a State and between other States. Each of these CVISN elements is described in more detail in the following subsections.

The National ITS Architecture provides a common framework for planning, defining, and integrating intelligent transportation systems. The architecture defines:

- Functions (e.g., gather traffic information or request a route) that are required for ITS
- Physical entities or subsystems where these functions reside (e.g., the roadside or the vehicle).
- Information flows that connect these functions and physical subsystems together into an integrated system.

Concepts of the National ITS Architecture include logical architecture, physical architecture, and equipment packages. A logical architecture is a tool that assists in organizing complex entities and relationships. It focuses on the functional processes and information flows of a system. Developing a logical architecture helps identify the system functions and information flows, and guides development of functional requirements for new systems and improvements. A logical architecture should be independent of institutions and technology, i.e., it should not define where or by whom functions are performed in the system, nor should it identify how functions are to be implemented. It defines the processes that perform ITS functions and the information or data flows that are shared between these processes (JHUAPL, 1996a; 1998i).

The physical architecture forms a high-level structure around the processes and data flows in the logical architecture. It defines the architecture flows that connect the various Subsystems and Terminators into an integrated system. The subsystems generally provide a rich set of capabilities, more than would be implemented at any one place or time.

Equipment Packages are the building blocks of the physical architecture subsystems. Equipment Packages group like processes of a particular subsystem together into an “implementable” package. The grouping also takes into account the user services and the need to accommodate various levels of functionality. The following are relevant subsystems and equipment packages for CVO.

The Commercial Vehicle Administration Center Subsystem will operate at one or more fixed locations within a region. This subsystem performs administrative functions supporting credentials, tax, and safety regulations. The subsystem coordinates with other Commercial Vehicle Administration Subsystems (in other states/regions) to support nationwide access to credentials and safety information for administrative and enforcement functions.

The Commercial Vehicle Administration Center Subsystem consists of three equipment packages:

- Credentials and Taxes Administration, supporting the processing, update, and issuance of CVO credentials and collection, processing, and review of CVO fees and taxes
- Commercial Vehicle Safety Administration, supporting the collection and review of CV safety data
- Commercial Vehicle Information Exchange, facilitating the exchange of snapshots and profiles containing safety and credentials information for drivers, carriers, and vehicles

The Commercial Vehicle Check Roadside Subsystem supports automated carrier, vehicle, and driver identification at mainline speeds for credential checking, supports roadside safety inspections, and conducts weigh-in-motion. The subsystem enhances current capabilities by supporting expedited brake inspections, the use of operator hand-held devices, on-board safety data access, and rapid access to safety history information.

The Commercial Vehicle Check Roadside Subsystem consists of four equipment packages:

- Roadside Electronic Screening, supporting the screening and electronic clearance of vehicles
- Roadside Safety Inspections, supporting automated safety inspections
- Roadside Weigh-In-Motion, which weighs commercial vehicles at mainline speeds.
- Citation/Accident Electronic Recording, supporting the recording of information related to citations or accidents.

These subsystems and equipment packages are discussed further in Section 3.8 under description of CVISN Elements. The discussion highlights the experience of pilot and prototype states in developing such systems and equipment packages as part of the CVISN model deployment initiative.

3.2 ITS/CVO AND RELATED STUDIES IN OTHER STATES AND REGIONS

Several truck-related research studies have been carried out that provide an insight into the rationale for ITS-CVO implementation. A recent study on hours-of service compliance (Smadi, 1997) identified various issues related to program management, roadside enforcement, compliance reviews, training, data analysis, technology, and industry outreach. The study concluded that technology is playing a growing role in enabling State and Federal Motor Carrier Safety Assistance Program (MCSAP) agencies to accomplish their missions effectively and efficiently. Selection of drivers and vehicles for inspection is carried out in many states using Inspection Selection System (ISS), radar, radar detectors, CB radio, and other available information such as inspection station clearance forms. Maps, road atlases, distance tables, Log Checker, and computer software (PC Miler, Automap, Trip Maker) are used to estimate and

verify mileage and travel times. Information is gathered using telephones, cellular phones, fax machines, and computer systems. The inspection records are made using ASPEN software. Motor Carrier Regulatory Information System (MCREGIS), a reference software for motor carrier regulations, is used for compliance reviews.

Several states contiguous to South Dakota or involved with South Dakota in regional mainstreaming activities have developed business plans. North Dakota is the only one with no ITS/CVO business plan. Minnesota is among the first eight pilot states for CVISN deployment and has developed a business plan (Cambridge Systematics, Inc, 1995) as well as a project plan (Cambridge Systematics, Inc., 1997; MnDOT, 1997). Other states in the Midwest region have also developed ITS/CVO business plans, including South Dakota (Erickson and Markert, 1998), Kansas (KDOT, 1998), Wyoming (Castle Rock Consultants, 1997), Montana (MDT, 1998), Missouri (MoDOT, 1998), and Nebraska (NDMV, 1998). Several regional mainstreaming efforts are underway such as Western Mainstreaming (NTI & SAIC, 1998; and Western Mainstreaming, 1999), Great Lakes and Southeastern mainstreaming (CVOz, 1998), and Midwest Mainstreaming (CTRE, 1998). South Dakota is part of Midwest Mainstreaming effort along with Kansas, Missouri, and Nebraska.

Midwest mainstreaming has provided South Dakota the opportunity to gain an insight into regional perspective and the coordination and interoperability issues related to the midwest region. Currently, motor carrier regulation and credentialing responsibilities are shared by several agencies within each of the Midwest Mainstreaming member states and the extent of the interagency cooperation varies from state to state.

Some states have undergone considerable process changes and innovation. For example, Montana has brought all the CVO regulatory and safety business functions under the auspices of DOT, which fosters better coordination. Minnesota also reengineered by putting all the CVO functions under the responsibilities of two agencies and housed both of them in the same building. These business process changes have helped carriers considerably because they have to go to one place for applying and getting credentials. Highway Patrol is responsible for roadside operations in all the states aforementioned. Such process changes can have considerable impact on database architecture to be developed. Also, if such changes have to take place, it should precede the development of complete data architecture.

Missouri has embarked on projects that will link interstate weigh stations using desktops PCs to SAFETYNET, the portable units that could use ASPEN software and MCREGIS, ISS on the Missouri State Patrol's laptop inspection computers. Kansas has initiated work on Motor Carrier Status Screen and a Motor Carrier Central Permit system, The Kansas Statewide Telecommunications Roads Access (ASTRA), and the laptop based ISS system to be used by the highway patrol. Nebraska is involved with SAFETYNET system, that will be applied in a frame relay network and is also installing ASPEN and ISS.

South Dakota participated in a number of regional and national projects including Performance and Registration Information Systems Management (PRISM), Road Weather Information System (RWIS), effective linkage to SAFETYNET, installation of ASPEN, and use of MCREGIS. MCREGIS is a distributed database, which contains updated descriptions of federal

regulations that pertain to the motor carrier industry. All these projects have database, data sharing, and data communication considerations and different states can learn from each other and may even design a uniform system for these projects and other future projects. Automated oversize/overweight permitting will simplify the process of compliance for motor carriers and enhance the states' ability to track oversize/overweight operations. Electronic screening applications allow weight enforcement officers to check a significantly greater percentage of commercial vehicles for compliance. However, design of such a system should take into account the various data sources and linkages.

Some of the coordinating efforts being proposed are coordinating weigh station and inspection activities, group purchase of ITS/CVO equipment, and/or multi-state deployment initiatives. The member states agree, in principle, to electronically exchange enforcement data in support of electronic screening, out of service verification, and other enforcement activities. Future coordination activities may involve electronic credentials and fund transfers with regional clearinghouses.

3.3 SOUTH DAKOTA MOTOR CARRIER AND RELATED STUDIES

South Dakota carried out a truck weight study in 1990. Another study examined the effects of increased truck tire loads on pavement (Khatri, 1993), where historical details on South Dakota truck size and weight (TSW) regulations and statutes were examined. The study concluded that the TSW were fairly stable from 1960 to 1976 and in 1984 several changes took place where the standards were relaxed or increased. This consequently led to changes in administrative rules that govern oversize/overweight (OS/OW) vehicles. A study on spring load restriction was carried out to understand the validity of administrative rules for overweight vehicle during spring time and recommendations were made regarding the limit and timing of spring load restrictions (Wilson, 1994). The current truck size and weight laws and the administrative rules pertaining to oversize and over weight permitting are documented in South Dakota's Motor Carrier Handbook (SDDOT, 1998b) and available on the Department of Transportation's web site (SDDOT, 1999). A study was carried out to determine the need and justification for automating South Dakota's oversize and overweight vehicle permitting operation and to define the functional and data requirements for automated routing and permitting systems (Kurt, 1997). This study assessed the feasibility of automated routing and permitting of oversize/overweight vehicles in South Dakota. The study concluded that the implementation of such an automated system would have a benefit/cost ratio of 1.58, based on approximations and assumptions used. It also concluded that overall the implementation of the proposed permit and routing system would have a very positive impact for South Dakota and on the service provided to the trucking industry using South Dakota highways.

3.4 ITS/CVO STUDIES IN SOUTH DAKOTA

South Dakota participated in an ITS-CVO institutional issues study and the Mid-west one-stop shopping operational test (Smadi and Rodriguez, 1996). Among the barriers that were cited for ITS-CVO implementation were financial resource requirement, lack of mandate, lack of

common vision, lack of perceived need, and carriers reluctance. In addition, South Dakota has been part of a joint project with North Dakota on advanced traveler information system (Erickson and Markert, 1998). The major benefit of this project was accurate and timely communication of weather information to all travelers using cellular phones on selected routes in the two states, electronic mail, and internet.

As part of the mainstreaming efforts, South Dakota recently developed an ITS/CVO business plan for CVISN systems implementation. The business plan identified the various agencies involved in CVO in South Dakota, described the CVO environment that identified the roles and responsibilities of state agencies), trucking and economic characteristics, issues affecting CVO, and the opportunities to apply ITS technology to improve the regulation of motor carriers in South Dakota. It provided strategic direction for ITS/CVO activities which included mission statement, guiding principles, and goals and objectives. The business plan recommended a number of projects necessary to achieve the goals and objectives for CVISN deployment in South Dakota. Documentation of the ITS/CVO data architecture was one of the first projects to be implemented. The ITS/CVO business plan identified the key issues that should be considered in developing the data architecture to include the following:

- *Database incompatibilities among state agencies and other agencies outside South Dakota.* Differences in database structures and formats need to be addressed in developing the database architecture.
- *Differences in software and hardware for data collection and storage by different agencies.* Variable systems performance, software compatibility, and limitations need to be assessed in developing the database architecture.
- *Technological differences regarding communication and other data transfer standards.* New technologies in data communication mechanisms and standards need to be taken into account in making recommendations.
- *Interoperability with CVISN architecture.* The product needs to be designed so it is operationally compatible with the national CVISN architecture.

3.5 CVO PROCESSES AND ORGANIZATIONS IN SOUTH DAKOTA

The need for state agencies to share data electronically was recognized as a key element for automated systems that will improve efficiency and effectiveness in their service to industry. Currently, most state agencies involved with commercial vehicle operations (CVO) in South Dakota are unable to share commercial vehicle (CV) related information and some agencies collect same data from motor carriers. CVISN is designed to address this basic problem of facilitating the ability of state agencies to share CVO-related data among agencies in the same state and with other states. The integration and coordination of database systems of all state agencies, which requires a clear understanding of the CVO responsibilities of each agency. The current CVO environment in South Dakota is described in detail in the ITS/CVO Business Plan

(Erickson and Markert, 1998). CVO responsibilities of the various state agencies are highlighted below.

- *Department of Transportation (DOT)* is primarily responsible for dissemination of information to the commercial vehicle industry, and determining oversize and overweight administrative rules.
- *Department of Revenue (DOR)* - The Division of Motor Vehicles (DMV) in the Department of Revenue administers the International Registration Plan (IRP), the International Fuel Tax Agreement (IFTA), and vehicle titles.
- *Department of Commerce and Regulation (DCR)* is responsible for driver licenses and the driver improvement.
- *Department of Environment and Natural Resources (DENR)* oversees the regulation of hazardous waste transport and participates in incident management of spills of hazardous materials including hazardous waste.
- *Department of Agriculture (DOA)* - The role of the DOA in CVO is limited to milk bulk truck inspection carried out by the Dairy and Agriculture Division.
- *Public Utilities Commission (PUC)* - The Transportation Division of the PUC is responsible for regulating exempt interstate carriers and for administering the Single State Registration System (SSRS).
- *Highway Patrol (HP)* is responsible for with roadside enforcement, permitting, and hazardous materials incident management.
- *Unified Judicial System (UJS)* provides judicial support to the CVO regulatory agencies, which includes interpretation of laws. The agency's responsibilities include handling citations, penalties, and fines incurred by motor carriers and motor coach companies and their employees. It does not have CVO regulatory responsibility.
- *FHWA, Office of Motor Carriers (OMC)* administers a number of safety- and education-related programs including the federal Drug and Alcohol Program, and conducts safety compliance reviews.
- *Bureau of Information and Telecommunication (BIT)* does not have regulatory responsibility but is responsible for supporting the information technology needs of state regulatory systems. The BIT is responsible for implementing new hardware and software systems, support and network existing state computer systems for state agencies. BIT is migrating toward Information Engineering Standards. It is therefore important that the outputs of this project are consistent with information engineering methodologies.

3.6 ITS/CVO OPPORTUNITIES IN SOUTH DAKOTA

Apart from CVISN, other programs that present opportunities for ITS technologies in South Dakota and which need to be taken into account in designing the database architecture include the following:

PRISM – This system is designed to improve highway safety by linking registration to safety performance so unsafe carriers can be identified and entered into safety improvement programs. South Dakota has presented a proposal to the PRISM steering committee to adopt and implement the PRISM system.

Automated Routing and Permitting – This is a system for automating what currently are manual processes has potential for improving safety and efficiency.

Automated Inspection, Citation, and Accident Reporting Software – South Dakota is exploring the possibility of installing a software that was specially developed for the Iowa Department of Transportation that enables enforcement officers to enter inspection, citation, and accident data electronically. This software will be installed on laptop computers equipped with cellular communications capability.

Weigh-in-Motion Installation – A new, ITS-equipped POE facility is being planned north of North Sioux City to reduce queues of commercial vehicles backing up onto the interstate highway.

3.7 INFORMATION ENGINEERING STUDIES IN SOUTH DAKOTA

South Dakota DOT carried out two major information engineering studies in the early 1990s. The first was a historical database feasibility study (Svalstad et al., 1991) that identified pavement management uses of a historical database and recommended specific data items and retention times needed, developed a conceptual design for a historical data consistent with existing SDDOT data, and estimated costs of implementation. The SDDOT Roadway Environmental Subsystem (RES) database was examined in detail. With few exceptions, most RES files were found to be Virtual Storage Access Mode (VSAM) files with common index key. Some exceptions to this were the Bridge Inventory and the Railroad Crossing inventory files, and they were ADABAS files. The files were structured in a hierarchical database and a NATURAL language query interface was provided.

In developing the conceptual design of historical database, the study examined system requirements such as a database management system (DBMS), network hardware and software, and application developer tools. Adaptive capability, key index, and data requirements were the key issues identified in the conceptual design. In addition, elements of data, types of DBMS (hierarchical, network, relational), and specific DBMS options were investigated. This included ADABAS, a network approach based DBMS for storage and retrieval of information. As a short term measure, an SQL-based interface to ADABAS was introduced to provide a relational look and feel to the end-user, but did not address the issues of the intrinsic inflexibility of the network

approach. The study recommended selecting an relational DBMS (RDBMS) with an SQL interface and windows-based user interface development kit, which is compatible with the RDBMS. The study indicated that such a system would have the capability of being networked such that users could execute a custom software interface (from PCs, Macintosh Workstations, or CAD workstations), which would in turn provide the automatic communication with a database server resident on the state's IBM CMOS 9972-RC4 mainframe computer.

Transportation Information Study (Deloitte & Touche, 1991) was carried out to develop an information systems plan for South Dakota DOT. The study recommended that SDDOT's information systems plan should be highly synchornized with the Strategic Business Plan. The study recommended SDDOT to integrate information systems to reduce or eliminate department-wide data redundancy. It recommended Software Development Life Cycle (SDLC) methodologies and use of Computer Aided Software Engineering (CASE) tools. The study also recommended a client server environment for long term strategic applications processing architecture.

SDDOT recently developed its department wide data model (SDDOT, 1998a). It developed business process model, organizational model, informational model, business area architecture (BAA), business strategy model, and current systems inventory. It provided summaries of individual business areas. It identified the need for development of department-wide "clearinghouse" of information and an intranet to disseminate best practices, and other reports and findings. The data model was developed using KnowledgeWare CASE software.

3.8 DESCRIPTION OF CVISN ELEMENTS

This section provides a general overview of CVISN elements and a description of the potential capabilities within each CVISN element that states may elect to test or deploy (Battelle, 1998). The three major CVISN functional elements are earlier.

3.8.1 Administrative Processes

The administrative processes for CVISN system deployment include the following components:

- International Registration Plan (IRP)
- International Fuel Tax Agreement (IFTA) Registration
- IFTA Quarterly Tax
- OS/OW Permits
- Single State Registration System (SSRS)
- Intrastate Registration
- Hazardous Materials (HAZMAT) Permits
- Weight Distance Tax.

Essential components of the administrative processes are the Carrier Automated Transaction (CAT) System and the Credentialing Interface (CI). The CAT is a Personal Computer with commercially available software that is developed specifically for CVISN Credential Administration. These systems will reside in either motor carrier offices or service provider

offices. These systems provide for credential application data entry and error checking; fee calculation (for certain types of credentials); fee payment (via electronic funds transfer); conversion of the application data to open standard electronic data interchange (EDI) formats; and electronic submission of the EDI data to the appropriate state's CI. This system also provides for receipt of invoice or credential information from the CI and local printing of commercial vehicle credentials.

An alternative to the Personal Computer-based CAT system is the Web CAT. In this alternative, the carrier only needs to have a Personal Computer that has access to the internet. The states will build a Web Page on a State server that will perform all functions of the CAT, including interface with the State CI.

The CI is a system that provides the state's single point of entry for all electronic credential applications and fuel tax transmittals. The CI will perform validations to ensure completeness of applications. States may deploy Legacy System Interfaces (LSIs) which would provide electronic interfaces from these State's CI to the Legacy System. The implementation of the LSIs prevents the state from having to manually re-key data into the Legacy Systems. The CI will also provide an interface to the state's Commercial Vehicle Information Exchange Window (CVIEW) to enable the sharing of credential and tax data to the roadside.

The State Legacy Systems calculate the respective registration or permit fees for IRP, IFTA, and (in some states) Intrastate registration, Oversize/Overweight permits, and Hazardous Materials permits. A state may develop and maintain their own Legacy Systems for calculating the registration fees or they may contract with a Service Provider to perform the calculations. Currently, there are three Service Providers that have developed IRP and IFTA Legacy Systems to perform the fee calculations: Lockheed Martin (VISTA), R.L. Polk (COVRS), and CACI.

There are two Clearinghouses: the IRP Clearinghouse and the IFTA Clearinghouse. The IRP Clearinghouse supports the International Registration Plan Base-State agreement and acts as a repository that stores data related to fees for the states participating in IRP. Initially, the states send the IRP Clearinghouse a recap (data from approved applications). The clearinghouse provides the state with transmittals (reports on data processed). The clearinghouse then generates a netting report which summarizes the fees due from/owed to states. The IFTA Clearinghouse supports the International Fuel Tax Agreement Base-State agreement and acts as a repository that stores data related to fees for the states participating in IFTA. It performs the same functions as the IRP Clearinghouse, except for generating the netting report.

Potential capabilities within administrative processes

The CVISN Pilot program allows states to choose which Electronic Credentialing capabilities they wish to implement within their state. The following paragraphs present brief descriptions of the six most common capabilities that the pilot states plan to implement.

Electronic Application Submittal: The CAT, Web CAT, and CI will provide many attractive functions for motor carriers and state agencies. The functions include: data entry screens for credential applications and fuel tax filing; validation for application data completeness to prevent

state receipt of incomplete Motor Carrier applications; automatic fee calculation; and many other functions targeted for accuracy and time savings.

The architecture of the CAT and state systems will be developed as an open standard that is modular and adaptable to allow for data exchange among systems. The transactions will be sent and received between state systems and the public (Motor Carriers, Permit Services, Shippers, and Insurance companies, etc.) using X12 as the Electronic Data Interchange (EDI) standard of the American National Standards Institute (ANSI).

Integration with Legacy Systems: An electronic interface is needed between the state's CI and each Legacy System. This may be accomplished either by the development of a Legacy System Interface (LSI), or by a modification to the Legacy System (LM), or in many cases both, as in the case of states using the VISTA system for IRP (e.g., Maryland, Virginia). The LSI or LM will convert the EDI transaction sets into file formats that are compatible with the Legacy System. It will also support data exchange back from the Legacy System such as invoices, credential approvals, and renewal notices.

Electronic Funds Transfer: States may elect to implement Electronic Funds Transfer (EFT), which provides the capability for the Motor Carrier or Service Provider to pay for credentials and quarterly tax filings electronically. The different types of EFT to be considered include credit accounts; debit accounts; and credit cards, such as VISA or Master Charge.

Electronic Issuance of Credentials: States may implement the capability for the electronic transmission of official credentials from the CI to the CAT and the capability for the CAT to print the credentials on a local printer. Motor Carriers will be able to print the official credential on their printer in their office, the same day they applied for the credential and place it in the vehicle cab. Most pilot states (e.g., Colorado, Kentucky, Maryland, Minnesota, Virginia) plan to implement electronic issuance of at least the IRP credential. Some states may elect to offer the capability for the CI to fax credentials, such as an OS/OW Permit, to a designated fax machine.

Interface with IRP and IFTA Clearinghouses: States may elect to implement an electronic interface from their IRP Legacy System to the IRP Clearinghouse. This will provide exchange of data for fee recaps and transmittals with other states. States may elect to implement an electronic link from their IFTA Legacy System to the IFTA Clearinghouse. This will provide exchange of rate information, tax violator information, and other tax-related data for transmittals between other states. Most pilot states plan to deploy an electronic interface to the IRP and IFTA Clearinghouses.

Interface with Internal State Databases: States may also elect to implement an electronic interface between the CI and their internal state databases to capture data for state-specific processing and maintenance. For example, state may want to capture IRP and IFTA registration data by an interface between the CI and their Department of Motor Vehicles Mainframe system.

3.8.2 Electronic Roadside Screening

There are two basic types of roadside screening operations: (1) fixed site or scalehouse Operations, and (2) mobile operations.

Roadside screening includes the electronic screening of vehicles at fixed (e.g., weigh stations) and mobile sites to confirm if the vehicles are safe, at proper weight, have appropriate credentials, or have been placed out-of-service. The systems that make up the CVISN roadside screening element are intended to perform these screenings in such a manner so that safe, compliant trucks can proceed on the highway without stopping while potentially unsafe or non-compliant trucks can be pulled in for closer inspection and confirmation of proper operating credentials.

Fixed site screening

Fixed site screening is a method of screening vehicles that utilizes the technology of CVISN systems to access data about carriers, vehicles and drivers to prevent unnecessary inspections and delays of vehicles. Fixed site screening is implemented at stationary roadside inspection sites for commercial vehicles. Most pilot states plan to implement fixed site screening at their inspection weigh stations. The following sub-sections describe the alternative approaches to roadside screening.

Mainline Screening: Mainline screening is a method of screening commercial vehicles without the need to stop at a vehicle inspection site. It involves vehicle sensors as part of the screening system to identify the carrier, vehicle, and driver when traveling at mainline highway speed. In some configurations, it also reads the last screening event from the tag. The WIM equipment and the Automatic Vehicle Identifier (AVI) equipment weighs and classifies the vehicle. All CVISN prototype and pilot states are planning to implement some form of mainline screening. California, Kentucky and Minnesota plan to fully deploy mainline by-pass capabilities.

Sorter Lane Screening: Sorter lane screening or ramp sorting is a method of screening vehicles off of the mainline. The screening process entails the use of vehicle sensors and is typically deployed in conjunction with WIM and License Plate Readers (LPRs). Both mainline and sorter lane screening may be used to clear both transponder and non-transponder equipped trucks.

Dedicated Short Range Communications (DSRC) Equipment: The Dedicated Short Range Communications (DSRC) transponders facilitate communication between the trucks and roadside computers. These will be installed on trucks of participating motor carriers. The DSRC reader equipment installed at the roadside relays information on the carrier, vehicle, driver from the DSRC transponder and in the future may also contain load type identifiers. Once the DSRC reader receives this information, it can be used to check the vast majority of vehicles at mainline speeds. California, Maryland, Minnesota, Oregon, Virginia, and Washington plan to deploy DSRC equipment.

License Plate Reader/Optical Character Recognition Systems: License Plate Readers (LPR) will be used to scan and recognize vehicle's license plate number and transmit this information to the screening computer. The LPRs are intended for use in sorter lane screening. Minnesota,

Oregon, Virginia, and Washington plan to deploy at least one LPR. Colorado plans to test the capability of the LPR.

Integration with Existing Clearance Systems: Some states may elect to implement CVISN Roadside Screening by integrating CVISN concepts within their existing Clearance Systems. Such systems include: the Pre-Pass Program in California, Colorado, and Washington; the I-75 Mainline Automated Clearance System (MACS) in Kentucky and Michigan; and the Multi Jurisdictional Automated Pre Clearance System (MAPS) and Green Light Program in Oregon. The Pre-Pass, MACS, and MAPS provide mainline by-pass capabilities at selected facilities.

Mobile site screening

Mobile site screening is similar to fixed site screening with the exception that the site is not stationary and can be placed in different sites within a state. Some pilot states plan to implement different options with respect to the WIM, DSRC, and LPR for mobile site screening. California, Minnesota and Virginia plan to deploy Mobile Site Screening. Michigan plans to test the capability.

Remote monitoring site

Kentucky plans to use remotely monitoring sites to enhance mainline screening. These will be located on by-pass routes equipped with WIM and communication links to nearby mainline fixed weigh station. The OCR capability with video systems offer great flexibility to the screening process by capturing images for display and reading license plate numbers and other identifiers like US DOT number and registered weight. This will be checked against the snapshot data in the weigh scale station.

3.8.3 Safety Information Exchange

Safety Information Exchange is a process where safety information related to Carriers (credentials and safety rating), vehicles (inspections and citations) and drivers are collected, stored, and exchanged.

Automated safety inspection

CVISN states plan to use hardware and software tools to automate the safety inspection process. Most pilot states use or plan to use the ASPEN or similar software loaded on laptop or pen-based computers. This software will enable safety inspectors to electronically collect and disseminate inspection data at the roadside. The use of automated safety inspection software will provide better timeliness and more accurate data when compared to the current method where a state employee re-enters hand written inspection report data into the state's SAFETYNET system days, weeks, or even months after the inspection occurred.

ASPEN will also provide the safety inspector with an inspection selection algorithm and the most current data to assist in determining which vehicles should be inspected. ASPEN will also provide an interface for distributing citations, accident reports, and compliance review reports electronically.

Methods of distributing data from/to roadside

The CVISN pilot states plan to utilize a number of different methods to distribute safety data from/to roadside inspection sites. Several CVISN pilot states will use the current method of ASPEN data distribution. On a periodic basis, the SAFER system will create CDs with snapshot Carrier (and later Vehicle) safety data, which will be distributed to all ASPEN sites within those states. The snapshot data consists of carrier compliance review reports, safety inspections, citations, credential, and tax information. State inspectors will record safety inspection records using ASPEN, and will upload this data on a daily basis to their respective state SAFETYNET systems. The state SAFETYNET systems will electronically transmit their data into the Motor Carrier Management Information System (MCMIS), which will process the data and forward it to SAFER. The time between the creation of the safety inspection at the roadside and the entry of this data into SAFER is expected to be at least a week.

Other CVISN states will accelerate the above process by establishing a link between SAFER and the State's CVIEW system, as well as a link between the CVIEW system and the ASPEN units. CVIEW also provides the capability to distribute intrastate carrier safety and credential information within the State, and to distribute interstate safety and credential information to computers at the roadside for screening and enforcement.

A number of CVISN states located on the Interstate 95 Corridor plan to use the SAFER Data Mailbox to further accelerate their Safety Data exchange process. For these states (Maryland, Virginia, and Connecticut), inspection data from the roadside will be transmitted from ASPEN to the SAFER Data Mailbox, which in turn will distribute portions of this data to other states. These states plan to use Cellular, Cellular Digital Packet Data (CDPD), and satellite technology to enable the ASPEN units to communicate directly to CVIEW or SAFER.

Alternatives for safety information exchange

Another unique alternative that states plan to implement is to electronically interface with other preexisting databases that provide commercial vehicle information. This includes Connecticut's plan to link its ASPEN units to National Crime Information Center (NCIC), Commercial Driver's License Information System (CDLIS), and National Law Enforcement Telecommunication System (NLETS).

4.0 INFORMATION ENGINEERING FRAMEWORK

4.1 INFORMATION SYSTEMS ARCHITECTURE

Since the early 1980s, various structural changes have occurred within organizations and the concept of architecture systems has been emphasized and implemented (Brookes et al., 1982; Modell, 1988; Inmon 1989; Olle et al. 1991; and Davenport, 1993). Much has been done in the private sector, and in the 1990s the public sector began embracing such changes and concepts to improve their effectiveness and efficiency. In this evolution and/or revolution, the two important emphases are on "process improvement and innovation" and "information engineering."

The development or documentation of data architecture of information system (s) requires understanding of some basic concepts. Such concepts pertain to the notion of information systems architecture; information engineering principles; data models and data entities; constructs of process models and data flow; and interaction among data, business processes, and business organizations. In addition, systems (hardware, software, communication) supporting such interactions should be understood to identify problems and opportunities and to assess the improvement approaches.

An information system consists of data associated with business processes, which need to be communicated within and among various business processes. The perspectives, representation, and level of detail for the three basic components of an information system--data, process, and communication--differ depending on who is viewing it or within what context it is being viewed. The information engineering methodology or framework for developing the data architecture is shown in Figure 1 (Inmon, 1989). The figure shows different perspectives of methodology or framework for information systems architecture. Each element on either axis of the matrix is explicitly differentiable from all other elements on that one axis. These representations are not merely successive levels of increasing detail but are actually different representations--different in content, in meaning, in motivation, and in use. Also, the data description columns (entity-relationship-entity) differ from the process description column (input-process-output). For example, the model of business (owner's perspective) is different from the model of information system (designer's perspective). Also, the data description columns (entity-relationship-entity) are different from the process description columns (input-process-output).

This project is concerned primarily with the "ballpark view" and the owner's view for both data and process description. In the ballpark view, important data elements and the business processes are first identified. This is then followed by development of entity relationship diagrams and functional flows diagrams. Data flow diagrams are also provided for the processes.

4.2 DATA AND PROCESS MODELS

The conceptual information system model consists of a data model and a process model. The techniques for modeling (both data and process) can be stratified into high-level modeling, mid-level modeling, and low-level modeling. Table 1 shows the different process and data techniques for different levels of modeling.





	DATA DESCRIPTION Entity and Relation	PROCESS DESCRIPTION Process and Input/Output
SCOPE DESCRIPTION (Ballpark View)	<p>LIST OF ENTITIES IMPORTANT TO THE BUSINESSES</p>  <p>Entity = class of business entity</p>	<p>LIST OF PROCESSES THE BUSINESS PERFORMS</p>  <p>Process = class of business process</p>
MODEL OF THE BUSINESS (Owner's View)	<p>E.G., ENTITY/RELATIONSHIP DIAGRAM</p>  <p>Entity = business entity Relation = business rule</p>	<p>E.G., FUNCTIONAL FLOW DIAGRAM</p>  <p>Process = business processes I/O = business resources</p>
MODEL OF INFORMATION SYSTEM (Designer's View)	<p>E.G., DATA MODEL</p>  <p>Entity = data entity Relation = data relationship</p>	<p>E.G., DATA FLOW DIAGRAM</p>  <p>Process = application function I/O = user view's (set of data elements)</p>

Figure 1. Framework for information systems architecture (adapted from Inmon, 1989)

Table 1. Levels of Modeling and Techniques (Inmon, 1989)

Levels of Modeling	Data	Process
High level	<ul style="list-style-type: none"> • ERD • Subject Data Base 	<ul style="list-style-type: none"> • Context Diagrams • State Transition Diagrams
Mid level	<ul style="list-style-type: none"> • Data Item Set (DIS) • Normalized Data Structures • Canonical Data Structures • Bubble Charts 	<ul style="list-style-type: none"> • Data Flow Diagrams • Functional Decomposition • Structure Charts • Flow Charts
Low level	<ul style="list-style-type: none"> • COBOL Layouts • Relational Tables • Hierarchical Structures • Network Structures 	<ul style="list-style-type: none"> • Program Specifications • Pseudocode

High-level modeling is useful for identifying major components and for selecting strategies for determining phases of data architecture development. An ERD, a high-level data model, is useful in identifying the major entities/subjects of the organization area. However, high level is not useful for detail. Mid-level modeling is useful for collecting, aggregating, and organizing detail, and the content and structure of the model are emphasized at this level. The low-level flushes out much detail that is suggested at the mid-level and paves the way for system development. In ERD, data is related by processes (or relationships that strongly suggest processes) and in a context-level diagram, processes are related by the flow of data.

At the mid-level of data modeling is the data item set (the DIS) and the normalized grouping of data. The corresponding mid-level of the process modeling contains functional decompositions and data flow diagrams. DIS and functional decomposition and the data flow diagrams contain much more detail than ERD and context-level diagram. A mid-level data model, a DIS, identifies the structure of data, grouping of data elements, and key structure. Functional decomposition allows processes to be transformed from high-level functions into primitives. It is at the primitive level that the day-to-day actions that are performed are identified. Data flow diagrams show how the functions relate in terms of sequence of execution. Data item sets are useful for further details about the content of data, the grouping of the elements of data, and the identification of the entities found at ERD level. The key structure identified in the data item set describes how the groups of data in the data model are related.

A low-level data model is where data attributes and other characteristics are identified. The physical database design and the code to support the data is carried out in low-level modeling. The focus at this level is the physical model and the physical data base design (for the data model) and Pseudocode, programming specifications, mini-specs, and programs. The physical data model and physical data base design are profoundly influenced by the structure and content of DIS. Pseudocode, program specifications, and programs are the natural extension of data flow diagrams and functional decompositions.

This project focuses on the high level modeling with some mid-level for the processes. At the high-level ERDs are developed for the important data entities and context diagrams are developed for the business processes. In addition, data flow diagrams are developed for the business processes.

4.3 LINKING DATA AND PROCESS MODELS

Each grouping of data in the DIS needs to be supported by certain basic activities or processes. The basic process allows linkage to be made between the data model and the process model. In general, a basic process is made up of one of the fundamental data manipulation activities--the creation (**C**) (or addition) of data, the retrieval (**R**) (or access) of data, the updating (**U**) (or changing) of data, or the deletion (**D**) of data--as the process interacts with each data element (Figure 2).




Figure 2. General Basic Process Model

In this project, a process-entity matrix is developed that maps the business processes to the data entities and information classes.

4.4 REPRESENTATION OF PROCESS AND DATA MODELS

South Dakota has moved from KnowledgeWare CASE tool, the one used in developing SDDOT Data Model, to PLATINUM BPwin for developing process models and PLATINUM ERwin for developing data models. This is part of the Bureau of Information and Telecommunications' effort to migrate to new information engineering standards. BPwin is a powerful modeling tool to analyze, document and improve complex business processes. PLATINUM BPwin is designed for process modeling, business process improvement and data flow diagramming. It helps to

understand business processes and defines how business processes interact with data. BPwin process models can be synchronized with PLATINUM ERwin data models.

PLATINUM ERwin is a database design tool to help design, generate, and maintain high-quality, high-performance database applications. This product is targeted to a number of applications including information engineering modeling, transactional and warehouse database design, and logical and physical database design. ERwin is a data modeling tool that is used to create entity relationship diagrams (ERD) of all data requirements and capture business rules in a logical model, and displaying all entities, attributes, relationships and key groups.

The process and data models developed in this project are representative of high-level and mid-level models of information systems architecture as discussed earlier.

5.0 DATA ARCHITECTURE

5.1 INTRODUCTION

System architecture refers to the overall structure (i.e., major components and interfaces) and unifying design characteristics (i.e., principles, concepts, and standards) of a system. The architecture is intended to provide guidance for CVO system implementation. A good architecture allows component systems to:

- Use consistent concepts, processes, data definitions, and user interfaces
- Share data
- Cooperate in carrying out a process
- Be developed independently
- Avoid overlapping functions and redundant development
- Evolve with changing practices and technology.

A logical architecture provides a description of what the CVO enterprise does and the information it uses. The logical architecture contains two primary elements: the process architecture and the data architecture. These are simply analytical tools for understanding requirements and operations in detail.

A major problem with current CVO information systems is the difficulty of data exchange. One step in resolving the data exchange problem is to identify the entities within CVO and to develop an entity-relationship diagram graphically depicting the relationships between these entities. The data architecture consists of a definition of data entities, attributes, and relationships and provides a framework for resolving the data exchange problem.

Another step is to determine the processes and develop data flow diagrams to show:

- Where data is used and stored
- The interfaces between processes
- The equipment package's interfaces with external equipment package(s).

The data architecture for ITS/CVO in South Dakota involved the development of process and data models and interaction matrices that map business area processes to data entities and organizations. The data architecture is developed based on the information engineering methodology discussed earlier. This is a high-level architecture that focuses on the ballpark view and owner's view in describing both data and processes. In the ballpark view, important data elements and the business processes are first identified. This is then followed by development of entity relationship diagrams and functional flows diagrams. The process model is developed to contain high- and mid-level modeling elements, which are identification and definition of business processes, and context and data flow diagrams.

The interaction matrices identify the linkages between data and process models, interaction between processes and organizations, and interactions between processes and systems and

CVISN problems. The models and matrices provide the basis necessary to facilitate integration and interfacing of systems. In addition, a current systems assessment provides guidance on system deficiencies and opportunities for improvement in ensuring an integrated system

5.2 PROCESS MODEL

To ensure that the architecture supports all necessary functions, a high-level process (logical or functional) model is developed. The process model describes key processes of each business area in terms of what is done. The process model does not represent who performs the process or how it is performed or how often the process is performed. The process is developed as a logical model that provides a technology-independent description, and serves as a tool to analyze CVO activities to determine the scope of the problem and to identify the types of information flows that would be required to support identified interfaces.

The process model is organized around primary process areas in CVO where a hierarchy of processes and sub-processes within each area are defined. The process model consists of process definitions and two graphical representations of business processes. The two graphical representations are: (a) node diagrams or hierarchical decomposition diagrams of processes from a high-level to more detailed ones, and (b) data flow diagrams (DFD) showing details of the information flow for each process and sub-process. These diagrams are included in Appendix A, and the processes are defined in the following sections.

5.2.1 Graphical Representations

The two graphical representations are: (a) node diagram or hierarchical decomposition diagrams of processes from a high-level to more detailed ones, and (b) data flow diagrams (DFD) showing details of the information flow for each process and sub-process. These diagrams are developed using PLATINUM BPwin software. The graphical representations are presented in Appendix A, and the processes of each business area are defined in the following sections.

5.2.2 Process Definitions

This subsection defines the business processes performed by each state agency and identifies linkages with other agencies, carriers and other jurisdictions.

Agency – Department of Revenue (DOR)

Process – International Registration Plan (IRP)

Definition – South Dakota is a member of the International Registration Plan (IRP). Carriers traveling in these jurisdictions may pay license fees on a prorated basis, which is determined by the percentage of total miles traveled in each jurisdiction. Carriers must carry the original registration (cab card) in the vehicle. The registration must list the jurisdictions and weight for which the carrier has paid license fees. The IRP registration process includes accepting, reviewing, and validating new, supplemental, and renewal applications; creating invoice;

processing payment; printing credential and cab cards; and processing customer inquiry. Applications are received by fax, mail or walk-in. IRP applications are processed nightly in batches on an AS400 mainframe computer located in Pierre. Applications are received in paper form and data are manually keyed into the IRP system by DMV staff. Cab cards are issued from the AS400 computer and mailed to the carrier. In addition to processing new, annual renewal and supplemental applications, DOR also conducts IRP audits.

Interacting agencies – HP, State Treasury, BIT, Other jurisdictions

Databases – Prorate database (RV12), vehicle registration database (RV01)

Agency – Department of Revenue (DOR)

Process – International Fuel Tax Agreement (IFTA)

Definition – South Dakota is a member of the International Fuel Tax Agreement (IFTA). The IFTA program is also a base state agreement where one license is valid in all states. In addition to having an annual license, motor carriers are required to complete a quarterly tax form which fulfills the fuel tax reporting requirements for all states through which the motor carrier has traveled. Advance payment of the fuel tax can be accomplished by obtaining an IFTA license decal. This process includes accepting, reviewing, and validating new, supplemental, renewal, and temporary registration/decal permit; transmittal processing; and processing inquiries. Applications are received by fax, mail or walk-in. Application and tax return data are manually keyed, and processed on the state's mainframe computer. The IFTA license is printed at the Data Center of the BIT. The IFTA license is returned to the DMV office and mailed to the carrier. In addition to processing applications, DOR also conducts IFTA audits. The DMV has been accepting quarterly tax filings electronically. Permitting services are filing returns for some 250–300 motor carriers using a bulletin board system (BBS).

Interacting agencies – Highway Patrol, State Treasury, BIT Technology, Other jurisdictions

Databases – IFTA database (RV14), vehicle registration database (RV01), MS Access database

Agency – Department of Transportation (DOT)

Process – Oversize and overweight permitting

Definition – South Dakota Codified Laws (SDCL), Chapter 32-22 contains statutory information regarding legal limits for vehicle size and weight. Vehicles moving over highways in South Dakota must comply with these limits or be traveling under the authority of a special permit. A motor carrier is required to obtain an oversize (OS) and/or overweight (OW) permit to operate a vehicle that exceeds the specified limits. Permits are issued on a per-trip or annual basis and are obtained from the Highway Patrol. The permitting process includes examining the oversize and overweight vehicles, determining fee, and issuing permits. It may involve structural analysis of bridges on proposed routes and checking of vehicle parameters, determining alternative routes, and the number of escort vehicles in the case of OS permits. DOT maintains the administrative rules.

Interacting agencies – HP

Databases – PONTIS, BARS, VIRTIS, color-coded roadway map, bridge weight limit map, construction restriction file, vertical clearance data.

Agency – Department of Transportation (DOT)

Process – Accident data reporting

Definition – The Office of Accident Records of the DOT processes accident records. The major items of accident record processing include reviewing the accident report, assigning additional information, entering and verify data, correcting electronic data and updating the accident database. They supply DCR with driver accident information. (An automated DCR mainframe job updates the DCR driver history.) They route the Truck/Bus Supplemental form from Law Enforcement to the HP Motor Carrier Division

Interacting agencies – Police, HP, DCR

Databases – PS-Accident, SDDLIS, RV01, FARS, MRM file

Agency – Department of Commerce and Regulation (DCR)

Process – Commercial driver licensing

Definition – All heavy truck and bus drivers involved in interstate or intrastate commerce must be licensed under the Commercial Driver License (CDL) Standards. This requirement applies to drivers of vehicles with a GVWR in excess of 26,000 pounds. This requirement also applies to drivers of vehicles with a GVWR of 26,000 pounds or less that are designed to carry 16 or more passengers, including the driver, or are carrying a placardable amount of hazardous materials. This requirement does not apply to drivers of recreational, military, emergency, and personal use rental vehicles. This requirement does not apply to drivers of farm vehicles if the vehicle is: (1) controlled and operated by a farmer; (2) used to transport agricultural products or machinery to and from a farm; (3) not used in for-hire or contract carrier operations; and (4) driven no further than 150 miles from the farm. This process includes processing applications for new, renewals, work permit, and duplicates; processing payment; testing applicant; issuing or denying license; disqualifying and reinstating drivers; and processing customer inquiries. Applicants are required to take both written and driving (or skills) tests and pay a driver license fee. Third party companies conduct road skill tests and issue test certificates. Licenses are issued after verification of safe driving history through CDLIS.

The DCR notifies commercial drivers when their license is being suspended, disqualified, or revoked. A driver can have his or her license disqualified for several reasons. The driver has 10 days to request a hearing after receiving the notification letter; the hearing generally takes place within one or two months. The DCR also responds to questions by telephone concerning driver licenses, lost licenses, and replacements.

Interacting agencies – HP, Law Enforcement, State Radio, UJS, other jurisdictions.

Databases – SDDLIS, CDLIS, PDPS, UJS docketing system

Agency – Public Utilities Commission (PUC)

Process – Single State Registration System (SSRS)

Definition – The SSRS is another base state agreement. The program relieves carriers from having to register their operating authority in other SSRS-participating states. The Public Utilities Commission (PUC) motor carrier regulations apply to all common and contract (for hire carriers). The SSRS is a system in which interstate carriers register their Interstate Commerce

Commission (ICC)/FHWA operating authority in their base state. Proof of insurance is required for SSRS carriers. Carriers must have a form RS-3 Registration Receipt in their possession listing SD if they have ICC/FHWA authority.

The process for SSRS registration includes accepting and reviewing applications and insurance, processing applications, confirming fees and issuing registration, filing applications and RS-3 forms, reconciling accounts, preparing monthly reports, and processing inquiries. New, annual renewal, and supplemental applications are received and processed. Approximately 90 percent of SSRS applications arrive by mail or fax. The remaining 10 percent of SSRS applications are submitted in person. SSRS applications are received in paper form and data is manually keyed, processed, and stored in Q&A software on a personal computer. Credentials are automatically issued in the PUC office. The database is maintained and supported by the PUC.

Interacting agencies – HP, Other jurisdictions

Databases – Q&A database, MS Access

Agency – Public Utilities Commission (PUC)

Process – Interstate Exempt

Definition – Carriers transporting only exempt commodities must have in their possession a D-1 cab card. Exempt carriers must also have a valid South Dakota PUC stamp affixed to the back of their cab card. The PUC is also responsible for issuing operating authority to exempt interstate carriers. Proof of insurance is required for exempt carriers. For interstate exempt registration, the process includes accepting and reviewing applications, processing application, verifying insurance, issuing Bingo stamps or issuing insurance termination letter if necessary; and providing Highway Patrol with the list of Bingo Stamps. Interstate exempt applications are received in paper form and data is manually keyed, processed, and stored in Q&A database.

Interacting agencies – HP, Other jurisdictions

Databases – Q&A database

Agency – Public Utilities Commission (PUC)

Process – Single-Trip Permit

Definition – The PUC also administers single-trip permits. A single Trip permit may be issued by the HP at ports of entry for \$40. The carrier must provide proof of insurance (RS-3, Bingo Stamp attached to D1-Cab Card from another state, or an Insurance Cab Card). The Single Trip Permit allows the carrier to travel to their destination and back out of the state. The HP then sends copies of the issued Single Trip Permits to PUC. The PUC then sends the carrier the proper credentialing application forms for processing SSRS registration or Interstate Exempt.

Interacting agencies – HP, Other jurisdictions

Databases – Q&A database, MS Access

Agency – Office of Motor carriers, Federal Highway Administration (OMC/FHWA)

Process – Compliance Review

Definition – The Office of Motor Carriers (OMC) of the FHWA conducts safety compliance reviews (CRs). CRs are conducted to assess a carrier compliance with the Federal Motor Carrier

Safety regulations (FMCSRs). During CRs, logbooks, vehicles, and vehicle reports are sampled and reviewed.

Interacting agencies – DOT, HP

Databases – SafeStat, MCMIS, CDLIS

Agency – Highway Patrol (HP)

Process – Motor vehicle enforcement

Definition – The Commercial Vehicle Division of the Highway (HP) is responsible for roadside enforcement in the state. Enforcement includes the weighing of vehicles and inspection of drivers, vehicles, hazardous cargo, fuel, and credentials. The credentials that the Highway Patrol inspects include vehicle registration, fuel tax license, SSRS registration, CDL, and logbook hours of service. Vehicle weighings and safety inspections occur at different sites in the state: POEs, mobile enforcement locations, and spot checks along the roads.

The Highway Patrol, as the state's primary enforcement agency, issues a large number of citations for hours of service and other violations and out-of-service orders. The Highway Patrol is also involved in incident response, an operational rather than enforcement activity, including incidents involving hazardous materials spills.

Interacting agencies – DOR, DCR, PUC, DOT, FHWA, UJS, State Radio, Other jurisdictions.

Databases – ASPEN, SDDLIS, CDLIS, MCMIS, SAFETYNET, NCIC, NLETS, UJS
Docketing system, MS Access citation database

Agency – Highway Patrol (HP)

Process – Permit issuance

Definition – The HP issues OS and OW permits to carriers. Over half of trip permit requests come in by person to the POEs or to Highway Patrol headquarters in Pierre. About 50 percent of the requests are made over the telephone. The permit applications are completed by hand. Permit processing is not automated. Overweight permits must be obtained in advance of the trip in South Dakota. A trip permit for an over-dimensional load or fuel or registration can be obtained at a POE at the time of the trip. The HP also sells harvest permits and single trip permits to carriers.

Interacting agencies – PUC, DOT

Databases – MS SQL server

Agency – Highway Patrol (HP)

Process – Accident data processing

Definition – The Highway Patrol also processes accident data for purposes of safety enforcement. Accident records received from the DOT and law enforcement agencies are reviewed and coded to conform to the SAFETYNET standard. The information is then loaded into SAFETYNET database.

Interacting agencies – DOT, Law enforcement agencies

Databases – SDDLIS, CDLIS, MCMIS, SAFETYNET

Agency – Unified Judicial System (UJS)

Process – Offense processing and judicial support

Definition – The Unified Judicial System (UJS) provides judicial support to the CVO regulatory agencies, which includes interpretation of laws. The agency’s responsibilities include handling citations, penalties, and fines incurred by motor carriers and motor coach companies and their employees. UJS processes Class I and II offenses. It does not have CVO regulatory responsibility. The UJS maintains a database of citation information on a mainframe application, the Criminal Justice Information System (CJIS). The Driver Licensing Program in the DCR, Highway Patrol, and Department of Criminal Investigation (DCI), do have direct access to this docketing system.

Interacting agencies – HP, Law enforcement, DCR

Databases – UJS docketing system

Agency – Department of Environment and Natural Resources (DENR)

Process – Hazardous waste transportation

Definition – South Dakota does not require a state permit to transport hazardous waste or other hazardous materials. The state has adopted the federal regulations governing the transport of hazardous waste, including the inspection of vehicles hauling hazardous waste; the state has no additional regulations.

Interacting agencies – HP, DOT, EPA

Databases – MS Access database

Agency – Department of Environment and Natural Resources (DENR)

Process – Hazardous spill

Definition – The DENR participates in incident management of spills of hazardous materials including hazardous waste. If a hazardous material spill occurs within the state, various agencies could respond depending on the location of the spill. DENR assigns a spill number and stores the information in database. Carriers are responsible for clean-up and the associated costs.

Interacting agencies – HP, Law enforcement, DOT

Databases – Visual Fox-Pro database, Waste Information Needs (WIN), Hazardous Waste Information Needs for Making Environmental Decisions (INFORMED)

Agency – Department of Agriculture (DOA)

Process – Milk bulk truck inspection

Definition – The Dairy and Agriculture Division of the DOA oversees the inspection of milk bulk trucks. The role of the DOA in CVO is limited to milk bulk truck inspection. An inspection certificate issued.

Interacting agencies – None

Databases – MS Excel database

5.3 DATA MODEL

The primary purpose and use of a data architecture is to develop a central uniform set of data elements that can be shared by developers and users whenever possible. The development of a data architecture provides an analysis tool to analyze interface requirements and operations in detail. It also provides confidence that resultant data elements will be useful and complete for standards development, and more efficient for applications development.

One step in resolving the data exchange problem is to identify the entities within CVO and to develop an entity-relationship diagram graphically depicting the relationships between these entities. Part of the development of this diagram includes defining the attributes (data elements) of each entity. The data architecture consists of a definition of data entities, attributes, and relationships.

Entity: Any person, place, thing, concept, or event that has meaning to the enterprise and about which data may be stored. (Example: vehicle)

Attribute: A named characteristic of an entity. Data attributes are sometimes also referred to as data elements. (Example: vehicle_reg_weight)

Relationship: An attribute whose value is the identifier of another entity. (Example: carriers manage vehicles)

The data model consists of entity relationship diagrams (ERDs) of the entities' information classes, definitions, and relationships. These ERDs form the basis for the more detailed logical database design. The ERDs show the major data elements of each agency's database and the attributes associated with each data element. ERDs are developed for key data entities that are fundamental to CVO and are common to multiple agencies in South Dakota. These are defined below:

1. **Account entity** – The transfer of funds that is initiated to order, instruct or authorize a financial institution to debit or credit an account.
2. **Audit entity** – Audit identifies one motor carrier or jurisdiction audited, the type of audit conducted, the agency and one name of one auditor conducting the audit. Also included are fees or interests due as a result of the audit.
3. **Carrier entity** – A motor carrier is an individual, partnership, association, corporation, business trust, or any other organized group or individual, that is responsible for the safety fitness of commercial motor vehicles engaged in commerce on highways. The carrier is responsible for obtaining the operating authority and all other necessary credentials to operate on the highways. The data attributes that describe the carrier entity include the carrier identifying information and the total inventory of trucks and buses that are owned by the motor carrier.

4. ***Driver entity*** – The person operating a commercial vehicle. The attributes associated with describing the driver include the driver’s description information.
5. ***Insurance entity*** – Insurance coverage for vehicle and driver. The attributes that describe the insurance entity include the type of insurance coverage and identifications for carrier, vehicle and driver.
6. ***IRP filing*** – Identifies information for vehicle use tax including tax payer identification and account status. Other data attributes describing the IRP filing entity include the carriers unique ID and type of vehicle.
7. ***Roadside inspection entity*** – The inspection entity describes the general inspection information for an inspection during roadside enforcement. This includes vehicle and driver inspections. Data attributes associated with roadside inspection entity include carrier, vehicle and driver unique IDs.
8. ***Tax return entity*** – Identifies information for a specific tax including tax payer identification number and status of tax return.
9. ***Trip entity*** – A trip is the period during which a vehicle is continuously travelling from its point of origin to its destination. The vehicle may stop for short periods during the trip without causing discontinuation of the trip and without causing a change in loaded weight. Attributes associated with the trip entity include trip identification, data, origin, destination and type of cargo.
10. ***Vehicle entity*** – A motor vehicle may be truck or a bus. The attributes that describe the vehicle include the vehicle’s unique ID, the owner of the vehicle, configuration, type, and year of make.

The data model establishes data entities, needs, and requirements for use by all major CVO information users. The model is a comprehensive representation of all information relationships with all state agencies as well as the motor carrier industry and other jurisdictions. The ERD are shown in Appendix B. The attributes indicated in the ERDs represent the key identifiers with some representative data attributes. As noted earlier, the ERD is a high level data model in information systems architecture and depicts data description from the owner’s perspective. The ERDs show the major components associated with each key business data entity.

Appendix C lists data items required for each major commercial vehicle regulatory process in South Dakota. These represent the pieces of information currently required in processing the motor carrier credentials and permits and in roadside operations.

5.4 INTERACTION MATRICES

Two interaction matrices are developed to help identify linkages among agencies in terms of CVO functions: (1) a process-organization matrix and (2) process-entity matrix. These matrices show the linkage between data and processes and identify the level of data usage and sharing as well as missing links in data exchange among agencies. Information contained in these matrices helps determine connectivity improvement needs among agencies and entities that would ensure data flow integration. These matrices are discussed in the following sections.

5.4.1 Process-To-Organization Matrix

A process-to-organization matrix is developed based on information gathered through in-person interviews with the technical panel. CVO involve several processes such as credential and tax administration, roadside operations, safety assurances, vehicle operation, and traffic management and control. Each of these processes involves several sub-processes. For example, safety assurance involves carrier compliance review, vehicle inspection, driver inspection, out-of-service verification, and statistics reporting. These are not carried out by any one agency. The process-to-organization matrix maps the processes to the organizational units that perform the processes. The following abbreviations are used to describe each organization's role in each process and sub-process:

- PE – Performs this process or sub-process
- PO – Sets the policy on how this process or sub-process is performed
- SU – Supports the process or sub-process or supports those who perform them
- BO – Both sets policy and performs process or sub-process.

The process – organization matrix is shown in Table 2. For example, the policies for IFTA registration are set or regulated by the DOR and the registration process is performed by the DOR. This process is supported by HP through motor carrier enforcement, supported by BIT through information and data processing, and supported by State Treasury through financial transactions and remittals.

In addition to the process – organization matrix, an agency interaction matrix is constructed that shows agencies that interact directly (**D**) or indirectly (**I**) with other state agencies in performing their CVO functions (Table 3). These two matrices clearly show which agencies interact in performing CVO functions, and which agencies need to interact in order to have an integrated system. For example, the matrices show that PUC does not interact with other regulating agencies such as DCR or DOR. For purposes of CVISN deployment, all state regulatory processes (administrative and roadside) should be integrated and interfaced effectively in the sharing and exchange of data related to carriers, vehicles, and drivers.

Table 2. Process - Organization Interaction Matrix

Process	Sub-Process	DCR	DOR	DOT	PUC	HP	UJS	DENR	DOA	BIT	FHWA/OMC	State Treasury	State Radio	Law Enforcement
IRP	new	SU	BO			SU				SU		SU		
	renewal	SU	BO			SU				SU		SU		
	supplemental	SU	BO			SU				SU		SU		
	transmittal		BO							SU		SU		
IFTA	audit		BO							SU		SU		
	new		BO			SU				SU		SU		
	renewal		BO			SU				SU		SU		
	supplemental		BO			SU				SU		SU		
	transmittal		BO							SU		SU		
audit		BO							SU		SU			
Vehicle title	vehicle title & registration	SU	BO	SU		SU	SU			SU			SU	SU
SSRS	new				BO	SU				SU				
	renewal				BO	SU				SU				
	supplemental				BO	SU				SU				
	monthly report				BO					SU		SU		
Interstate exempt	interstate exempt				BO	PE			SU					
Single trip permitting	single trip permit				BO	PE			SU		SU			
OS/OW Permitting	overweight permit			BO		PE				SU	PE	SU	SU	
	oversize permit			BO		PE				SU	PE	SU	SU	
Accident data reporting	accident data reporting	SU	SU	BO		PE				SU	SU			PE
CDL	new	BO				SU				SU			SU	SU
	renewals	BO				SU				SU			SU	SU
	work permit/duplicates	BO				SU	PE			SU			SU	SU
	disqualification/reinstatement	BO				SU	SU			SU	SU		SU	SU
Roadside inspections	screening	SU	SU	PO	SU	PE				SU			SU	
	OOS verification	SU		PO		PE				SU	SU		SU	
	vehicle inspections	SU	SU	PO	SU	PE				SU	SU		SU	
	driver inspections	SU	SU	PO		PE				SU	SU		SU	
	citations			PO		BO	SU			SU		SU	SU	
	harvest permit		SU			PE			BO			SU		
Judicial support	process offenses	SU	SU			SU	PE							PE
	judicial support	SU	SU			SU	PE			SU			SU	SU
Compliance review	compliance review			SU							BO			
Hazmat materials	hazmat waste transportation					SU		BO						
	hazmat spills			SU		SU		BO	SU					SU
Milk bulk truck inspection	milk bulk truck inspection								BO					

Table 3. Agency-Agency Interaction Matrix

		Interacts with										
Agency	Process	DOR	DCR	DOT	PUC	HP	UJS	DENR	DOA	State Radio	OMC	Law Enforcement
DOR	IRP					I						
	IFTA					I						
	Title & Registration		D			I						
DCR	CDL					I	D			D	I	I
DOT	OS/OW					D						D
	Accident reporting	I	D			D						D
PUC	SSRS					D						
	Permitting					D						
HP	Enforcement	I	I	I	I		D			D		
	Permitting			D	D							
UJS	Judicial support	D	D			D				D		
DENR	Hazmat	D		D		D			D & I			
DOA	Bulk milk truck											

D – Directly I - Indirectly

5.4.2 Process-Entity Interaction Matrix

A process-entity interaction matrix provides the basis for scoping and sequencing application designs and implementation of projects. In order words, the data usage by organization matrix provides the information necessary to define the size and scope of a business area and to determine the sequence of implementing projects designed to address limitations of data sharing and exchange among organizations. Typically, a business area will create much of the data it requires and provide/receive data to/from other business areas. The amount of data sharing is a major consideration that determines the size and scope of the business area. This matrix enhances the understanding of collection, collation, storage, retrieval, transfer, and communication of data.

In developing the process-entity matrix, the subject areas or data associated with each business area are defined. This matrix maps key processes of each business area to the subject areas. The

subject area represents a grouping of information that tends to be used in the performance of business processes. This matrix shows data dependencies between the processes and subject areas (data). This is presented in the form of data usage by a business processes matrix that identifies the data used by each process. The matrix shows the level of data sharing and usage among CVO business areas in South Dakota. The following abbreviations are used in the CRUD matrix:

- C – Created, i.e., data points can be created by the process
- R – Retrieved, i.e., data is accessed or retrieved in performing the process
- U – Updated, i.e., data can be updated during the process
- D – Deleted, i.e., data can be deleted during the process

As shown below, several data entities are associated with the processes in each business area. These processes and entities are used in constructing the CRUD matrix shown in Table 4.

Processes	Entities
IRP	IRP
Accept, review and validate application	Account
Create carrier account	Carrier
Process payment	Vehicle
Print credential	IRP payment
Prepare transmittals	IRP credential
Process customer inquires	IRP registration
Conduct IRP Audit	Law and regulation
	IRP audit
IFTA	IFTA
Accept and process application	Account
Create and update carrier account	Carrier
Process payment	Vehicle
Issue credential	IFTA payment
Process cancellation request	Tax return
Process tax returns	Audit
Prepare transmittals	IFTA credential
Conduct audit	Vehicle registration
Process customer inquires	IFTA registration
	Law and regulation
Vehicle Title & Registration	Vehicle Title & Registration
Process vehicle title	Vehicle
Register vehicle	Owner information
	Payment
	Law and regulation

CDL

Process applications
Process payment and test applicant
Issue CDL
Process disqualifications /reinstatements
Process customer inquires

SSRS/Interstate Exempt/Single trip

Accept, review and process application
Process Insurance BM91X, BMC35 Files
Issue SSRS registration
Prepare monthly reports
Update insurance files (forms E & K)
Issue Single Trip Permits
Process customer inquires

Roadside Enforcement

Conduct roadside inspections
Issue citations
Administer OS/OW permits
Administer single trip permits
Process accident data
Sell harvest permits

OS/OW permitting

Set OS/OW policy and procedures
Conduct bridge loading analysis
Determine permit information

CDL

Driver
Law and enforcement
CDL payment
Law and regulation
PDPS database
CDLIS database

SSRS/Interstate Exempt/Single trip

Carrier
Trip
Vehicle
Insurance
Permit payment
Bingo stamp (registration)
SSRS registration database

Roadside Enforcement

Carrier
Vehicle
Driver
Accident report
Insurance
Trip
Law and regulations
Inspection reports
Citations
OS/OW permits
Harvest permits
Single trip permits

OS/OW permitting

Administrative rule
Vehicle
Permit information
OS/OW policy
Trip
Color coded maps
Bridge weight limit map
Construction restriction list

Accident records

Review and code accident reports
Generate files and upload
Upload to SAFETYNET

Accident records

Carrier
Vehicle
Driver
Insurance
Trip
Location
Accident report
Accident data

Judicial Support

Process class I offenses
Process class II offenses
Provide judicial support

Judicial Support

Driver
Vehicle
Carrier
Law enforcement
Citations
Court hearing document
Judicial docketing system

Compliance Review

Conduct compliance review

Compliance Review

Carrier profile

Hazardous materials

Assign ID number to hazardous waste
Assign spill number
Process customer inquires

Hazardous materials

Carrier
Vehicle
Trip
Number assignment
Law and regulation

Milk bulk truck inspection

Conduct milk bulk truck inspection
Issue inspection certificate

Milk bulk truck inspection

Carrier
Vehicle
Inspection certificate
Law and regulations

6.0 SYSTEMS ASSESSMENT

This section presents a discussion of the current systems used by each state agency in credentialing and roadside operations in South Dakota. An assessment of the current systems that support CVO functions was achieved in three steps: (1) description of current systems; (2) identification of systems characteristics, deficiencies, and opportunities; and (3) CVISN-related problem identification and mapping to the processes.

6.1. DESCRIPTION OF CURRENT SYSTEMS

First, a mapping of current systems to business processes was developed. This step helps identify hardware and software currently used for each process and communication links for data exchange among state agencies and other jurisdictions. The various computer platforms and databases for the various processes and sub-processes are also identified. Hardware, software and networking facilities as well as linkage mechanisms are documented. The information is summarized in a matrix (Table 5) that maps the processes in each business area to the system components that are used to perform those processes. The matrix highlights the differences in the usage of various mainframe and PC-based applications and identifies commonalities in the usage of various systems and applications. The current or legacy systems that support each process are described below.

IRP, IFTA and Vehicle Title and Registration

- IRP, IFTA and Vehicle Title and Registration are administered by the DOR. IRP or Prorate and Business tax are IBM AS/400 applications that are written in Case Tool Sterling/Cool:2E formally known as SYNON/2E.
- IFTA and Vehicle Title and Registration are ADABAS applications. ADABAS is a database management systems (DBMS) based on network approach. ADABAS is available on the IBM CMOS 9972-RC4 mainframe computer. DOR is planning to migrate IFTA to a client-server SQL application by the end of the third quarter of 1999.
- There is no interface between IRP and IFTA. For transmittals, however, PC-based software, MS Access, MS Excel, and MS Word are used.
- DOR is part of the wide area network (WAN) in South Dakota in addition to local area network (LAN) within the department. Fax and telephone are the primary communication linkages for data exchange with other agencies.

Commercial Driver License

- CDL are issued by the DCR. ADABAS DBMS and Virtual Storage Access Mode (VSAM) are used in processing and issuing CDLs. ADABAS is a DBMS available on the South Dakota IBM CMOS 9972-RC4 mainframe computer. Digitized Imaging System is used to digitize pictures and issue licenses. Access to the mainframe on PCs is achieved directly through Attachmate EXTRA which emulate mainframe terminals by modem connections.

Table 5. Processes Supported by Current System

		Mainframe system, software & databases											PC- based applications								External databases				Linkage mechanism							Hardware							
		SYNON			ADABAS					SQL																													
		RV12 - Prorate	Business tax	RV14 - IFTA Extra*	RV01 - Extra	DL03 (CDL)	SC25 (UJS)	PS01 (accident)	BARS**	PONTIS	VSAM	MS Access	MS Excel	MS Word	Keyentry3	intersection magic	Q&A	Visual Fox Pro	ISS	ASPEN	PDPS	CDLIS	SAFETYNET	MCMIS	SAFER	LAN	WAN	E-mail	Phone	Fax	State Radio	Desktop PC	Laptop	IBM mainframe	Extra	Doc. Imaging system			
Agency	Process	Technical Support	BIT	BIT	BIT	BIT	BIT	BIT	BIT	BIT	BIT	IND	IND	IND	BIT	BIT	BIT	IND	EXT	EXT	EXT	EXT	EXT	EXT	EXT	BIT	BIT	BIT	BIT	BIT	BIT	BIT	BIT	BIT	BIT	BIT			
		Primary User Agency	DOR	DOR	DOR	DOR	DCR	UJS	DOT	DOT	DOT	DCR	IND	IND	IND	DOT	DOT	PUC	DENR	HP	HP	DCR	DCR	HP	HP	HP	ALL	ALL	MUL	ALL	ALL	ALL	ALL	ALL	HP	MUL	MUL	DCR	
		Sub-Process																																					
DOR	IRP	new	x	x	x	x																																	
		renewal	x			x																																	
		supplemental	x			x							x		x																								
		Transmittal	x										x	x	x																								
	IFTA	new	x		x																																		
		renewal			x																																		
		supplemental			x																																		
		transmittal			x								x	x	x																								
	audit	x		x																																			
	Title & registration				x																																		
DCR	CDL	new				x	x	x			x	x													x	x													
		renewals					x	x	x			x	x												x	x													
		work permit/duplicates					x	x	x			x	x												x	x													
		disqualif./reinstatement					x	x	x			x	x												x	x													
PUC	SSRS	new											x				x																						
		renewal												x				x																					
		supplemental												x				x																					
	exempt	Interstate/ exempt												x				x																					
Permit	single trip permit												x				x																						
DOT	OS/OW	overweight											x	x																									
		oversize												x	x																								
	Accident data reporting	accident data reporting				x						x	x	x	x	x																							
HP	Roadside operations	screening																								x	x	x											
		OOS verification																																					
		vehicle inspections																																					
		driver inspections																																					
		citations																																					
		accident reporting																																					
		harvest permits																																					
UJS	Judicial support	process cases (I & II)				x	x	x																															
		judicial support				x	x	x																															
FHWA/OMC	Compliance Rev	compliance review																																					
DENR	Hazmat	hazmat waste transport																																					
		hazmat spill																																					
DOA	Milk bulk truck insp.	milk bulk truck inspection																																					

Notes:

* - will migrate to client server SQL by 9/1999
 ** - VIRTIS replaces BARS, a mainframe program

MUL - multiple agency use
 IND - no interagency connection. Software used on LAN within agency only

ALL - all agencies have connectivity
 EXT - external

- The DCR is part of the WAN in South Dakota in addition to LAN within the department. Fax and telephone are the primary communication linkages for data exchange with other agencies.

SSRS, Interstate Exempt and Single Trip Permit

- SSRS, Interstate exempt permits, and single-trip permits are processed by the PUC. These processes use PC-based applications only. The Q&A is the major software for these processes. Q&A is a DOS-based database program. MS Word is used for tracking and reporting purposes.
- PUC is not part of the WAN and not interfaced with any other state agency. PUC has LAN connectivity. E-mail, fax, and telephone are the primary communication linkages for data exchange with other agencies.

Oversize and Overweight Permits and Accident Records

- The administrative rules governing oversize and overweight permits are determined by the DOT, although the DOT does not issue the permits themselves. The DOT Office of Operations support uses PONTIS to provide lists of structure clearances to the Highway Patrol for use in oversize permit processing. The DOT Office of Bridge Design uses PONTIS and BARS in analyzing permissible loads for bridges for use in overweight permit processing. BARS will eventually be replaced by VIRTIS. Both PONTIS and VIRTIS are client-server SQL applications available on the LAN and WAN. VIRTIS is currently under development by AASHTO. BARS is a mainframe application.
- In addition to PC-based applications, MS Access and MS Excel are used in processing oversize and overweight permit requests.
- The Office of Accident Records of the DOT uses the ADABAS DBMS in processing accident records. Specialized PC-based applications, Keyentry 3 and Intersection Magic, ArcView and common applications such as MS Access, MS Excel, are used in processing and reporting accident records.
- The DOT is part of the WAN in South Dakota in addition to LAN within the department. E-mail, fax and telephone are the primary communication linkages for data exchange with other agencies.

Roadside Enforcement

- HP uses both desktop and laptop computers for roadside enforcement operations. Inspection Selection System (ISS) and ASPEN are the PC-based software for screening and conducting vehicle and driver inspections.
- HP has access to accident database (PS01) and the judicial docketing system database for uploading and accessing citations. These are ADABAS applications resident on the IBM CMOS 9972-RC4 mainframe computer. In addition to PC-based applications, MS Access and MS Excel are used in processing and issuing oversize, overweight permits and recording harvest permit sales.

- HP is part of the WAN in South Dakota in addition to LAN within the department. Fax and telephone are the primary communication linkages for data exchange with other agencies. During roadside operations, access to carrier, vehicle, and driver information is obtained through the State Radio.

Judicial Support

- Processes of the UJS are performed using the ADABAS DBMS on the IBM mainframe. No PC-based applications are currently required for the UJS processes.
- UJS is part of the WAN in South Dakota in addition to LAN within the department. Fax and telephone are the primary communication linkages for data exchange with other agencies. UJS also uses the State Radio for obtaining and sharing motor-carrier-related information.

Compliance Review

- The FHWA/OMC uses desktop and laptop PCs for compliance reviews and related safety enforcement activities. Access to external databases relies on modem connections. ASPEN, a PC-based software, is used for conducting compliance reviews.
- Fax, telephone and e-mail are the primary communication linkages for data exchange with other agencies.

Hazardous Materials

- The DENR uses only MS Access in conducting hazardous waste transportation and Visual Fox Pro for hazardous spill processes. These PC-based applications are resident on LAN within the department. DENR does not use any mainframe application. Fax and telephone are the primary communication linkages for data exchange with other agencies.

Milk Bulk Truck Inspection

- The DOA uses only MS Excel in conducting bulk milk truck inspections. This PC-based application is resident on LAN within the department. DOA does not use any mainframe application. Fax and telephone are the primary communication linkages for data exchange with other agencies.

6.2 SYSTEMS CHARACTERISTICS AND OPPORTUNITIES

The second step in the system assessment identified the characteristics of the current systems, their limitations to satisfy the requirements of the processes they currently support, and opportunities for ITS technology deployment. These are summarized in Table 6.

Table 6. Summary of System Characteristics, Deficiencies, and Opportunities

Agency	Current System Characteristics	Deficiencies / Limitations	Opportunities
Department of Revenue (DOR)	<ul style="list-style-type: none"> - LAN and WAN connectivity - Mainframe access - PCs being upgraded to Pentiums - Manual application processing 	<ul style="list-style-type: none"> - No ITS technologies deployed - No connectivity to provide real time access for roadside operations - no limitations to data transfer or sharing within the agency - No electronic data transfer with other state agencies - No online access to other state agency databases 	<ul style="list-style-type: none"> - Connectivity to provide real time access for roadside operations - Compatibility of data platforms to minimize duplication of data collection efforts - Ability to interface IRP with IFTA - Automated permit decal issuing of registration and decals - Ability to use PRISM - Use client server type of connectivity - Centrally accessible database - Electronic funds transfer - Ability to issue USDOT# - Speed and flexibility of operations - Ability to download information from AS400 to MS Access directly
Department of Commerce and Regulations (DCR)	<ul style="list-style-type: none"> - LAN and WAN connectivity with 7-8 fixed sites and mobile sites –54 total - 23 NBS/polaroid units to process driver license (3 as backup) - 15 dumb mainframe access only terminals - 18 – 386 & 486PCs (being replaced with Pentiums) - 23 Pentium II PCs - Direct access to mainframe or dial-in using phone/modem - NBS /Polaroid system for digitized pictures and issuing licenses (1990) being upgraded. 	<ul style="list-style-type: none"> - Lack of network for mobile sites and staff - Interface problems of SDDLIS with other states via CDLIS; e.g., errors in conversion of other state data in VSAM to SDDLIS, ADABAS system 	<ul style="list-style-type: none"> - Better coordination with requesting entities--carriers, other states - Electronic transmission of driver record for roadside operations - Use of kiosks and internet, for duplicate or data change type requests.

Table 6. Summary of System Characteristics, Deficiencies, and Opportunities (contd.)

Agency	Current System Characteristics	Deficiencies / Limitations	Opportunities
Public Utilities Commission (PUC)	<ul style="list-style-type: none"> - LAN connectivity - 5 Pentium 200 workstations - E-mail functionality - Computer equipment upgraded less than a year ago – not plans for upgrade - No automated system 	<ul style="list-style-type: none"> - Not connected to WAN - No ITS technologies deployed - Problems with printing letters from Q&A database – Q&A is DOS based and Q&A Write is Windows based - No data sharing with other state agencies - No mainframe access 	<ul style="list-style-type: none"> - Online access to letters of insurance suspensions - Easy access of highway patrol to registration information - Online access to other state agency databases - Potential ability to access SSRS databases of other states
Department of Transportation (DOT)	<ul style="list-style-type: none"> - LAN and WAN connectivity <p><i>Office of Accident Reporting</i></p> <ul style="list-style-type: none"> - 4 Pentium PC (new) - 3 Pentium PC (old) <p><i>Office of Operations Support & Office of Bridge Design</i></p> <ul style="list-style-type: none"> - 4 Pentium workstations (bridge analysis) - 1 new Pentium PC - Recently upgraded system last year - System is generally adequate. No immediate improvement plans - BARS – mainframe software moving to a new program VIRTIS (a client server relational database system) - Data transfer between DOT and POE by phone, fax and e-mail 	<p><i>Office of accident reporting</i></p> <ul style="list-style-type: none"> - Needs to update accident reporting form - Accident reporting in paper form - No limitations or deficiencies for current purposes <p><i>Office of Operations Support & Office of Bridge Design</i></p> <ul style="list-style-type: none"> - No integration with other state agency databases - No significant limitations or deficiencies 	<p><i>Office of accident reporting</i></p> <ul style="list-style-type: none"> - Desirable to capture accident reporting form electronically - Electronic data transfer between DOT and Highway Patrol - Potential for GIS based database of accident data <p><i>Office of Operations Support & Office of Bridge Design</i></p> <ul style="list-style-type: none"> - Automated routing and permitting system currently proposed

Table 6. Summary of System Characteristics, Deficiencies, and Opportunities (contd.)

Agency	Current System Characteristics	Deficiencies / Limitations	Opportunities
Highway Patrol (HP)	<ul style="list-style-type: none"> - 12 PCs – 3 at each of the 4 POEs - PCs – being replaced - 16 Panasonic ruggedized laptops - Computer systems upgrade almost complete – includes e-mail functionality, modems, laptops, and desktop PCs - 90% of safety inspections electronic with laptops - Adequate number of computers with adequate capacity - Linkage mechanism to SAFTYNET via modem - POEs networked to central office - Mobile teams use voice communication with central office and POEs by cellular phone - Data transfer by cellular modems - Access other state agency data through State Radio 	<ul style="list-style-type: none"> - No ITS technology deployed currently - No direct access to other state agency databases for roadside operations - Outdated communication systems with State Radio – cumbersome, reception very poor at certain locations - Problems with manual system – non-timeliness of information – e.g., it takes about 2 months to get some into the system in some cases - ASPEN is relatively new to officers – may take sometime to get used to it. - No direct connectivity to provide real time access to CDL information for roadside operations 	<ul style="list-style-type: none"> - Access to other state agency databases directly both at central HP office and from roadside and POE. For example, use CDL # to verify information in SDDLIS or vehicle unique ID to verify registration and credential data in the databases without having to call the State Radio - Online access to safety information possible when SAFER is fully implemented – will offer real time safety information - Communication with State Radio needs improvement - Radios in cars need improvement – poor communication quality - Use of SAFER - Use of bar codes for automatic citation and accident reporting - Use of cellular modems on lap tops at mobile sites and by highway patrol for online access to mainframe systems
DENR	<ul style="list-style-type: none"> - Q&A Program on LAN; Pentium PCs - Adequate systems for purposes - Communication with HP (not on regular basis) – only when there is a problem - No data transfer needs with other agencies 	<ul style="list-style-type: none"> - No limitations or deficiencies for current purposes - No real improvement needs – very few Hazmat waste transportation in SD 	<ul style="list-style-type: none"> - No real improvement needs or potential opportunities identified
Department of Agriculture (DOA)	<ul style="list-style-type: none"> - 1 Pentium PC; LAN available - No need for integration with other state agency databases - Adequate for inspection record storage purposes - no immediate improvement plans 	<ul style="list-style-type: none"> - No limitations or deficiencies for current purposes 	<ul style="list-style-type: none"> - No real improvement needs or potential opportunities identified

6.3 CVISN-RELATED PROBLEM IDENTIFICATION

The third step identified problems with current systems regarding data exchange and opportunities for ITS technology deployment for CVO regulatory activities in South Dakota. These are based on the information presented in the matrix and summary tables. These problems are defined in terms of CVISN system deployment. Although there may be no problems with the current systems in supporting the various processes, the current systems may not have the functionality to support CVISN technology. A summary of current systems problems are listed below in general terms. Specific areas for CVISN functionality are then identified as potential problem areas that are mapped to the various processes in Table 7. The problem areas shown in Table 7 are also defined in terms of CVISN technology deployment.

6.3.1 Summary of Problems

1. Much of the current operations are manual and oriented towards paper, which creates processing problems. These include data error, handling and storage.
2. The lack of connectivity among state agencies restricts integration. The implication is replication of data and duplication of data collection effort.
3. Lack of connectivity to provide real time access to data on vehicle registration and drivers for roadside enforcement operations.
4. Limited electronic fund transfer between carriers and state agencies and other jurisdictions
5. Non-uniformity in the databases and software used for different CVO functions by state agencies. Compatibility and interoperability are issues to be addressed.
6. Applications do not include downloading/uploading functionality between mainframe and PC systems. This creates data presentation, access, and timeliness problems and may be related to data security or lack of interfaces.
7. Lack of network facilities for mobile sites in commercial driver licensing process
8. Some PC based systems are stand alone, designed for very specific business functionality.
9. Lack of systematic and consistent approach in maintaining readily accessible historical data for future use in electronic format.
10. No automated links to state accounting systems.

Table 7. CVISN-Related Problems with Processes

			Problems with Processes																	
PBO	Process	Sub-Process	Data Error	Data Accessibility	Data accuracy / Consistency	Data Availability	Data Definition	Data Standards	Data Presentation	Ad hoc query / Analysis	Data Timeliness	Data Redundancy	Data Handling & Storage	Integration	User Interfaces	Data Security	Version Control	Data Sharing	Mainframe Online	
DOR	IRP	New	●	●	●	●	●					●	●	●	●	●		●		
		Renewal	●	●	●	●	●					●	●	●	●	●	●		●	
		Supplemental	●	●	●	●	●					●	●	●	●	●	●		●	
		Transmittal	●					●					●							
		Audit														●				
	IFTA	New	●	●	●	●	●	●					●	●	●	●	●		●	
		Renewal	●	●	●	●	●	●					●	●	●	●	●		●	
		Supplemental	●	●	●	●	●	●					●	●	●	●	●		●	
		Transmittal	●					●					●							
	Title & Registration	Title & Registration														●				
	DCR	CDL	New	●	●	●							●	●	●	●				
Renewal			●	●	●							●	●	●	●					
Work Permit & Duplicate													●							
Disqualification Reinstatement													●							
PUC	SSRS	New	●	●		●						●	●		●			●	●	
		Renewal	●	●			●					●	●		●			●	●	
		Transmittal																	●	
	Interstate Exempt	Interstate Exempt	●		●								●						●	
Single Trip Permit	Single Trip Permit		●										●	●				●		
DOT	OS/OW	Overweight		●	●	●				●										
		Oversize								●	●									
Accident Recording	Accident Data Record & Report		●	●		●		●					●				●			
HP	Roadside Operations	Screening		●	●						●							●		
		OOS Verification		●	●						●									
		Vehicle Inspection		●	●						●									
		Driver Inspection		●	●						●									
		Citations																	●	
		Accident Reporting			●								●			●				
		Harvest Permits																		
		OS/OW Permits	●	●		●						●								
UJS	Judicial Support	Process Cases												●	●			●		
		Support to Prosecutors																		
FHWA	CR	Compliance review																		
DENR	Hazmat	Hazmat Waste/Spill																		
DOA	Milk Tank	Milk Tank Inspection																		

6.3.2 Problem Definition

Data Error – Pertains to current paper-based processes where applications need to be manually checked for errors in completing the forms. This creates processing problems.

Data Accessibility – Relates to accessing data required for a process but resident in another agency and not readily available. For example, ability to access carrier and vehicle data by field personnel and roadside operations. This could also refer to inefficiency in existing systems and also inability to access systems that may contain data (e.g., slow mainframe connection, secured access to mainframe). Access to historical information could also be an issue if historical information is not maintained or knowledge about what it conveys is uncertain.

Data Accuracy / Consistency – Data accuracy relates to correct information that is provided from data sources or correct interpretation of information that is being provided. Data consistency relates agreement or logical coherence among different elements of data.

Data Availability – Availability of certain pieces of information required in carrying out processes but currently not available in data sources. For example, lack of historical safety information may prevent appropriate analysis and identification regarding carriers/ vehicles drivers/ highway areas that are unsafe.

Data Definition – Standardization of definitions of same or similar data used by different systems, applications, and their manuals, is necessary to allow analysis of data quality and correct interpretations and accesses. This may cause inappropriate linkage and sharing and hence inaccurate retrieval, transmission, or analysis. The data may be used in different processes but may mean different things in each process.

Data Standards – Relates to information exchange standards, such as open Electronic Data Interchange (EDI). The transactions involved in such exchanges are largely system/application independent. Absence of such standards may make information exchange difficult or even impossible. If there is no computer system linkage presently existing for information exchange, then the issue of such standards is irrelevant.

Data Presentation – Pertains to the format in which the data is presented so that it is understood and useful for the process, or else misinterpretation is possible. This may lead to data inaccuracies.

Ad hoc Query/Analysis – An important task in interacting with databases and conducting analysis that requires multiple data from different sources, is the ability to conduct query/analysis instantly (or in ad hoc manner). Absence of such feature or difficult construction of such a feature makes the interaction of data problematic and may even lead to errors. Most of mainframe systems, in general, have inferior ad hoc query capability compared to the PCs because PCs have better user-interfaces.

Data Timeliness – Pertains to availability of accurate data for a process in a timely fashion. It relates to data gathered, transmitted or retrieved during the performance of a process using direct computer system linkage, direct entry into computer system, or using non-computer mechanism (e.g., phone, mail).

Data Redundancy – Refers to same data entity collected and/or stored by multiple agencies (paper-based or computer-based). Sometimes this is necessary because of the way processes and activities have evolved and changed. However, same data in multiple locations can be the main cause of data accuracy and consistency problems, especially when data update is not synchronized.

Data Handling and Storage – This is a problem typical of paper based transactions. The need to handle, store and archive large volumes of paper applications and documents may be a problem. Also associated is the retrieval of information from archived data.

Integration – Refers to whether the different systems used in the process are integrated and perform in seamless and efficient manner or are made of disparate systems connected by non-computer transactions and actions.

User Interfaces – Refers to availability of user interfaces that allow data exchange among processes and agencies. For example, lack of interfaces between IRP and IFTA processes may slow down the process.

Data Security – Concerns of security of data for certain processes may limit the level of data access and data sharing that can be permitted among agencies. This concern may translate to inefficiency in certain processes.

Version Control – Migration to different versions of a commonly used software by different agencies at different times can create problems with data exchange.

Data Sharing – Relates to inability or difficulty in sharing data with other agencies through direct computer linkage or other means. This may be due to incompatibility of data and/or systems and processes. Differences in data definition or standard, lack of integration and lack of user interfaces can create data sharing problems.

Mainframe Online – Relates mainframe connectivity for processes. Certain processes are currently performed on PC applications only. Data for these processes cannot be shared with other processes that are performed on mainframe programs. Data access and sharing becomes a problem for such processes.

7.0 DOCUMENTATION IN CVISN TEMPLATES

7.1 INTRODUCTION

The ITS/CVO program has developed CVISN National Architecture, supporting standards and has initiated model deployment in 10 states. The next phase is CVISN model deployment in all interested states. In documenting the data architecture for South Dakota, the requirements for CVISN Level One deployment are first reviewed. CVISN Level One deployment requires that the following three capability areas are implemented using applicable architectural guidelines, operational concepts and standards. This is necessary to ensure consistency with the national model deployment initiative. CVISN Level One capability refers to the following specific items:

- An organizational framework for cooperative system deployment has been established among state agencies and motor carriers.
- A state CVISN System design has been established that conforms to the CVISN Architecture and can evolve to include new technology and capabilities.
- Elements of three capability areas have been implemented using applicable architectural guidelines, operational concepts, and standards.

Credentials Administration

- End-to-end processing (i.e., carrier application, state application processing, payment, credentials, credential issuance) of at least IRP and IFTA credentials; ready to extend to other credentials (interstate, titling, OS/OW, carrier registration).
- Connection to IRP and IFTA Clearinghouses.
- At least 10 percent of transaction volume handled electronically; ready to bring on more carriers as carriers sign up; ready to extend to branch offices where applicable.

Electronic Screening

- Electronic screening implemented at a minimum of one fixed or mobile inspection site.
- Ready to replicate at other sites.

Safety Information Exchange

- ASPEN (or equivalent) at all major inspection sites.
- Connection to SAFER.
- CVIEW (or equivalent) for snapshot exchange within state and to other states.

This section describes documentation of processes and data in CVO functions in South Dakota using CVISN architecture templates. Two types of templates are used. The first type is the systems design and network templates that are used for CVISN top-level design. The top-level design is one of the outcomes of analyzing the state's existing systems, CVISN project objectives, guiding principles, existing and planned business processes and intended operational changes (JHUAPL, 1999). The second type is CVISN architecture equipment packages that are building blocks for the physical architecture of the CVISN subsystems. The equipment packages

are implementable groups of processes into functional areas. These templates are used to document the current processes, data and network for CVO functions in South Dakota.

7.2 CVISN TOP-LEVEL DESIGN TEMPLATES

In characterizing the existing systems and to facilitate CVISN top-level systems design process, CVISN Architecture templates are used to document the current processes and network systems (JHUAPL, 1999c). The generic system design template and network template are used. These templates reflect the major functions that support CVO in South Dakota and illustrate which functions currently exchange information. This documentation will serve as starting points in developing operational scenarios and system interfaces for CVISN systems deployment.

7.2.1 System Design Template

The system design template is used to show the major CVO functions (Figure 3). Each box represents a major function. Lines are drawn to connect functions that currently exchange information. For purposes of characterizing the current system design the small LSI (legacy system interface) and LM (Legacy modification) boxes are not considered important. All interfaces are assumed to be the legacy systems. These boxes are included with the current system characterization to facilitate the CVISN system design process. The following are some characteristics of the current processes and linkages as depicted in system design template.

- Currently, there is no credentialing interface between the carriers and the state credentialing systems. This explains why the credentialing interface box is not linked to any major function. With CVISN systems deployment however, all connections between the carrier systems and the state systems will go through a credentialing interface.
- The box labeled Carrier Systems or Service Providers is used to represent carriers or commercial vehicle drivers for the purposes of this documentation. Currently, carriers do not have the functionality to directly interface with the state credentialing systems.
- Currently, some form of linkage mechanisms exist between some individual state credentialing systems and components of national or regional systems that are considered part of CVISN core infrastructure. With CVISN systems deployment, all connections between state systems and CVISN core infrastructure systems may have to be channeled through the commercial vehicle information exchange window (CVIEW). Similarly, CVIEW will serve as a link between roadside operations and credentialing systems.
- The State Radio acts as an information exchange link between state credentialing functions and roadside operations. With CVISN systems deployment, the function currently performed by the State Radio will be achieved through CVIEW.
- Information from CDLIS is required in processing commercial driver licenses. Information on CDL, and vehicle title and registration is available to enforcement officers via the State Radio.

- The State Treasury plays a key role in funds transfer and remittances to and from other jurisdictions relating to credentials and permits. Major functions requiring transactions with State Treasury are, vehicle titling and registration, IRP, IFTA, commercial driver licensing, SSRS, interstate exempt registration, single trip permit, oversize/overweight permits and hazardous waste materials transportation.
- In processing SSRS, interstate exempt registrations and single trip permits, carriers' insurance information are verified. Currently, there is no central depository of insurance information on carriers. Carriers are required to provide the required insurance information.
- Electronic screening is not currently used for roadside operations in South Dakota. WIM is currently not used for roadside enforcement or screening activities.
- Safety inspections are conducted as part of roadside operations. Safety inspection data gathered with ASPEN is transferred to SAFETYNET via SAFER. This data may then be uploaded to MCMIS. Also, as part of roadside operations, HP issues OS/OW permits at POEs and sells single trip permits.
- Citations resulting from roadside operations and safety inspections and accidents data are uploaded to the citation and accidents database.

7.2.2 Network Template

The network template is used to show how the major functions are allocated to computers and the existing network connectivity among those computers using various kinds of network technologies. Figure 4 illustrates the existing network in South Dakota. Each box represents a computer or computers dedicated to a particular major function. Lines are drawn to show LANs and WAN connecting different computers and functions. Details of hardware, software and linkage mechanisms for CVO functions are summarized in Table 5 and discussed in Section 6 of this report. The following are explanatory comments on the information presented in Figure 4.

- All major functions in each functional area are connected and part of a LAN. Except for PUC, all major functional areas are part of the state's Wide Area Network (WAN). The IBM CMOS 9972 RC-4 mainframe computer is available on WAN and used for major functions including vehicle titling and registration, commercial driver licensing, OS/OW permitting and accident reporting. The IBM AS400 mainframe computer, also available on WAN, is used for IRP registration and business tax functions only.
- Roadside operations access information on carriers, drivers and vehicles by calling in to the State Radio. The State Radio has direct access to vehicle titling and registration and commercial driver licensing systems.
- For purposes of processing and issuing CDLs, CDLIS is accessed via AMMVAnet frame relay (TCP/IP).

- In conducting safety inspections with ASPEN, enforcement officers use cellular modems to dial into SAFER for data transfer. The connection is achieved via AAMVAnet frame relay. Similarly, SAFETYNET connects to MCMIS by dial-up connection via AAMVAnet frame relay (TCP/IP).

These templates can be used to verify the physical connectivity between systems and identify bottlenecks for CVISN systems deployment. The information provided in these templates can help determine modifications that are necessary to facilitate information exchange and connectivity among state systems and also with CVISN core infrastructure systems.

7.3 CVISN ARCHITECTURE EQUIPMENT PACKAGE TEMPLATES

The CVISN Architecture and the National ITS Architecture are aligned at a top level, in terms of subsystems and equipment package interface data flows. The CVISN architecture includes a number of subsystems and equipment packages for CVO. The equipment packages provide templates that can be used to gauge current systems adequacy and identify areas of focus in developing and deploying CVISN systems. The four subsystems unique to CVO are:


- Commercial Vehicle Administration
- Commercial Vehicle Check
- Fleet and Freight Management
- Commercial Vehicle.

Credential and Tax Administration processes are mapped to the Commercial Vehicle Administration Center Subsystem. Roadside Operations processes are mapped to the Commercial Vehicle Check Subsystem. Safety Assurance processes are split into the CV Safety Administration and Roadside Safety Inspection equipment packages. Vehicle Operation processes are mapped to the Commercial Vehicle Subsystem. Fleet Management Processes are mapped to the Fleet and Freight Management Center Subsystem. General ITS functions are depicted through interactions with general ITS subsystems from each of the CVO-unique subsystems.

The subsystems that are relevant for CVISN level-one deployment are commercial vehicle administration center and commercial vehicle check roadside subsystems. These subsystems and the relevant equipment packages are discussed in the following sections. A general description is provided for each equipment package followed by a summary the status in South Dakota relative to the provisions of the architecture.

The data flow diagrams summarize the processes and data flow between functional areas. The dotted arrows and lines are used to indicate linkages or functional areas that are not currently available in South Dakota. A solid line or arrow indicates that such linkage or functional area currently exists in South Dakota. Processes in a functional area indicated in italics are currently not performed in South Dakota.

Figure 3. Current South Dakota State System Design







Figure 4. Current South Dakota State Network



7.3.1 Commercial Vehicle Administration Center Subsystem

The Commercial Vehicle Administration Center Subsystem will operate at one or more fixed locations within a region. This subsystem performs administrative functions supporting credentials, tax, and safety regulations. The subsystem coordinates with other Commercial Vehicle Administration Subsystems (in other states/regions) to support nationwide access to credentials and safety information for administrative and enforcement functions.

The Commercial Vehicle Administration Center Subsystem consists of four equipment packages:

- Credentials and Taxes Administration, supporting the processing, update, and issuance of CVO credentials; collection, processing, and review of CVO fees and taxes
- International Commercial Vehicle Administration, supporting administrative functions associated with commercial vehicles crossing international borders
- Commercial Vehicle Safety Administration, supporting the collection and review of CV safety data
- Commercial Vehicle Information Exchange, facilitating the exchange of snapshots and profiles containing safety and credentials information for drivers, carriers, and vehicles

The International Commercial Vehicle Administration equipment is not considered relevant to South Dakota and is excluded from further discussions.

Credentials and Taxes Administration Equipment Package

The Credentials and Taxes Administration equipment package supports the processing, update, and issuance of CVO credentials and the collection, processing, and review of CVO fees and taxes. This equipment package includes state, regional, and national public functions associated with domestic credentials.

The data flow diagram for this equipment package is illustrated in Figure 5. All process under this functional area are currently performed in South Dakota except those that are electronic in nature. This data flow diagram applies to each credential processed and issued for CVO in South Dakota (e.g., IRP, IFTA, SSRS, CDL, OS/OW permits). Connectivity or interface between roadside support functional area and the credentials database does not exist currently. Non-existing linkages and equipment packages are shown in dotted lines.

Commercial Vehicle Safety Administration Equipment Package

The Commercial Vehicle (CV) Safety Administration supports the processing and review of CVO safety information. This equipment package includes state, regional, and national public functions associated with CVO safety information utilization.

The data flow diagram is shown in Figure 6. Apart from the conduct of compliance reviews, none of the activities are carried out in South Dakota currently. Analysis of safety data is performed using national safety databases and programs such as MCMIS and SAFESTAT. In South Dakota currently, there is no connectivity between the credentials and taxes administration functional area and the management of safety data functional area.

Commercial Vehicle Information Exchange Equipment Package

The Commercial Vehicle Information Exchange (CVIE) equipment package collects safety and credential information related to carriers, vehicles and drivers from various authoritative sources; unifies and assembles that data, and provides it (where allowed by privacy laws) to jurisdictional agencies, enforcement personnel, industry related organizations, and the general public. This equipment package may be implemented at continental, national, regional, or state/province levels. At the continental/national/regional level, the package must address operators who cross jurisdictional boundaries. At the state level, the package may interface with the higher-level package for inter-jurisdictional operator data, and store/exchange data for operators who stay within the state borders.

Information from various authoritative sources may be acquired through two means:

- Proactive Update: The source provides the information to the CVIE when it changes, either periodically or at the time of update.
- Responsive Update: The source responds to one or more queries generated by the CVIE with updates.

The information may be accessed through two means:

- On-line queries, in which a request is made for a specific piece of information and a response is provided according to the requested priority.
- Subscription information transfer according to general criteria for the kind of information desired and the frequency at which it should be provided.

The CVIE also provides a service for transferring safety inspection information from the roadside to the relevant state/province or national safety administrations. In the process, vehicle and driver out-of-service information is made available to the CVIE users. All requests undergo authentication and authorization checks to insure that data security and integrity are maintained. Information covered by privacy laws is not made available to the general public.

The data flow diagram for CVIE is shown in Figure 7. This functionality is not currently available in South Dakota. Thus, none of the processes in this equipment package are currently performed in South Dakota.

7.3.2 Commercial Vehicle Check Roadside Subsystem

The Commercial Vehicle Check Roadside Subsystem supports automated carrier, vehicle, and driver identification at mainline speeds for credential checking, supports roadside safety inspections, and conducts weigh-in-motion. The subsystem enhances current capabilities by supporting expedited brake inspections, the use of operator hand-held devices, on-board safety data access, and rapid access to safety history information.

The Commercial Vehicle Check Roadside Subsystem, consists of four equipment packages that are relevant to South Dakota:

- Roadside Electronic Screening, supporting the screening and electronic clearance of vehicles
- Roadside Safety Inspections, supporting automated safety inspections

- Roadside Weigh-In-Motion, which weighs commercial vehicles at mainline speeds.
- Citation/Accident Electronic Recording, supporting the recording of information related to citations or accidents

Roadside Electronic Screening (RES) Equipment Package

Roadside Electronic Screening (RES) Equipment Package is used by state enforcement personnel to:

- Verify safe and legal commercial vehicles and allow them to bypass roadside electronic screening sites
- Identify illegal vehicles and those with higher safety risks and alert enforcement personnel

The data flow diagram for RES equipment package is shown in Figure 8. South Dakota does not have the facilities for roadside electronic screening. Therefore the processes and data flow are not available. These are shown in dotted lines.

Roadside Safety Inspections Equipment Package

Roadside Safety Inspection (RSI) is used by roadside inspectors and law enforcement personnel to:

- Efficiently inspect commercial vehicles and drivers
- Report inspection results electronically
- Transmit citation report data.

This equipment package description assumes that the Roadside Electronic Screening (RES) equipment package is co-located, and therefore the RES equipment package runs the Inspection Selection Subsystem (ISS) algorithm, and uses these results during the screening process. This equipment package would have to include ISS if it were not co-located with RES.

The data flow diagram for RSI equipment package is shown in Figure 9. Some of the processes are currently performed even though roadside screening is not electronic. Electronic oriented processes are shown in italics and those that are currently performed using ASPEN and ISS shown in normal text and the arrows in solid lines.

Roadside Weigh-In-Motion Equipment Package

Roadside Weigh-In-Motion (WIM) is used by a jurisdiction's enforcement personnel to monitor and enforce vehicle weights and dimensions. Additional screening will occur as a vehicle interacts with a complete Roadside Electronic Screening (RES) system.


The data flow diagram for WIM equipment package is shown in Figure 10. WIM installation are currently not used in roadside operations in South Dakota. These processes and data flow are not currently available and are shown in dotted lines.

Citation and Accident Electronic Recording Equipment Package

Citation and Accident Electronic Recording (CAER) is used by roadside inspectors and law enforcement personnel to generate and transmit citations and accident reports electronically. CAER equipment packages reside at CV Check Roadside Subsystem fixed sites and mobile units. Citations and accident reports can be transmitted immediately (e.g., cellular link, network link) after an inspection or incident, or later as part of a bulk transfer.

The data flow diagram for CAER equipment package is shown in Figure 11. In South Dakota, accident record and citation processing is not electronic. Processes and data flow in this equipment package are not available and are therefore shown in dotted lines.

**Figure 5. Credentials and Taxes Administration
Equipment Package Data Flow Diagram**




The Credentials and Taxes Administration equipment package supports the processing, update, and issuance of CVO credentials and the collection, processing, and review of CVO fees and taxes.

Notes:

Solid lines indicate functional area or linkage that currently exists in South Dakota


Dotted lines indicate functional areas or linkages not currently available in South Dakota

**Figure 6. Commercial Vehicle Safety Administration
Equipment Package Data Flow Diagram**




The Commercial Vehicle (CV) Safety Administration supports the processing and review of CVO safety information. This equipment package includes state, regional, and national public functions associated with CVO safety information utilization.

**Figure 7. Commercial Vehicle Information Exchange
Equipment Package Data Flow Diagram**




The Commercial Vehicle Information Exchange (CVIE) equipment package collects safety and credential information related to carriers, vehicles and drivers from various authoritative sources; unifies and assembles that data, and provides it (where allowed by privacy laws) to jurisdictional agencies, enforcement personnel, industry related organizations, and the general public. This equipment package provides a service for transferring safety inspection information from the roadside to the relevant state/province or national safety administrations.

**Figure 8. Roadside Electronic Screening Equipment Package
Data Flow Diagram**




Roadside Electronic Screening (RES) Equipment Package is used by state enforcement personnel to (a) verify safe and legal commercial vehicles and allow them to bypass roadside electronic screening sites, and (b) identify illegal vehicles and those with higher safety risks and alert enforcement personnel.

**Figure 9. Roadside Safety Inspection Equipment Package
Data Flow Diagram**




Roadside Safety Inspection (RSI) is used by roadside inspectors and law enforcement personnel to: (a) efficiently inspect commercial vehicles and drivers; (b) report inspection results electronically; (c) transmit citation report data. This equipment package description assumes that the Roadside Electronic Screening (RES) equipment package is co-located, and therefore the RES equipment package runs the Inspection Selection Subsystem (ISS) algorithm, and uses these results during the screening process. This equipment package would have to include ISS if it were not co-located with RES.

**Figure 10. Roadside Weigh-In-Motion (WIM) Equipment Package
Data Flow Diagram**



Roadside Weigh-In-Motion (WIM) is used by a jurisdiction’s enforcement personnel to monitor and enforce vehicle weights and dimensions. Additional screening will occur as a vehicle interacts with a complete Roadside Electronic Screening (RES) system.

Figure 11. Citation and Accident Electronic Recording Equipment Data Flow Diagram



Citation and Accident Electronic Recording (CAER) is used by roadside inspectors and law enforcement personnel to generate and transmit citations and accident reports electronically. CAER equipment packages reside at CV Check Roadside Subsystem fixed sites and mobile units. Citations and accident reports can be transmitted immediately (e.g., cellular link, network link) after an inspection or incident, or later as part of a bulk transfer.

8.0 CONCLUSIONS AND RECOMMENDATIONS

8.1 CONCLUSIONS

This study documented the ITS/CVO data architecture for the state of South Dakota. An information engineering methodology / framework was established to facilitate the data documentation. This framework allows a logical approach that defines different levels of detail in the data and process modeling and the outputs to be generated at each level. The documentation is intended to be a high level functional design that provides the basis for the development of a detailed architecture. The framework used is a high level modeling approach with some middle level elements. The framework also accounts for data flow and linkage between processes and data. ERwin and BPwin software are used in documenting the data and process models. These software are consistent with South Dakota's new information engineering standards.

A total of 15 CVO-related processes are identified. State agencies involved in CVO functions in South Dakota are: DOR, responsible for IRP, IFTA and vehicle titling and registration; DCR, responsible for commercial driver license; DOT and HP have a shared responsibility in issuing OS/OW permits; PUC, responsible for SSRS, interstate exempt and single trip permits; and HP, responsible for roadside operations which includes safety inspections and size and weight regulation enforcement. In addition, other agencies perform activities involving commercial vehicles, including DENR, responsible for hazardous waste materials transportation and spills and DOA, inspection of bulk milk trucks.

All motor carrier credentialing processes in South Dakota are currently paper based. The current computer and networking facilities are adequate for processing the credentials. However, the agencies performing the credentialing processes are not integrated or interfaced with each other to allow effective and efficient online data sharing and exchange. The PUC is noted to be the only credentialing agency that is not part of the statewide WAN and does not use mainframe applications.

Process and Data Models

In developing the process model, two graphical representations are developed for each business area. These are, hierarchical decomposition diagrams of processes (Node diagram), and data flow diagrams (DFD) showing details of the information flow for each process and sub-process. These diagrams are developed using BPwin. These diagrams are developed for IRP, IFTA, Vehicle Title and Registration, OS/OW permitting, Accident Recording, Judicial Support, Roadside Operations, Commercial Driver Licensing, SSRS, Interstate Exempt, Single Trip Permit, Compliance Reviews and Hazardous Waste Materials Transportation and Spills. These diagrams describe the data flow for all processes, the databases needed to perform the processes and the external agencies or organization that interact with the primary agency.

Entity relationship diagrams are developed for key data entities using ERwin software. Ten key data entities are identified as those that recur in multiple business area processes and are

fundamental to CVO. These include, carrier, driver, vehicle, roadside inspections, trip, account, audit, IRP filing, insurance and tax return entities. The data model establishes data entities, needs, and requirements for use by all major CVO information users. ERD is a high level data model in information systems architecture and depicts data description from the owner's perspective. The ERDs show the major components associated with each key business data entity.

Interaction matrices

A CRUD matrix is developed that maps the business area processes to the subject areas. The subject area represents a grouping of information used in the performance of business area processes. The CRUD matrix shows data dependencies between the processes and subject areas (data). The CRUD matrix clearly shows which areas operate independently of other agencies or organizations and which agencies do interact with other agencies in performing their CVO functions. The matrix provided a means to easily identify the missing links in developing an integrated system.

The study also identified the organizational responsibilities for processes. These organizational responsibilities are identified as performing process (PE), setting policy for that process but not performing the process (PO), providing support function (SU) for the process, and setting policy and performing the process (BO). Such delineation of responsibilities are captured by developing an process-organization matrix. In general, state agencies operate independently of each other with little or no interaction with other agencies.

Current systems assessment

This study assessed the current systems. This included identification of the hardware, software, mainframe, and PC-based applications, and external systems as well as linkage and communication mechanisms that support CVO processes. Adequacy of current systems to support CVO processes was determined and any potential problems relating to CVISN systems deployment were identified. These problems are expected to guide the improvement of the systems and also help identify and prioritize suitable CVISN elements to be deployed in South Dakota. It was noted that the current systems are generally adequate for performing CVO processes under the present conditions. Data exchange and transfer facilities among agencies are however lacking. For some business areas and processes, a number of potential problems are identified in terms of CVISN deployment. For example, problems of interfacing, integrating and data sharing facilities among agencies involved with credentialing processes are identified. Roadside operations currently rely on the State Radio to access credentials information on carriers, vehicles and drivers. While this approach is cumbersome, poor radio reception in certain areas of the State makes it ineffective.

CVISN compatibility

CVISN architecture top-level design templates and equipment packages are used as templates to summarize the data gathered in the study. The purpose is to gauge current systems' compatibility and identify areas of focus in developing and deploying CVISN systems. The

following conclusions can be drawn on the compatibility of the current systems with the CVISN systems.

Top-level design templates – These templates reflect the major functions that support CVO in South Dakota and illustrate which functions currently exchange information. They also serve as starting points in developing operational scenarios and system interfaces. These templates can also be used to verify the physical connectivity between systems and identify bottlenecks for CVISN systems deployment.

Credentials and Taxes Administration – All processes under this functional area are currently performed in South Dakota except those that are electronic in nature. This applies to each credential processed and issued for CVO in South Dakota (e.g., IRP, IFTA, SSRS, CDL, OS/OW permits). There is no connectivity or interface for online access between roadside support functional area and the agencies.

Commercial Vehicle Safety Administration – Apart from the conduct of compliance reviews, none of the activities under safety administration are currently carried out in South Dakota. Analysis of safety data is however performed using national safety databases and programs such as MCMIS and SAFESTAT. There is no online connectivity between the credentials and taxes administration functional area and the management of safety data functional area.

Commercial Vehicle Information Exchange – This functionality is not currently available in South Dakota.

Roadside Electronic Screening – South Dakota does not have the facilities for roadside electronic screening.

Roadside Safety Inspection – Inspection Selection Subsystem (ISS) algorithm is used for screening vehicles for inspection. Electronic processes that are currently performed include the use of ASPEN and ISS. Other processes are currently not performed in South Dakota.

Roadside Weigh-In-Motion – WIM installations are currently not used in roadside operations in South Dakota.

Citation and Accident Electronic Recording – In South Dakota, accident record and citation processing are not electronic.

8.2 DATA COLLECTION PROBLEMS

No major problems were encountered during the data collection phase of this project. The on-site in-person interview approach greatly facilitated the data collection process. The technical panel's support and assistance in reviewing draft data summaries were helpful in ensuring that data are accurately captured and presented. The technical panel's knowledge and understanding of the subject area was found to be critical in facilitating communication with the consultants and in documenting the data architecture.

8.3 RECOMMENDATIONS

The following recommendations focus on CVISN deployment in South Dakota.

- Link CVO agencies and databases to facilitate data exchange among credentialing processes. Integrate or interface all business areas that process and issue motor carrier credentials to allow access to credentialing databases. Within the DOR, this will include interfacing IRP with IFTA. The databases of Department of Revenue (DOR), DCR, PUC, and DOT need to interface with each other. This effort will be part of the overall CVISN deployment in South Dakota.
- Currently, PUC is the only business area that relies solely on PC-based applications for processing and issuing SSRS, interstate exempt, and single trip permits. In addition, PUC is not part of South Dakota's WAN. It is therefore recommended that a first step in interfacing or integrating credentialing legacy systems is to have PUC as part of the WAN. Secondly, a number of agencies are currently upgrading their computer systems and software for Y2K compliance. It is therefore important to carry this upgrade consistently in all agencies to ensure compatibility.
- Ensure compatibility and interoperability of credentialing systems. Hardware, operating platforms and software used by various state agencies should be compatible and interoperable in order to facilitate interfacing and integration. This is required to facilitate data exchange among state agencies and with other jurisdictions. As various state agencies upgrade their individual systems, compatibility and interoperability should be the guiding principles in the choice of systems.
- Interface roadside operations and credentialing processes in order to facilitate safety information exchange and enhance efficiency and effectiveness in roadside operations. This interface would allow enforcement officers easy access to carrier, vehicle, and driver credentials information. Currently, enforcement officers obtain such information through the State Radio. Poor radio reception in certain areas of the State also makes data access inefficient. Improvements in data exchange for roadside operations should be given immediate attention. Current research on automated routing and permitting should be coordinated with other roadside inspection needs.
- Undertake a detailed assessment of the identified CVISN-related problems and compatibility issues. The problems identified in this study need further evaluation in terms of improvement, re-engineering, costs, and resources, as well as short- and long-term effects. This assessment will determine the magnitude of each problem and how it impacts the deployment of CVISN systems. The results of this assessment are expected to influence the selection and prioritization of potential CVISN elements. For example, it will be necessary to explore the communication linkage problem between roadside and administrative processes to identify potential alternative solutions.
- Evaluate the alternative CVISN element options based on experiences of the pilot states. This study reviewed the various CVISN elements being deployed in the 10 pilot states for

all functional areas (administrative processes, safety information exchange, and roadside screening). The suitability of any given element should be evaluated in terms of local regulatory environment, current levels of ITS/CVO-related technology deployment and projects, weather, truck traffic conditions, enforcement practices, data access and exchange practices. This evaluation also must consider compatibility with national and regional ITS/CVO initiatives.

- Initiate a detailed data architecture that is CVISN compatible. This study is a high-level architecture that documents the current state of affairs in terms of CVO business areas, processes, databases, linkages, data-process interactions, organization-process interactions, and the systems used by each agency and for each process. This study also identifies the system's deficiencies in terms of CVISN deployment. The detailed architecture will prescribe how the systems will be linked. The detailed architecture will evolve as new systems are deployed and installed.
- Use the deficiencies identified in the CVISN equipment package templates to guide the selection and development of CVISN elements. These templates clearly show linkages and processes that are currently not performed or supported by current systems in South Dakota. The focus area(s) for CVISN deployment should be based on the strengths and weaknesses of current systems to support the various CVISN equipment packages.

9.0 LIST OF REFERENCES AND INFORMATION SOURCES

National ITS/CVO and Related Initiatives/Studies/Literature/Web Sites:

AAMVA (1999). American Association of Motor Vehicle Administration's Home Page, <http://www.aamva.org/index.html>.

AAMVAnet, Inc. (1999), AAMVAnet, Inc's Home Page, <http://www.aamva.org/aamvanet/index.html>.

FHWA (1995). Providing Carrier-, Driver-, and Vehicle-Specific Information to the Roadside, FHWA, dated May 1995, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

FHWA (1999b). FHWA's Office of Motor Carriers (OMC) website, <http://www.fhwa.dot.gov/omc/omchome.html>.

FHWA (1999c). FHWA's The Motor Carrier Regulatory Information System Web Site, <http://mcregis.gov/index.html-ssi>.

IFTA, Inc. (1999), IFTA, Inc. Home Page, <http://www.iftach.org/>.

IRP, Inc. (1999). IRP, Inc. Home Page, <http://www.aamva.org/IRP/>.

JHUAPL (1999a). Commercial Vehicle Information Systems and Network (CVISN) Program, CVISN Glossary, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/introcvisn/gloss_98.html.

JHUAPL (1999b). Commercial Vehicle Information Systems and Network (CVISN) Program, Main Page, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL) <http://www.jhuapl.edu/cvisn/index.html>.

JHUAPL (1999c). CVISN Guide to Top Level Design, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL) <http://www.jhuapl.edu/cvo/downdocs/index.html>

JHUAPL (1998a). CVISN Operational and Architectural Compatibility Handbook (COACH), Part 1 -Updates: Chapter 5 (State), Chapter 6 (CVISN Core Infrastructure), and Chapter 7 (Carrier), published under SSD/PL-98-0017 - January 30, 1998, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

JHUAPL (1998b). Commercial Vehicle Information Systems and Network (CVISN) Program, CVISN Statement of Direction, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), <http://www.jhuapl.edu/cvisn/introcvisn/sod1.html>.

JHUAPL (1998c). Commercial Vehicle Information Systems and Network (CVISN) Program, CVISN Statement of Direction--Guiding Principles, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL) <http://www.jhuapl.edu/cvisn/introcvisn/sod6.html>.

JHUAPL (1998d). Commercial Vehicle Information Systems and Network (CVISN) Program, CVISN Operational Concepts, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), <http://www.jhuapl.edu/cvisn/introcvisn/opconcept.html>.

JHUAPL (1998e). International Registration Plan (IRP) Clearinghouse, USDOT website, maintained by JHUAPL, http://www.jhuapl.edu/cvisn/cvisn_other_projects/irp_status.html

JHUAPL (1998f). Commercial Vehicle Information Systems and Network (CVISN) Program, Overview, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL) <http://www.jhuapl.edu/cvisn/introcvisn/index.html>.

JHUAPL (1998g). ITS/CVO Interoperability Test Suite Package, Part 1: Test Specifications, Draft, POR-98-7122 D.0, dated June 1998, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

JHUAPL (1998h). CVISN Roadside Electronic Screening, White Paper, dated July 1998, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

JHUAPL (1998i). Commercial Vehicle Information Systems and Network (CVISN) Program, CVISN Architecture & Standards, USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/cvisn_projects/cvisnarc.html.

JHUAPL (1998j) ITS/CVO CVISN Glossary, POR-96-6997 V1.0, dated December 1998, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

JHUAPL (1996a). CVISN Architecture Specification, POR-96-6985, dated 29 February 1996, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

JHUAPL (1996b). CVISN Data Dictionary, Preliminary, POR-96-6988, dated 29 February 1996, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

JHUAPL (1996c). CVISN Recommendations for Common Carrier, Vehicle, Driver, Shipment, and Trip Identifiers, White Paper, dated August 28, 1996 Summary, can be downloaded from USDOT website, maintained by Johns Hopkins University Applied Physics Laboratory (JHUAPL), http://www.jhuapl.edu/cvisn/downdocs/index.html#cvisn_arc.

Regional and Other State ITS/CVO-related Studies/Literature:

Battelle, (1998). Best Practices on ITS/CVO Implementation: Ohio CVISN Business Plan Development. White Paper. Prepared for the Public Utilities Commission of Ohio.

Cambridge Systematics, Inc. (1995). Minnesota Guidestar CVO Business Plan, prepared by Cambridge Systematics, Inc. with Ziifle Consulting, Inc., prepared for Minnesota Department of Transportation (MnDOT).

Cambridge Systematics, Inc. (1997). CVO Regulatory Process Reengineering, Minnesota Guidestar, prepared by Cambridge Systematics, Inc., prepared for Minnesota Department of Transportation (MnDOT).

Castle Rock Consultants (1997). Wyoming ITS/CVO Business Plan, prepared for Highway Patrol Motor Carrier Division, The Wyoming Department of Transportation.

CTRE (1998). Regional ITS/CVO Coordination Plan, Midwest CVO Mainstreaming--Kansas, Missouri, Nebraska, and South Dakota, prepared for Midwest Mainstreaming Consortium, prepared by Center for Transportation Research and Education (CTRE), Ames, Iowa

CVOz (1998). Regional ITS/CVO Coordination Plan for the Great Lakes and Southeast States, *Draft as of 9/29/98*.

CVOz (1999). The Enchanted Land of CVOz-- A web site devoted to improving Commercial Vehicle Operations in the Great Lakes and Southeast Mainstreaming States, <http://cvoz.uky.edu>.

FHWA (1999). Developing State and Regional Business and Coordination Plans, <http://www.avalon-ais.com/its/cvo>.

KDOT (1998). Kansas Business Plan for Commercial Vehicle Operations Using Intelligent Transportation Systems.

Lantz, B.M., Blevins, M.W., and Hillegass, T.J. (1997). The Roadside Inspection Selection System (ISS) for Commercial Vehicles, UGPTI Publication No. 116, Upper Great Plains Transportation Institute, North Dakota State University, Fargo, N.D.

MDT (1998). State of Montana ITS/CVO Business Plan Intelligent Transportation System Commercial Vehicle Operations, prepared by Motor Carrier Services (MCS) Division, Montana Department of Transportation.

MnDOT (1997). Minnesota CVISN Project Plan, Submitted to Federal Highway Administration, USDOT.

MoDOT (1998). Missouri Commercial Vehicle Operations, State Business Plan, Missouri Department of Transportation (MoDOT).

NDMV (1998). Nebraska ITS/CVO Business Plan, report prepared by Nebraska Department of Motor Vehicles (NDMV), Nebraska Department of Roads, Nebraska State Patrol Carrier Enforcement Division, and Nebraska Motor Carrier Association.

NTI & SAIC (1998). Western ITS/CVO Regional Coordination Plan: Using Technology to Improve Safety, Simplify CVO Regulation and Enforcement, and Produce Savings for Government and Industry, prepared by Northwest Transporter, Inc. (NTI), Federal Way, WA and Science Applications International Corp (SAIC), McLean, VA, for OMC, FHWA.

Smadi, A. and Rodriguez, J. (November, 1996). Dakotas' ITS-CVO Institutional Issues Study, UGPTI Publication No. 113, Upper Great Plains Transportation Institute (UGPTI), North Dakota State University, Fargo.

Smadi, A. (1997). Peer Exchange on Hours-of-Service Compliance, Upper Great Plains Transportation Institute (UGPTI), UGPTI Publication No. 120, North Dakota State University, Fargo, N.D.

State of Maine Bureau of Information Services, (1998). ITS/CVO Pilot Project: Data Mapping and Linkage. Phase B2: Develop Requirements, Analyze Existing Situation and Define New System Requirements.

Western Mainstreaming (1999), Western Mainstreaming Web Site, <http://www.westernmainstreaming.org/>.

South Dakota ITS/CVO and Related Studies/Literature/Web Sites:

BIT (1999). South Dakota's Bureau of Information and Telecommunications (BIT), <http://www.state.sd.us/bit/docindex.htm>.

DCR (1999). South Dakota Department of Commerce (DCR) Web Site, <http://www.state.sd.us/dcr/dcr.html>.

Deloitte & Touche (September, 1991). SDDOT Information Systems Plan, Transportation Information Study SD 91-14, South Dakota Department of Transportation (SDDOT), Pierre.

DMV (1999). South Dakota Division of Motor Vehicle (DMV), <http://www.state.sd.us/revenue/motorvcl.htm>.

DOR (1999). South Dakota Department of Revenue (DOR) Web Site, <http://www.state.sd.us/revenue/revenue.html>.

Erickson, C.L. and M.K. Markert (1998). South Dakota ITS/CVO Business Plan, Study SD97-10, Final Business Plan, prepared by Cambridge Systematics, Inc., Cambridge, Massachusetts, for SDDOT, Pierre.

Khatri, M.A. and S. Sriraman (1993). The Effects of Increased Truck Tire Loads on Pavement, Study SD92-06, Final Report, prepared by Huntingdon/Austin Research Engineers, Inc., Austin, Texas for SDDOT, Pierre.

Kurt, C.E. (1997). Feasibility of Automated Routing and Permitting of Oversize/Overweight Vehicles, Study SD96-07, Final Report, prepared by EnGraph, Lawrence, Kansas.

PUC (1999). Motor Carriers Information Web Site, <http://www.state.sd.us/state/executive/puc/carriers.htm>.

SDDOT (1998a). SDDOT Data Model, Information Strategic Planning (ISP) Team, SDDOT, Pierre.

SDDOT (1998b). South Dakota Motor Carrier Handbook, South Dakota Department of Transportation (SDDOT), Pierre.

SDDOT (1999). Administrative Rules Governing Oversize and Overweight Vehicles, South Dakota Department of Transportation, Operations Support, Web Site, <http://www.state.sd.us/dot/Dot.html>.

SDHP (1999). South Dakota Highway Patrol (SDHP) - District Four Headquarters Web Site, <http://www.state.sd.us/dcr/hp/motor-ca.htm>.

SDLRC (1999a) South Dakota Legislative Research Council (SDLRC) Web Site, Current Administrative Rules, <http://www.state.sd.us/state/legis/lrc/rules/lrcmenu.htm>.

SDLRC (1999b) South Dakota Legislative Research Council (SDLRC) Web Site, Current Administrative Rules, <http://www.state.sd.us/state/legis/lrc/statutes/lrcmenu.htm>.

Svalstad, D.K., Kephart, E.M., Baird, G.T., and Eslinger, N.M. (1991). Historical Database Feasibility Study, Topical Report RSI-0383, Report prepared for South Dakota Department of Transportation (SDDOT) by RE/SPEC Inc., Rapid City.

Wilson, T. (1994). Spring Restrictions: Limits and Timing, Study SD93-03, Final Report, prepared by ERES Consultants, Inc., Champaign, Illinois for SDDOT, Pierre.

Database and Information Engineering References:

Brookes, C.H.P., Grouse, P.J., Jeffery, D.R., Lawrence, M.J. (1982). Information Systems Design, Prentice-Hall of Australia Pty Ltd, Sydney.

Davenport, T.H. (1993). Process Innovation: Reengineering Work Through Information Technology, Ernst & Young, Center for Information Technology and Strategy, Harvard Business School Press, Boston, Massachusetts.

Delobel, C., Lecluse, C., and Richard, P. (1995). Databases: From Relational to Object-Oriented Systems, International Thomson Computer Press, Boston.

Inmon, W.H. (1988). Information Engineering for the Practitioner: Putting Theory into Practice, Yourden Press.

Inmon, W.H. (1989). Advanced Topics in Information Engineering, QED Information Sciences, Inc., Wellesley, Massachusetts.

Modell, M.E. (1988). A Professional's Guide to Systems Analysis, McGraw-Hill Book Company, New York.

Olle, T.W., Hagelstein, J., Macdonald, I.G., Rolland, C., Sol, H.G., Van Assche, F.J.M., and Verrijin-Stuart, A.A. (1991). Information Systems Methodologies: A Framework for Understanding, Addison-Wesley Publishing Company, New York.

Appendix A – Process Model Diagrams

For each process, two graphical representations are developed:

- (a) node diagram or hierarchical decomposition diagram, and
- (b) data flow diagrams (DFD).

The processes are:

1. International Registration Plan (IRP)
2. International Fuel Tax Agreement (IFTA)
3. Vehicle Title and Registration
4. Commercial Driver License (CDL)
5. Single State Registration System (SSRS)
6. Interstate Exempt
7. Single Trip Permitting
8. Oversize / Overweight Permitting
9. Accident Records Reporting
10. Roadside Operations
11. Unified Judicial System
12. Compliance Review
13. Hazardous Waste Transportation & Hazardous Materials Spills
14. Milk Bulk Truck Inspection

International Registration Plan (IRP)
Department of Revenue (DOR) 0

1
Accept, review
and validate
application

2
Enter data,
generate
invoice

5
Process
customer
inquiry

7
Process
transmittal

3
Process
payment

6
Generate
renewal
package

4
Print
credential
& cab cards

8
Process temp.
registration

- Renewal: check fields & validate
- New application: validate and assign account number
- Supplemental: check fields & validate
- Generate invoice


- Receive incoming IRP transmittals
- Reconcile with transmittal
- Encode and post payment
- Receive transmittal report and request voucher ID
- IRP Audit
- Generate jurisdictional transmittals

- Receive and check payments
- Encode receipts
- Reconcile payments and receipts
- Issue credential

NODE: A0

TITLE: International Registration Plan (IRP) - Department of Revenue (DOR)


NUMBER:



NODE: A-0

TITLE: International Registration Plan (IRP) Department of Revenue (DOR)


NUMBER:



NODE: A0

TITLE: International Registration Plan (IRP) Department of Revenue (DOR)


NUMBER:



NODE: A1

TITLE: Accept, review and validate application


NUMBER:



NODE: A3

TITLE: Process payment


NUMBER:



NODE: A7

TITLE: Process transmittal

NUMBER:



NODE: A7.6

TITLE: IRP Audit

NUMBER:

International Fuel Tax Agreement (IFTA)
Department of Revenue (DOR) 0

Process Temporary decal permit 14

Renewal Registration Processing 4

- Application process status
- Accept renewal application & payment
- IFTA Revenue Admin.
- Generate renewal application

Supplemental Registration Processing 3

- Validate application
- Accept application & payment for review
- Accept/reject application
- Process cancellation request
- Revenue administration

New Registration Processing 2

- Query database check account status
- check fields
- Accept or reject application
- Accept application & payment
- IFTA Revenue Administration

Transmittal processing, Taxes & Billing 5

- Recieve tax return
- Review & construct violation report
- Tax calculation or assessment
- Transmittal reports
- Audit

Process inquires 13

NODE: A0

TITLE: International Fuel Tax Agreement (IFTA) - Department of Revenue

NUMBER:

E9
Remittance Center

Tax return data

E7
BIT

Tax return data

E8
State Treasurer

payment

0
International Fuel Tax Agreement (IFTA)
Department of Revenue (DOR)

transmittals

E3
Other Jurisdictions


carrier /vehicle
information

E6
Highway Patrol

NODE:
A-0

TITLE:
International Fuel Tax Agreement (IFTA) Department of Revenue (DOR)


NUMBER:



NODE: A0

TITLE: International Fuel Tax Agreement (IFTA) Department of Revenue (DOR)


NUMBER:



NODE: A2

TITLE: New Registration Processing


NUMBER:



NODE: A3

TITLE: Supplemental Registration Processing


NUMBER:



NODE:
A4

TITLE:
Renewal Registration Processing


NUMBER:



NODE: A5

TITLE: Transmittal processing, Taxes & Billing


NUMBER:



NODE: A5.5

TITLE: Transmittal reports


NUMBER:



NODE:
A5.6

TITLE:
Audit


NUMBER:




NODE: A0

TITLE: Vehicle Title and Registration - Department of Revenue (DOR)

NUMBER:




vehicle title &
registration



NODE: A-0

TITLE: Vehicle Title and Registration Department of Revenue (DOR)

NUMBER:



NODE: A0

TITLE: Vehicle Title and Registration Department of Revenue (DOR)

NUMBER:

Commercial Driver License⁰
 Department of Commerce
 and Regulation (DCR)

Disqualification⁶

- No disqualification
- Hearing
- Transfer convictions into driver record
- Review violations & determine disqualifications
- Code disqualification & update databases

Process payment²

Test applicant³

- Administer eye, written and endorsement tests
- Road skill test (by 3rd party)
- Issue test certificate

Process application (new, renewals, work permit, duplicates)¹

- accept application and review for accuracy & fraud
- Check for eligibility in SD
- Verify licenses in other states
- Check for suspensions & revocations in other states

Issue / deny license⁴


Reinstatement⁷

Process customer inquiries⁸

NODE: A0

TITLE: Commercial Driver License - Department of Commerce and Regulation (DCR)


NUMBER:



NODE: A-0

TITLE: Commercial Driver License Department of Commerce and Regulation (DCR)


NUMBER:



NODE: A0

TITLE: Commercial Driver License Department of Commerce and Regulation (DCR)

NUMBER:



NODE: A1

TITLE: Process application (new, renewals, work permit, duplicates)

NUMBER:

3.1
Administer eye,
written and
endorsement tests

application

3.2
Road skill test
(by 3rd party)


test results

3.3
Issue test
certificate

NODE: A3

TITLE: Test applicant

NUMBER:



NODE: A6

TITLE: Disqualification

NUMBER:

Single State Registration System (SSRS)
Public Utilities Commission (PUC) 0

Process inquiries 4

Supplemental application processing 3

Annual Renewal applications processing 2

New application processing 1

Reconcile accounts & run receipts 5

Prepare monthly report 6

- Accept and review RS-2 form
- Verify insurance information
- Process supplemental application
- Issue registration (RS-3 form)
- File applications and RS-3 forms

- Accept & review renewal application (RS-1 & RS-2 forms)
- Print registration (RS-3)
- Process renewal application
- Verify insurance
- File RS-3 forms





- Accept and review application (RS-1, RS-2)
- Verify insurance (BOC-3, BMC91X, Fed Auth., Power of attorney)
- Process application
- File application & RS-3 forms
- Confirm fees & issue registration

- Generate monthly transmittal reports for states
- Reconcile accounts
- Upload data & request SSRS payments for other states
- Store hard copies

NODE: A0

TITLE: Single State Registration - Public Utilities Commission

NUMBER:



RS-3 forms


remittance

vehicle data

NODE:
A-0

TITLE: Single State Registration System (SSRS) Public Utilities Commission (PUC)


NUMBER:



NODE: A0

TITLE: Single State Registration System (SSRS) Public Utilities Commission (PUC)


NUMBER:



NODE: A1

TITLE: New application processing


NUMBER:



NODE: A2

TITLE: Annual Renewal applications processing


NUMBER:



NODE: A3

TITLE: Supplemental application processing

NUMBER:



NODE: A6

TITLE: Prepare monthly report

NUMBER:

Interstate Exempt
Public Utilities Commission
(PUC)
0

Recieve application
and insurance info.
1

Process
application
2

Verify insurance
& issue Bingo
stamps
3

NODE: A0

TITLE: Interstate Exempt - Public Utilities Commission

NUMBER:

E1
Highway Patrol


List of exempt
carriers

0
Interstate Exempt
Public Utilities Commission
(PUC)

NODE:
A-0

TITLE:
Interstate Exempt Public Utilities Commission (PUC)

NUMBER:



NODE: A0

TITLE: Interstate Exempt Public Utilities Commission (PUC)

NUMBER:

Single Trip Permit
Public Utilities Commission
(PUC)
0

Receive insurance
forms & permit notice
1

Review carrier
insurance and
carrier info
2

NODE: A0

TITLE: Single Trip Permit - Public Utilities Commission

NUMBER:

E1
Highway Patrol




permit issuance
information

0
Single Trip Permit
Public Utilities Commission
(PUC)

NODE: A-0

TITLE: Single Trip Permit Public Utilities Commission (PUC)



NUMBER:



NODE: A0

TITLE: Single Trip Permit Public Utilities Commission (PUC)

NUMBER:






- HP/POE evaluates permit request
- DOT checks construction & other restrictions
- DOT checks vertical clearance
- Determine # escort vehicles
- Determine fee issue permit Highway Patrol / POE

- HP/POE evaluates OW permit request
- DOT reviews list of bridges on proposed route
- Determine fee & issue permit Highway Patrol / POE
- Analyze weaker bridges

NODE: A0

TITLE: Oversize / Overweight Permitting (OS/OW) - Department of Transportation (DOT)


NUMBER:



NODE: A-0

TITLE: Oversize / Overweight Permits (OS/OW) Department of Transportation


NUMBER:




NODE: A0

TITLE: Oversize / Overweight Permits (OS/OW) Department of Transportation

NUMBER:



NODE: A1	TITLE: Process OS permit	NUMBER: <div style="text-align: right; border: 1px solid black; padding: 2px;">A-43</div>
-------------	-----------------------------	--



NODE: A2

TITLE: Process OW Permit

NUMBER:

Office of Accident Records
Department of Transportation
(DOT)
0

Process accident
data
1

Provide information
and statistics
2

Manage fatality
marker program
3


Provide training/
guidance for accident
reporting & investigation
4

- Assign additional information
- Enter data
- Verify data (Error correction)

NODE: A0

TITLE: Office of Accident Records - Department of Transportation (DOT)


NUMBER:



NODE: A-0

TITLE: Office of Accident Records Department of Transportation (DOT)

NUMBER:




NODE: A0

TITLE: Office of Accident Records Department of Transportation (DOT)


NUMBER:



Field accident data




Standard accident report




Electronic data


Rejected records
& error
messages



selected driver information



Correct electronic data



NODE:
A1

TITLE:
Process accident data

NUMBER:

Roadside Enforcement
Highway Patrol
0

Process
OS/OW permit
request
2

Motor vehicle
enforcement
1

Process accident
data
5

- Receive & review permit request
- Check coded maps and/or restriction and permits files
- Call information to DOT bridge & operations support
- Receive permit information and issue permit


- Manual entry & transfer to SAFETYNET
- Merge Inspection reports
- Conduct safety inspections
- Conduct visual / weight inspection selection
- Process in AVALANCHE (Formatting ASPEN for SAFETYNET)
- Check and correct Inspection results
- Manual data entry

- HP receives & reviews accident reports
- Recode accident reports & enter data into SAFETYNET

NODE: A0

TITLE: Roadside Enforcement - Highway Patrol


NUMBER:



NODE: A-0

TITLE: Roadside Enforcement Highway Patrol


NUMBER:



NODE: A0

TITLE: Roadside Enforcement Highway Patrol


NUMBER:



NODE: A1

TITLE: Motor vehicle enforcement

NUMBER:



NODE: A2

TITLE: Process OS/OW permit request

NUMBER:

E17
DOT - accident records

accident report & commercial
supplemental form

5.1
HP receives &
reviews accident
reports

accident report

accident report

E18
State Police & Sheriff

5.2
Recode accident
reports & enter data
into SAFETYNET


accident data

D2
SAFETYNET

NODE:
A5

TITLE:
Process accident data

NUMBER:




- Process fine or plea
- Accept citation & assign docket number
- Determine power of attorney
- Court appearance
- Conviction or dismissal

- File formal complaint
- Assign docket number
- Process fine and/or court appearance

NODE: A0

TITLE: Unified Judicial System (UJS) (DFD)


NUMBER:



NODE:
A-0

TITLE:
Unified Judicial System (UJS)


NUMBER:



NODE: A0

TITLE: Unified Judicial System (UJS)


NUMBER:



NODE: A1

TITLE: Process class I offenses & felonies

NUMBER:



NODE: A2

TITLE: Process class II offenses

NUMBER:

Compliance Review
Office of Motor Carriers
(OMC/FHWA)
0

Conduct opening
interview
2

- Introduction and interview about operations
- Request records and working space
- Take tour of facility

Review records
3

- Sample records for review
- Review safety management control -general
- Driving motor vehicle files-part 392
- Review hours of service of drivers records - Part 395
- Review drug & alcohol testing, CDL, drivers' qualification files (Parts 382, 383, 391)
- Review vehicle parts and accessories/maintenance records Parts 393 & 396
- Review Hazmat files Parts 107 & 397

Plan
investigation
1

- Conduct telephone interview of carrier
- Review last CR with investigator
- Review regulations applicability
- Review carrier profile
- Request information & prepare investigative plan
- Make appointment for CR (except complaint CR)

Close review
4

- Identify violations discovered
- Explain likely safety rating
- Provide accident countermeasures
- Discuss review with carrier representative
- Provide details of consequences of violations
- Get review signed by SI and carrier

Prepare
investigation
report
5

Update carrier
profiles
6


NODE: A0

TITLE: Compliance Review - OMC/FHWA

NUMBER:




carrier profile



NODE: A-0

TITLE: Compliance Review Office of Motor Carriers (OMC/FHWA)


NUMBER:



NODE: A0

TITLE: Compliance Review Office of Motor Carriers (OMC/FHWA)


NUMBER:



NODE: A1

TITLE: Plan investigation


NUMBER:



NODE: A2

TITLE: Conduct opening interview


NUMBER:



NODE: A3

TITLE: Review records






NUMBER:



NODE: A4

TITLE: Close review

NUMBER:



NODE: A0

TITLE: Hazardous Waste Transportation & Hazmat Spills - DENR

NUMBER:

E1
Hazmat waste
carrier

E3
Highway Patrol
& others

0
Hazardous Waste Transportation
Hazardous Material Spills
Department of Environment
and Natural Resources
(DENR)


ID number

spills/certification
information

NODE:
A-0

TITLE: Hazardous Waste Transportation Hazardous Material Spills Department of Environment
and Natural Resources (DENR)

NUMBER:



NODE: A0

TITLE: Hazardous Waste Transportation Hazardous Material Spills Department of Environment and Natural Resources (DENR)

NUMBER:

Milk Bulk Truck Inspection
Department of Agriculture
(DOA) 0


Conduct inspections 1

Issue
Inspection
Certificate 2


NODE: A0

TITLE: Milk Bulk Truck Inspection - Department of Agriculture (DOA)

NUMBER:




inspection
certificate



NODE: A-0

TITLE: Milk Bulk Truck Inspection Department of Agriculture (DOA)

NUMBER:



NODE: A0

TITLE: Milk Bulk Truck Inspection Department of Agriculture (DOA)


NUMBER:

Appendix B – Entity Relationship Diagrams (ERDs)


Notes on Entity Relationship Diagrams (ERD)

1. The relationships or cardinality available in the ERwin software and their meanings are summarized in the sketch below.
2. The ERDs are high-level functional designs whereby the information depicted cannot be directly transformed into a database. Thus, certain relationships that are generally not permitted for a good database design are shown. For example, ERwin does not permit zero, one or many to zero, one or many relationships because, for a good database design, such a relationship would require an intermediary entity.
3. The foreign keys (FK) are propagated for one-to-many and one-to-one relationships.
4. The attributes shown represent examples of the attributes that describe each data entity.


Symbols Used in Identifying Relationships




ACCOUNT ENTITY







AUDIT ENTITY



DRIVER ENTITY



IRP FILING ENTITY




filed by


reported for

paid for


INSURANCE ENTITY




ROADSIDE INSPECTION ENTITY




IFTA TAX RETURN ENTITY




TRIP ENTITY



CARRIER ENTITY



VEHICLE ENTITY



Appendix C - Current Data Items

International Registration Plan

Application Type (Check all that may apply)

- New IRP License
- Add Vehicle
- Delete Vehicle
- Increase Weights
- Add State

License Year

IRP Account Number

Supp. #

Fleet Number

Name of Registrant

FEIN/SSN

Contact Person for this Application

Carrier's USDOT Number

Street Address/ Post Office Box

City

State

Zip

Telephone

Fax

Canadian Province Authority Number

Make of Vehicle

Vehicle ID Number (As Shown on Title)

Type

Axles or Seats

Model #

Unladen Weight

Fuel

Gross Weight

Combined Gross Weight

Vehicle Purchase Price

Factory List Price

Date (MM/YY)

Name of Owner (As Shown on Title)

South Dakota Title Number

USDOT # On Vehicle

Type of Operation: (Check all that may apply)

- Private Carrier
- For Hire Carrier
- Exempt Commodity Carrier
- Household Goods Carrier

If private or for-hire, indicate commodity hauled:

- Log
- Produce
- Concrete
- Gravel
- Grain
- Ore
- Fuel Transporter
- Other

Vehicle Information

Unit #

Year

International Fuel Tax Agreement (IFTA)

License Type
Diesel
Gasoline
LPG
CNG
License Number
Owner Search
Business Search
Date Issued
Filing Code
Quarterly
Annual

Taxpayer Business Information

Owner or Corporation Name
Business Name
Street Address
City
State
Zip Code
Mailing Address
City
State Zip Code
Business Telephone
Home Telephone
Social Security Number
FAX Number
Federal Employer's ID

Ownership Information

Type of Ownership
Single Owner
Partnership
Other (list)
Corporation/ State of Incorporation
Date of Incorporation
President/Partner
Social Security #
Address
Home Telephone
City
State
Zip Code
Vice President/ Partner
Secretary/ Partner

Treasurer/Partner

IRP Ownership Information

Owner, Partner, or Corporation name
Federal Identification number
Location Address
Mailing Address
Ownership Type (check one)
Partnership Type
Formal
Unformal
Single Owner
Partnership
Limited Liability Company
Trust
Corporation

Business Owner Information

Name Address
Title
Home Address
City
State
Zip
Home Phone Number
Social Security Number

IFTA Applicants

Check States you may travel in and/or have
bulk storage fuel in
Number of decals required
Prorate account number
Date applied

Commercial Driver License (CDL)

Applying For:

- Driver License
- Instruction Permit
- ID Card
- Duplicate/Data Change
- Temporary License

Driver License Number

Social Security Number

Restrictions (circle)

Class

Endorsements

Do you wish to use your Social Security number for you driver license number? (yes/no)

Name

Date of Birth

Sex

Street Address

City

State

Zip Code

Mailing Address

Height

Weight

Eye Color

County

Indicate which of the following you wish to appear on your license:

- Organ Donor (SDCL 34-26)
- Living Will (SDCL 34-12D)
- Durable Power of Attorney (SDCL 59-

7) C

Currently behind in child support payments of \$1,000 or more (yes/no)

Currently licensed in any other state (yes/no)

If YES,

State

License #

Right to drive suspended, revoked, canceled, disqualified or denied. (yes/no)

In the past twelve months, experienced any convulsions, seizures or blackouts. (yes/no)

Currently on the active duty in the U.S.

Armed Forces (Not including National Guard or

Reserves.) (yes/no)

Licensed under any other name (yes/no)

If YES, state name

Commercial Driver License Applicant

Applying for: (select one)

CLASS A: Combination Vehicle

CLASS B: Heavy Straight Vehicle)

CLASS C: Commercial Vehicle under 26,001 lbs.

Endorsements:

Passenger

School Bus

Double/triple Trailer

Hazardous Materials

Tank Vehicles

Combination Tank/Hazardous Materials

CDL Work Permit

Seasonal CDL

Operating a vehicle equipped with air brakes (yes/no)

Required to carry a medical card and I am subject to 49 CFR PART 391 (yes/no)

Single State Registration

Motor Carrier Identification Numbers:

FHWA/ICC NO. (s)

US DOT No.

FEIN No.:

Applicant: Identical to name on FHWA order

Name

D/B/A

Telephone Number

Fax Number

Principal Place of Business Address

Mailing Address if Different From Business Address Above

Type of Registration:

New Carrier Registration

Annual Registration

New Registration State Selection

Type of Motor Carrier: (Check One)

Individual

Partnership

Corporation

Name of partners or officers

Name

Title

Type of FHWA Registered Authority

Permanent Certificate of Permit

Temporary Authority (TA)

Emergency Temporary Authority (ETA)

Expiration Date

Type of Motor Carrier Operation: (check one)

Transporter of Property - Freight vehicles with a gross weight of 10,000 lbs or more

Transporter of Property – Only freight vehicles with a gross vehicle weight of less than 10,000 lbs.

Transporter of Passengers – Vehicles with a seating capacity of 15 passengers or less

Transporters of Passengers – Only vehicles with a seating capacity of 15 passengers or

less

FHWA Certificate(s) or Permits: (check one)

FHWA Authority Order(s) attached for first year registration

FHWA Authority Order(s) attached for additional authority received

No change from prior year registration

Proof of Public Liability Security: (Check only one)

The applicant on its insurance company **will file** a copy of its proof of public liability security to the registration site

The applicant or its insurance company **has filed** a copy of its proof of public liability security with the registration state and the insurance coverage as stated on that form remains in effect.

The applicant has an approved self-insurance plan or other security in full force and effect and the carrier is in full compliance with the conditions imposed by the ICC order. A copy of the ICC insurance order is attached or has previously been filed with the registration state.

Hazardous Materials: (check one)

The applicant will not haul hazardous materials in any quantity.

The applicant will haul hazardous materials requiring \$1 million in Public Liability and Property Damage Insurance.

The applicant will haul hazardous materials requiring \$5 million in Public Liability and Property Damage Insurance.

Process Agent:

FHWA Form No. BOC-3 or blanket designation attached for new registration

FHWA Form No. BOC-3 or blanket designation attached reflecting changes of designation of process agents

No change from prior year registration

Certification:

Name
Date
Signature
Title

Exempt Interstate/Application

US DOT #
FEIN #
Name
Address
Street or PO Box
City/State
Zip+4
Check one
 Individual
 Partnership
 Corporation

If partnership, corporation or association, list each member

 Name
 Title
South Dakota process agent
 Name
 Address

New applicants must enclose an original Form E, proof of Liability Insurance

Driver and Vehicle Inspection Report

Report No.
U.S. DOT No.

Motor Carrier

Name of Motor Carrier
Street Address
ICC/Motor Carrier No.

Inspection

Inspection Location
Operating Authority
Inspection Level
Inspection Date
Declared GVW
Actual GVW
Highway Routes

Driver's Information

Driver's License No.
Time Started
Driver Identification
Driver is (check one):
 Employed
 Term Leased
 Trip Leased

Description

Commodity Transported
Origin
Destination
For Hire (yes/no)
Shipping Paper No.
Whose Document?
If Cargo Tank, Enter MC SPEC or "NON"
If H. M. Being Transported Under Exemption, Enter "E" Number
Hazardous Materials Transported (yes/no)

Vehicle

Vehicle Identification
 Unit Number
 Unit Type
 Own/Leased
 Serial Number
 Co. No.
 State
 License Number

Compliance

Violation Identification

Unit No.

Out-of-Service

Violation Discovered

Description

Report Preparation

Preparer's name

Code

Time Completed

Regulated Waste Activity

Installation ID Number

First notification for this location?

Subsequent notification for this location?

Name of Installation

Location of Installation

Street

City

State

Zip

County

Main Telephone Number

Installation Mailing Address (if different from above)

Street or Box

City

State

Zip

Contact Person

Owner of Installation

Name of company/Owner

Mailing Address – Street or Box

Land Type (circle)

County

District

Municipal

Private

State

Federal

Indian Land

Other

Owner Type

County

District

Municipal

Private

State

Federal

Indian Land

Other

Change of Owner? (yes/no)

Date of Ownership Change

Name of Installation

Type of Regulated Waste Activity

Hazardous Waste: (check one)

Conditionally Exempt Small Quantity
 Generator (<220 lbs.)
 Small Quantity Generator (220-2,200 lbs.)
 Large Quantity Generator (>2,200 lbs.)
 Transporter of Own Waste
 Commercial Transporter
 Treatment, Storage, or Disposal
 Facility (permit required)
 Generator Marketing Hazardous
 Waste Fuel to Burner
 Marketer of hazardous Waste Fuel
 Hazardous Waste Fuel Boiler or
 Industrial Furnace
 Used Oil Recycling: (check one)
 Marketer of off-specification used oil
 Marketer of on-specification used oil
 Used Oil Burner – Utility Boiler
 Used Oil Burner – Industrial Boiler
 Used Oil Burner – Industrial Furnace
 Used Oil Transporter
 Used Oil Transfer Facility
 Used Oil Processor
 Used Oil Re-refiner
 Description of Regulated Wastes: (check
 one)
 Ignitable – D001
 Corrosive – D002
 Reactive – D003
 Characteristic Wastes

Toxicity Characteristic – List the waste
 numbers
 Listed Wastes

Hazardous Materials Spill

File Number
 Site Name
 Class
 Responsible Party
 County
 City
 Street
 Material Spilled: (check one)
 Petroleum
 Industrial Chemical
 Agricultural Chemical
 Amount
 Spill Date
 Report Date
 Close Date
 Land Use: (check one)
 Commercial
 Residential
 Industrial
 Agricultural
 Other

APPENDIX D -ACRONYMS

This section provides acronyms, listed in alphabetical order, and their expanded names.

AAMVA	American Association of Motor Vehicle Administrators
ADVANCE	Advanced Driver and Vehicle Advisory Navigation Concept
ASAP	Automated Safety Assurance Program
ASPEN	(Not an acronym) Software for conducting safety inspections
BIT	Bureau of Information and Telecommunication
CAER	Citation and Accident Electronic Recording
CAPRI	Compliance Analysis and Performance Review Information
CASE	Computer Aided Software Engineering
CAT	Carrier Automated Transaction
CDL	Commercial Driver's License
CDLIS	Commercial Driver's License Information System
CI	Credentialing Interface
CJIS	Criminal Justice Information System
CMV	Commercial Motor Vehicle
CMVSA	Commercial Motor Vehicle Safety Act
COACH	CVISN Operational and Architectural Compatibility Handbook
COVE	COmmercial VEhicle
CR	Compliance Review
CV	Commercial Vehicle
CVA	Commercial Vehicle Administration
CVIEW	Commercial Vehicle Information Exchange Window
CVIS	Commercial Vehicle Information System
CVISN	Commercial Vehicle Information Systems and Networks
CVO	Commercial Vehicle Operations

CVSA	Commercial Vehicle Safety Alliance (or Administration)
DBMS	DataBase Management System
DCR	Department of Commerce and Regulation (South Dakota)
DENR	Department of Environment and Natural Resources (South Dakota)
DOA	Department of Agriculture (South Dakota)
DOR	Department of Revenue (South Dakota)
DSRC	Dedicated Short Range Communication
EDI	Electronic Data Interchange
EFT	Electronic Funds Transfer
FA	Fleet Administration
FARS	Fatal Accident Reporting System
FEIN	Federal Employer Identification Number
FHVUT	Federal Heavy Vehicle Use Tax
GCWR	Gross Combination Weight Rating
GIS	Geographical Information System
GPS	Global Positioning System
GVW	Gross Vehicle Weight
HAZMAT	Hazardous Material (including Waste Transportation)
HELP	Heavy Vehicle Electronic License Plate Program
HM	Hazardous Material
HOS	Hours of service
HP	Highway Patrol (South Dakota)
HSWIM	High Speed Weigh-In-Motion
HVUT	Heavy Vehicle Use Tax
IDT	Intelligent Decision Technologies
IFTA	International Fuel Tax Agreement
IRP	International Registration Plan

ISS	Inspection Selection System
JHUAPL	The Johns Hopkins University Applied Physics Laboratory
LAN	Local Area Network
LM	Legacy Modification
LPR	License Plate Reader
LSI	Legacy System Interface
MACS	Mainline Automated Clearance System
MAPS	Multi-Jurisdictional Automated Preclearance System
MCMIS	Motor Carrier Management Information System
MCREGIS	The Motor Carrier Regulatory Information System
MCSAP	Motor Carrier Safety Assistance Program
MEOSS	Mid-West Electronic One-Stop Shopping
MPO	Metropolitan Planning Organization
MRM	Mile Reference Marker
NAFTA	North American Free Trade Agreement
NCIC	National Crime Information Center
NDR	National Driver Register
NGA	National Governors' Association
NIMC	National Incident Management Coalition
NLETS	National Law Enforcement Telecommunication System
NMVTIS	National Motor Vehicle Title Information System
NTSB	National Transportation Safety Board
NYRPC	New York Regional Processing Center
OOS	Out of Service
OS/OW	Oversize/Overweight
PASS	Port of Entry Advanced Sorting System
PDPS	Problem Driver Pointer System

POE	Port of Entry
PRISM	Performance and Registration Information Systems Management
PUC	Public Utilities Commission (South Dakota)
RAPP	Regional Automated Permit Processing
RES	Roadside Electronic Screening
RFTA	Regional Fuel Tax Agreement
ROC	Roadside Operations Computer
ROVER	CVO ROving VERification Van
RPC	Regional Processing Center; Remote Procedure Call
RSI	Roadside Safety Inspection
RSIS	RS Information Systems, Inc
RWIM	Roadside Weigh-In-Motion (RWIM)
SAE	Society of Automotive Engineers
SAFER	Safety and Fitness Electronic Records
SafeStat	Safety Status
SDDOT	South Dakota Department of Transportation
SQL	Structured Query Language
SSRS	Single State Registration System
TIFA	Trucks Involved in Fatal Accident
TIN	Tax Identification Number
UJS	Unified Judicial System (South Dakota)
USDOT	United States Department of Transportation
VIN	Vehicle Identification Number
VISTA	Vehicle Information System for Tax Apportionment
VISTA/RS	VISTA Registration System
VISTA/TS	VISTA Tax System
VMS	Variable Message Sign

VTIE	Vehicle Title Information Exchange
WAN	Wide Area Network
WIM	Weigh-In-Motion
WRA	Western Regional Agreement

Appendix E - SD99-07 Technical Panel

Ron Knecht
Development Team Manager
Bureau of Information & Telecommunication
700 Governor's Drive
Pierre, South Dakota 57501-2291
Phone: 605-773-4642
Fax: 605-773-6040
Ron.knecht@state.sd.us

Anselem H. Rumpca
Research Project Engineer
South Dakota Dept of Transportation
700 E. Broadway Avenue
Pierre, South Dakota 57501-2586
Phone: 605-773-3852
Fax: 605-773-4713
Hal.rumpca@state.sd.us

Debra Hillmer
Director
South Dakota Dept of Revenue
445 East Capitol Avenue
Pierre, South Dakota 57501-3185
Phone: 605-773-5747
Fax: 605-773-5129
Debra.hillmer@state.sd.us

Michael Young
Engineering Specialist
South Dakota Dept of Transportation
700 East Broadway Avenue
Pierre, South Dakota 57501-2586
Phone: 605-773-3704
Fax: 605-773-3921
Mike.young@state.sd.us

Mark Gilmore
State Director Office of Motor Carriers
FHWA
116 East Dakota Avenue
Pierre, South Dakota 57501
Phone: 605-224-8202
Fax: 605-224-1766
Mark.gilmore@fhwa.dot.gov

Katie Johnson
Transportation Administrator
Public Utilities Commission
500 East Capitol
Pierre, South Dakota 57501
Phone: 605-773-5275
Fax: 605-773-3225
Katiej@pupr2.state.sd.us

Cindy Gerber
Program Director, Drivers License
Dept. of Commerce and Regulation
118 West Capitol Avenue
Pierre, South Dakota 57501-2017
Phone: 605-773-4123
Fax: 605-773-3018
Cindy.gerber@state.sd.us

Janet McKenzie
SafetyNet Manager
SD Highway Patrol
320 N Nicollet
Pierre, South Dakota 57501-5070
Phone: 605-773-7125
Fax: 605-773-6046
Janet.mckenzie@state.sd.us

Martin Bettmann
Staff Engineer
Public Utilities Commission
500 East Capitol
Pierre, South Dakota 57501
Phone: 605-773-6347
Fax: 605-773-3809
Martinb@puc.state.sd.us

Alana Gourneau
Motor Fuel Supervisor
SD Dept. of Revenue
445 East Capitol
Pierre, South Dakota 57501
Phone: 605-773-4110
Fax: 605-773-4117
Alana.gourneau@state.sd.us

Daris Ormesher
Research Project Engineer
South Dakota Dept of Transportation
700 East Broadway Avenue
Pierre, South Dakota 57501-2586
Phone: 605-773-6234
Fax: 605-773-4713
Daris.ormesher@state.sd.us

Pam Templeton
Planning and Systems Development Officer
Unified Judicial System
500 East Capitol
Pierre, South Dakota 57501
Phone: 605-773-4876
Fax: 605-773-7264
Pam.templeton@state.sd.us

Linda Peterson
Development Manager
Bureau of Information and
Telecommunication
700 E. Broadway Avenue
Pierre, South Dakota 57501-2586
Phone: 605-773-4469
Fax: 605-773-4378
Linda.peterson@state.sd.us

Appendix F – Interviewees and Interview Guide

In-Person Interviewees

Department of Revenue

Debra A. Hillmer
Lila Bohr
Alana Gourneau
Robbyn Bothwell
Jennifer Kirk

Department of Environment and Natural Resources

Carrie Jacobson
Kim McIntosh

Department of Agriculture

Darwin Kurtenbach

Department of Commerce and Regulation

Cindy Gerber
Rory Menenger
Lisa Maskovich
Don Hayward
Deb Labrie

Bureau of Information and Telecommunication

Ron Knecht
Gary Larson
Linda Peterson

Public Utilities Commission

Martin Bettmann
Katie Johnson

Highway Patrol

Janet McKenzie
Sgt. Noel Gabriel

Department of Transportation

Hal Rumpca
Daris Ormesher
Todd Thompson
Darin Larson
Creighton Miller

Unified Judicial System

Pam Templeton

DATA COLLECTION INTERVIEW GUIDE

Interview Objectives

The purpose of the interview is to gather sufficient data that would allow a detailed documentation of the processes, hardware, software, databases, data elements, data flow, process, process interaction, systems capacities and limitations of all state agencies involved with CVO in South Dakota. Contact persons and business areas will include the Public Utilities Commission (PUC), Department of Revenue (DOR), Department of Commerce and Regulation (DCR), Highway Patrol (HP), Department of Transportation (DOT), Unified Judicial System (UJS), Department of Environment and Natural Resources (DENR), Department of Agriculture (DOA), and the Federal Highway Administration (FHWA)

This interview guide is designed with the primary objective to obtain sufficient information on the functional and technical data requirements of each state agency. It is also structured to capture information required to assess system capabilities and deficiencies. The following important elements are addressed.

- Business functions, information inputs/outputs, and personnel responsibilities
- Definition of the roles and responsibilities of each agency in CVO
- Current and anticipated business objectives
- Types of data collected, methods of data collection, handling, and storage
- Data requirements and standards
- Database approaches used
- Current level of integration among various databases and systems
- Ease of use of current databases and systems
- Completeness of user documentation of current databases and systems
- Current system degree of functionality and improvement needs
- Technical environment, constraints, and available equipment and needs
- Current automated and manual system and associated deficiencies.

This interview guide is divided into sections each dealing with a specific aspect as it relates to CVO. The guide attempts to identify pertinent data elements of each aspect that needs to be captured. To facilitate data collection for development of the data and process models, generic models are included, where relevant, that can be reviewed by key technical personnel. The review process will involve modifications, deletions and additions to help customize the models that reflect South Dakota's data needs and processes while maintaining compatibility with CVISN architecture.

Business Areas

This section identifies state agencies, business areas, processes, sub-processes and provides names and phone numbers of contact persons for each business area.

	Process	Agency / Business area	Contact person(s)	Tel #
	Credentialing and permitting			
1	IRP	DOR/DMV		
2	IFTA	DOR/DMV		
3	OS/OW	DOT/HP		
4	SSRS	PUC/Transp. Div		
5	Intrastate	PUC/Transp. Div		
6	CDL	DCR		
7	HAZMAT	DENR/		
8				
	Roadside operations			
1	Enforcement screening	Hwy Patrol		
2	International border clearance	Hwy Patrol		
3	Hazmat inspections	Hwy Patrol		
4	OOS verification	Hwy Patrol		
5	Compliance Review	FHWA/OMC		
6	Vehicle inspections	Hwy Patrol		
7	Driver inspections	Hwy Patrol		
8	Milk bulk trucks	DOA		
9				
	Other processes			
1	Tax return (funds transfer)	DOR		
2	IRP and IFTA audit	DOR/DMV		
3	Prosecution of carriers	UJC		
4	Information technology support	BIT		
5	Hazmat incident management	Hwy Patrol		
6				

Background

I. General – The purpose of this section is to gather background information on the types of CVO functions of the organization.

1. Name of agency
2. Which CVO functions are the responsibilities of your department?
3. What is your role in CVISN systems deployment in your state?

4. What other agencies does your agency interact with in performing its CVO functions?
5. What are your agency's most significant coordination issues in working with other agencies in CVO functions?

Commercial Vehicle Operations

The purpose of this section is to collect detailed information on the CVO processes performed by various state agencies. The data requirements for each agency are also identified as well as linkages among these agencies in terms of data sharing and exchange.

II. Processes - Provide detailed step-by-step description of each CVO process undertaken by your agency – input, processes, outputs, linkages with other agencies. The following boxes show pertinent data elements that must be captured in describing these processes.

Administrative processes

- Name of credential or permit (e.g., IRP, IFTA, SSRS, OS/OW, CDL etc)
- List of other interacting agencies for processing the credential/permit
- List CVO related databases used in the credentialing/permitting process
- Detailed description of each step of the process including:
 - Application (input requirements)
 - Review and checks – databases, checks, other sub-processes
 - Update databases
 - Generate invoice
 - Receive and process payment
 - Issue credential or permit (temporary or permanent)
 - Fund remittance to other states
 - etc

Road side operations

- List of other interacting agencies – for database access
- Description of roadside inspection/screening process
- Database links - names of databases and agency (local, state, external to state)
- Mode of data acquisition (fax, tel, LAN, online, hardcopy, local)
- Communication medium (fax, tel, online etc)
- Computer hardware – fixed locations (POEs) and mobile teams (e.g., desktop PC, laptops, pen based)
- Software – ASPEN, ISS, etc

III. Key data elements – In describing the processes, the following details on each data element must be provided.

- types of data required for each process and data attributes
- sources of data – (e.g., in-house database, other agencies)
- format of data and standards – (at source and required format) – compatibility with interacting agencies
- method of data acquisition (existing data, local and other agencies) – written request, fax, tel, online etc)
- data handling processes – conversion, translation etc
- data acquisition and handling time
- storage – format, medium, updates

IV. Data entities and attributes – This section focuses on data entities. Generic data models for some common entities are used to facilitate the information gathering process. Use these generic data entities and models to customize for SD. Data entities:

1. Account
2. Audit
3. Carrier
4. Driver
5. Road inspection
6. Tax return
7. Trip
8. Vehicle
- 9.
- 10.

Note: Entity represents a set of real events or attributes which have common attributes or characteristics. Entity may be either independent or dependent.

V. Database – The purpose of this section is to provide detailed information on the types and characteristics of databases and linkages among these databases maintained by different agencies for CVO activities. The following questions will be addressed:

- What CVO related databases used by your agency (local, other state agency, national etc)? For example,
 - Credentials Databases
 - Safety Databases
 - CVA Network of Databases
 - ICVA Network of Databases
 - Local Site Database

- Local CAER Database
- Fleet Database
- HAZMAT Database
- etc
- What are the database approaches used by your agency for each CVO process (e.g., relational, network, hierarchical, object oriented)?
- What are the linkage mechanisms with all databases needed for CVO functions – data transfer and data sharing?
 - EDI
 - DSRC
 - Modem
 - LAN
 - etc
- What are the database standards for data storage, transfer and sharing?
- What is the current level of integration among various databases of interacting agencies?
- What is the ease of use of current databases (local and external to agency)?
- What are the compatibility and interoperability issues with databases outside your agency and how resolved?
- What is the completeness of user documentation of current databases (local and external to agency)?
- Who or what agency is responsible for maintenance and update of CVO databases?

Systems Assessment

The purpose of this section is to gather sufficient information that would allow an assessment of the current systems and identification of system deficiencies and opportunities for improvement.

VI. Current systems - Provide detailed information on current system including the following:

- What computer hardware used by agency for CVO purposes only – data collection, storage, retrieval and usage (# of units, age, type, speed, capacity, etc)?
- What software – list of database, spreadsheet software and others for CVO data collection, storage, retrieval and usage?
- What networking facilities – within agency, with other others (within and out of state)?
- What facilities for data transfer – communications infrastructure?

- What is the current system degree of functionality and improvement needs?
- What are your agency's plans for equipment upgrades?

VII. System deficiencies and improvement opportunities – Provide information on systems deficiencies and opportunities for improvement including the following:

- What ITS technologies is your agency currently using? What are your agency's plans for their expansion?
- What are major technical environment and constraints associated with current systems for data transfer and sharing?
- What are the limitations and deficiencies of existing computer systems for CVO functions (hardware and software)?
- What are the limitations and deficiencies of data communication infrastructure?
- What are the equipment needs to address limitations of current systems?
- Describe current automated and manual systems for CVO functions and the associated deficiencies.
- What are the limitations of data standards with respect to data transfer and sharing?
- What are the opportunities to coordinate with/expand on/remain consistent with ITS plans and programs of other states, other regions and the nation?